

HandsMen Threads Salesforce Project Documentation

Salesforce Platform Developer Project

Contents

No.	Contents
1	Project Overview
2	Objectives and Implementation Scope
3	Requirement Analysis and Data Model
4	Formulas and Data Quality
5	Salesforce Configuration and Data Security
6	Email Templates and Alerts
7	Process Automation using Flow
8	Automation using Apex Triggers
9	Batch Apex and Scheduled Processing
10	User Interface and Sample Records
11	Functional Testing and Results

This report presents the HandsMen Threads Salesforce implementation in a concise review format. Each numbered figure panel identifies the exact screenshot that should be captured from the Salesforce developer org before submission.

HandsMen Threads: Elevating the Art of Sophistication in Men's Fashion

Project Overview

HandsMen Threads is a Salesforce CRM solution developed for a fashion industry organization to manage customer, order, product, inventory, and marketing information in a centralized system. The solution focuses on maintaining data accuracy, improving customer engagement, and automating repetitive business processes.

The CRM provides a structured data model connecting customers, orders, products, inventory, and marketing campaigns. Salesforce automation is used to handle order confirmations, low-stock notifications, loyalty status updates, and scheduled inventory processing.

The project combines Salesforce configuration and development features including custom objects and fields, relationships, formula fields, validation rules, profiles, roles, permission sets, Record-Triggered Flows, Scheduled Flows, Apex Triggers, and Batch Apex.

Area	Salesforce Feature
Data	Custom objects, custom fields, formula fields, relationships
Automation	Record triggered flows and scheduled flow
Development	Apex classes, triggers, handler pattern, Batch Apex, Scheduled Apex
Security	Profiles, roles, users, permission sets, object access
Communication	Classic email templates and email alerts

Objectives

The primary objectives of the HandsMen Threads CRM are:

- To create a centralized Salesforce platform for managing business data.
- To establish relationships between customers, orders, products, inventory, and marketing campaigns.
- To maintain data quality through validation rules and formula fields.
- To automate customer communication through order confirmation and loyalty emails.
- To provide proactive inventory management through low-stock alerts.
- To automate inventory restocking using Batch Apex and Scheduled Apex.
- To implement appropriate user access and security using profiles, roles, and permission sets.
- To improve operational efficiency by reducing manual business processes.

Area	Included Implementation	Review Evidence
Data model	Five custom objects with business fields and relationships	Object Manager and Schema Builder
Data quality	Formula fields and validation rules	Field and validation rule screens
Security	Profile, role hierarchy, users, permission set	Setup security screens
Automation	Order, stock, and loyalty flows	Flow Builder canvases
Development	Handler, triggers, batch, and scheduler	Apex class and trigger screens
Testing	Sample records, error messages, updates, and emails	Lightning records and test results


Implementation Details

Data Model

The Salesforce data model consists of the following custom objects:

Custom Object	Key Fields	Business Purpose
HandsMen Customer	Name, First Name, Last Name, Email, Phone, Loyalty Status, Total Purchases	Stores customer identity, contact, and loyalty details.
HandsMen Product	Name, SKU, Price, Stock Quantity	Stores the product catalogue and pricing.
HandsMen Order	Order Number, Status, Quantity, Total Amount, Customer, Product	Captures customer purchases and order status.
Inventory	Inventory Number, Warehouse, Stock Quantity, Product	Tracks stock levels for each product.
Marketing Campaign	Campaign Number, Start Date, End Date, Customer	Stores promotional campaigns and customer association.

The objects are connected through Salesforce relationships to maintain a structured flow of business information.



ERD/Data Model

HandsMen Customer

The HandsMen Customer object stores customer-related information such as First Name, Last Name, Email, Phone, Loyalty Status, and Total Purchases.

A Full Name formula field was implemented to automatically combine the customer's first and last names.

HandsMen_Customer Object screenshots:

Fields & Relationships		
12 Items, Sorted by Field Label		
Quick Find		
Email	Email__c	Email
FirstName	FirstName__c	Text(60)
FullName	FullName__c	Formula (Text)
HandsMen Customer Name	Name	Text(80)
Last Modified By	LastModifiedById	Lookup(User)
LastName	LastName__c	Text(60)
Loyalty Points	Loyalty_Points__c	Number(18, 0)
Loyalty Status	Loyalty_Status__c	Picklist

40 Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

HandsMen Customer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Details

Description

API Name: HandsMen_Customer__c

Custom

Singular Label: HandsMen Customer

Plural Label: HandsMen Customers

Enable Reports

Track Activities

Track Field History

Deployment Status: Deployed

Help Settings: Standard salesforce.com Help Window

Edit Delete

HandsMen Order

The HandsMen Order object stores order-related information including customer, status, quantity, and total amount.

A Lookup relationship connects an order with the corresponding HandsMen Customer.

A validation rule was implemented to prevent an order from being saved when the Total Amount is zero or negative. This ensures that invalid financial information cannot be entered into the system.

SETUP > OBJECT MANAGER

HandsMen Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Fields & Relationships

9 Items, Sorted by Field Label

FIELD LABEL	FIELD NAME	DATA TYPE
Created By	CreatedById	Lookup(User)
Customer	Customer__c	Lookup(HandsMen Customer)
Customer Email	Customer_Email__c	Email
HandsMen OrderNumber	Name	Auto Number
Last Modified By	LastModifiedById	Lookup(User)
Owner	OwnerId	Lookup(User,Group)
Quantity	Quantity__c	Number(18, 0)
Status	Status__c	Picklist

Quick Find

SETUP > OBJECT MANAGER

HandsMen Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Details

Description

API Name
HandsMen_Order__c

Custom
✓

Singular Label
HandsMen Order

Plural Label
HandsMen Orders

Enable Reports
✓

Track Activities

Track Field History


Deployment Status
Deployed

Help Settings
Standard salesforce.com Help Window

HandsMen Product

The HandsMen Product object stores product-related information such as product name, price, stock quantity, category, and active status.

The object is connected with order and inventory information through Salesforce relationships.



The screenshot shows the Salesforce Setup interface for the 'HandsMen Product' object. The 'Fields & Relationships' tab is selected, displaying a table of fields. The table has columns for FIELD LABEL, FIELD NAME, DATA TYPE, CONTROLLING FIELD, and INDEXED. The fields listed are: Created By, HandsMen Product Name, Last Modified By, Order, Owner, Price, SKI, and Stock Quantity.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedBy	Lookup(2ref)		
HandsMen Product Name	Name	Text(80)		✓
Last Modified By	LastModifiedBy	Lookup(1ref)		
Order	Order__c	Lookup(HandsMen Order)		✓
Owner	OwnerId	Lookup(Owner Group)		✓
Price	Price__c	Currency(18, 2)		
SKI	SKI__c	Text(80)		
Stock Quantity	Stock_Quantity__c	Number(18, 0)		

Important fields include:

- Product
- Stock Quantity
- Stock Status

A relationship connects inventory records with their corresponding products.

A validation rule prevents invalid stock quantities from being entered.

Stock Status Formula

The `Stock_Status__c` formula automatically determines the current stock condition.

`IF(Stock_Quantity__c > 10, "Available", "Low Stock")`

The result is:

Stock Quantity > 10 → Available

Stock Quantity ≤ 10 → Low Stock

This provides users with an automatically calculated stock status.

Setup - Object Manager				
Inventory				
Details	Fields & Relationships 7 Items, Sorted by Field Label			
Fields & Relationships	Quick Find New Delete Fields Field Dependencies Set History Tracking			
Page Layouts	FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD INDEXED
Lightning Record Pages	Created By	CreatedById	Lookup(Name)	
Buttons, Links, and Actions	Inventory Number	Name	Auto Number	✓
Compact Layouts	Last Modified By	LastModifiedById	Lookup(Name)	
Field Sets	Product	Product__c	Master-Detail(InventoryItem-Product)	✓
Object Limits	Stock Quantity	Stock_Quantity__c	Number(18, 0)	
Record Types	Stock Status	Stock_Status__c	Text (100)	
Related Lookup Filters	Warehouse	Warehouse__c	Text (50)	
Search Layouts				
List View Button Layout				

Marketing Campaign

The Marketing Campaign object stores marketing campaign information and maintains its association with customer records.

This allows customer information to be connected with marketing activities within Salesforce.

Setup - Object Manager				
Marketing Campaign				
Details	Fields & Relationships 7 Items, Sorted by Field Label			
Fields & Relationships	Quick Find			
Page Layouts	FIELD LABEL	FIELD NAME	DATA TYPE	
Lightning Record Pages	Created By	CreatedById	Lookup(Name)	
Buttons, Links, and Actions	End Date	End_Date__c	Date	
Compact Layouts	Initiation Customer	Initiation_Customer__c	Lookup(Initiation Customer)	
Field Sets	Last Modified By	LastModifiedById	Lookup(Name)	
Object Limits	Marketing Campaign Number	Name	Auto Number	
Record Types	Status	StatusId	Lookup(Status String)	
Related Lookup Filters	Start Date	Start_Date__c	Date	
Search Layouts				
List View Button Layout				

Formulas and Validation Rules

Object	Formula Field	Return Type	Formula
HandsMen Customer	Full Name	Text	FirstName__c + " " + LastName__c
Inventory	Stock Status	Text	IF(Stock_Quantity__c > 10, "Available", "Low Stock")

Object	Rule	Condition	Expected Message
HandsMen Order	Total Amount	Total_Amount__c <= 0	Please enter a correct amount.
Inventory	Stock Quantity	Stock_Quantity__c <= 0	Inventory count cannot be less than or equal to zero.
HandsMen Customer	Email	NOT(CONTAINS(Email__c, "@gmail.com"))	Please enter a correct Gmail address.

Formula fields automatically calculate values such as Full Name and Stock Status, reducing manual data entry.

Formula: *FirstName__c & " " & LastName__c*

Formula Options

Formula Return Type: Text

Enter your formula and click Check Syntax to check for errors. Click the Advance **Example:** Full Name = LastName & ", " & FirstName [More Examples...](#)

Simple Formula | **Advanced Formula**

[Insert Field](#) [Use Formula Assistant](#)

FullName (Text) =
 FirstName__c + " " + LastName__c

SETUP > OBJECT MANAGER

Inventory

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Example: Full Name = LastName & ", " & FirstName [More Examples...](#)

Simple Formula | **Advanced Formula**

[Insert Field](#) [Use Formula Assistant](#) [Insert Operator](#)


Stock Status (Text) =
 IF(Stock_Quantity__c > 10, "Available", "Low Stock")

Data Quality

Data quality is maintained through Formula Fields and Validation Rules.

The implemented validations prevent:

- Invalid order amounts
- Invalid inventory quantities
- Incorrect customer email formats



SETUP > OBJECT MANAGER

HandsMen Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types


HandsMen Order Validation Rule

[Back to HandsMen Order](#)

Validation Rule Detail [Edit](#) [Clone](#)

Rule Name	Total_Amount	Active	☒
Error Condition Formula	Total_Amount__c <= 0		
Error Message	Please Enter Correct Amount	Error Location	Total Amount
Description			
Created By	Rhenu Sathvik Vallabhapurapu, 9/7/2026, 10:58 AM	Modified By	Rhenu Sathvik Vallabhapurapu, 9/7/2026, 10:58 AM

[Edit](#) [Clone](#)



SETUP > OBJECT MANAGER

HandsMen Customer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters


HandsMen Customer Validation Rule

[Back to HandsMen Customer](#)

Validation Rule Detail [Edit](#) [Clone](#)

Rule Name	Email
Error Condition Formula	NOT CONTAINS(Email__c , "@gmail.com")
Error Message	Enter only gmail address
Description	
Created By	Rhenu Sathvik Vallabhapurapu, 9/7/2026, 11:03 AM

[Edit](#) [Clone](#)



SETUP > OBJECT MANAGER

HandsMen Customer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

HandsMen Customer Validation Rule

[Back to HandsMen Customer](#)

Validation Rule Detail [Edit](#) [Clone](#)

Rule Name	Email
Error Condition Formula	NOT CONTAINS(Email__c , "@gmail.com")
Error Message	Enter only gmail address
Description	
Created By	Rhenu Sathvik Vallabhapurapu, 9/7/2026, 11:03 AM

[Edit](#) [Clone](#)

Data Security

The application implements Salesforce security features including:

- Profiles
- Roles
- Role Hierarchy
- Permission Sets

A custom Platform 1 profile was created based on the Standard User profile. Appropriate object permissions were provided for the required HandsMen Threads objects.

The role hierarchy organizes users according to their responsibilities, while the permission set provides additional permissions where required.

SETUP

Profiles

Profile

Platform 1

Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.

If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.

Login IP Ranges [0]

Enabled Apex Class Access [0]

Enabled Visualforce Page Access [0]

Enabled External Data Source Access [0]

Enabled Named Credential Access [0]

Enabled External Credential Principal Access [0]

Enabled Apex Class Access

Edit

Enabled Apex Class Access Help [?]

No Apex Classes enabled

User License	Salesforce	Custom Profile	✓
Description			
Created By	Bhanu Sathvik Vallabhadra Rao, 9/7/2026, 11:06 AM		
Modified By	Bhanu Sathvik Vallabhadra Rao, 9/7/2026, 11:09 AM		

Page Layouts

Standard Object Layouts	
Global	Global Layout [View Assignment]
Email Application	Not Assigned [View Assignment]
Home Page Layout	Home Page Default [View Assignment]
Account	Account Layout [View Assignment]
Location Group	Location Group Layout [View Assignment]
Location Group Assignment	Location Group Assignment Layout [View Assignment]
Macro	Macro Layout [View Assignment]
Object Milestone	Object Milestone Layout [View Assignment]

Platform 1 Profile

SETUP

Roles

Creating the Role Hierarchy

You can build on the existing role hierarchy shown on this page. To insert a new role, click **Add Role**.

Your Organization's Role Hierarchy

[Collapse All](#) [Expand All](#)

None

Add Role

CEO Edit | Del | Assign

Add Role

CFO Edit | Del | Assign

Add Role

COO Edit | Del | Assign

Add Role

Inventory Edit | Del | Assign

Add Role

Marketing Edit | Del | Assign

Add Role

Sales Edit | Del | Assign

Add Role

Role Hierarchy

SETUP

Permission Sets

Permission Set

Permission Platform 1

Permission Set Overview

Object Settings

HandsMen Customer

HandsMen Customer

Tab Settings

Available	Visible
☐	☐

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☐
Modify All Records	☐
View All Fields	☐

Permission Set

Actions	Full Name	Alias	Username	Role	Active	Profile
☐	Chatter Expert	Chatter	chatter.00000000000000000000000000000000@under.salesforce.com		☒	Chatter Free User
☐	ERPIC_OrgOps	OEPRIC	epic.a1a20c0717@gongbarn.salesforce.com		☒	System Administrator
☐	Mikaelson_Cao	caoika	230e1a0545@nexus.ac.in	Marketing	☐	Platform 1
☐	Mikaelson_Kai	kaiika	3b0e1a0545@nexus.ac.in	Inventory	☐	Platform 1
☐	Mikaelson_Rich	richika	230e1a0545@nexus.ac.in	Inventory	☐	Platform 1
☐	Mikaelson_Niklaus	nikika	3b0e1a0545@nexus.ac.in	Sales	☐	Platform 1
☐	User_Integration	integ	integration@00000000000000000000000000000000.com		☒	Analytics Cloud integration User
☐	User_Security	sec	usersecurity@00000000000000000000000000000000.com		☒	Analytics Cloud Security User
☐	YokoChauvauku_Olivia_Sathvik	olvi	olviyosathvik6.73a2933110063@acertforce.com		☒	System Administrator

User configuration

The guidelines specifically require Profiles, Roles, Role Hierarchy, Permission Sets, and relevant security configuration to be documented.

Email Templates and Alerts

Template	Type	Used For
Order Confirmation	HTML	Sent when an order changes to Confirmed.
Low Stock Alert	Text	Sent to the inventory team when stock is below five.
Loyalty Program Email	HTML	Supports customer loyalty communication.

Actions	Template Name	Type	Status	Description	Last Modified
Edit Del	Appointment for Unauthenticated User using Engagement Channels For third party	Custom	☒	Email template for confirmation of an appointment when appointments are scheduled using engagement channels with third party video applications	sfdcadmin 6/1/2026
Edit Del	Canceled Service Appointment Confirmation Email	Custom	☒	Email Template to confirm canceling of a service appointment	sfdcadmin 6/1/2026
Edit Del	Commerce Reorder Portal Invitation	Custom	☒	Invite a contact to a Commerce Reorder Portal	autoprocc 6/1/2026
Edit Del	Group Service Appointments Enrollment Confirmation Email	Custom	☒	Email Template to confirm enrollment of an attendee to a Group service appointment	sfdcadmin 6/1/2026
Edit Del	Low Stock Alert	Text	☒		ik 9/11/2026
Edit Del	Loyalty Program Email	HTML	☒		ik 9/11/2026
Edit Del	Marketing Product Inquiry Response	Text	☒	Standard email response to website product inquiries	OEPRIC 6/1/2026
Edit Del	Order Confirmation Email	HTML	☒		ik 9/11/2026



SETUP

Email Alerts

All Email Alerts

[Help for this Page](#)

Email alerts are used to send emails from a flow or other automation.

View: [All Email Alerts](#) [Create New View](#)

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other

New Email Alert				
Action	Description ↑	Email Template Name	Object	Last Modified Date
Edit Del	Low Stock Alert	Low Stock Alert	Inventory	9/11/2026
Edit Del	Loyalty program email	Loyalty Program Email	HandsMen Customer	9/11/2026
Edit Del	Order Confirmation Email Alert	Order Confirmation Email	HandsMen Order	9/11/2026

Automation

This will be the main implementation section of your documentation.

We can document each automation like this:

Order Confirmation Flow

Type: Record-Triggered Flow

Object: HandsMen Order

Trigger Condition:

Status=Confirmed

Functionality:

When an existing order is updated and its status becomes Confirmed, the flow automatically sends the Order Confirmation Email to the customer.

Flow Structure:


Order Updated


↓

Status = Confirmed

↓

Order Confirmation Email





Stock Alert Flow

Type: Record-Triggered Flow

Object: Inventory

Trigger Condition:

Stock Quantity < 5

Functionality:

When inventory stock falls below five units, the flow automatically sends a Low Stock Alert to the warehouse team.


Inventory Updated


↓

Stock Quantity < 5

↓

Low Stock Alert Email





Loyalty Status Flow

Type: Scheduled Flow

Frequency: Daily


Functionality:

The flow evaluates customer purchase history and updates the loyalty status.

Total Purchases > 1000 → Gold

Total Purchases < 500 → Bronze

Otherwise → Silver



Apex Trigger

The project uses an Apex Trigger on the HandsMen Order object for business validation.

The trigger executes during before insert and before update operations and invokes the corresponding handler class.

The validation logic is:

Order Status	Required Quantity
Confirmed	> 500
Pending	> 200
Rejection	0

If an order violates the required condition, the trigger prevents the record from being saved and displays an appropriate error.

Trigger:


```
trigger OrderTrigger on HandsMen_Order__c (before insert, before update) {  
    if (Trigger.isBefore && (Trigger.isInsert || Trigger.isUpdate)) {  
        OrderTriggerHandler.validateOrderQuantity(Trigger.new);  
    }  
}
```

Handler:

```
public class OrderTriggerHandler {  
    public static void validateOrderQuantity(List<HandsMen_Order__c> orderList) {  
        for (HandsMen_Order__c order : orderList) {  
            if (order.Status__c == 'Confirmed') {  
                if (order.Quantity__c == null || order.Quantity__c <= 500) {  
                    order.Quantity__c.addError('For Status "Confirmed", Quantity must be  
more than 500.');                }  
            } else if (order.Status__c == 'Pending') {  
                if (order.Quantity__c == null || order.Quantity__c <= 200) {  
                    order.Quantity__c.addError('For Status "Pending", Quantity must be more  
than 200.');                }  
            }  
        }  
    }  
}
```

```

    }
} else if (order.Status__c == 'Rejection') {
    if (order.Quantity__c == null || order.Quantity__c != 0) {
        order.Quantity__c.addError('For Status "Rejection", Quantity must be 0.');
```



Product Stock Alert Trigger:

trigger ProductStockAlertTrigger on HandsMen_Product__c (after insert, after update) {

```

    List<Messaging.SingleEmailMessage> emails = new List<Messaging.SingleEmailMessage>();
```

```

    for (HandsMen_Product__c product : Trigger.new) {
```

```

        Boolean sendAlert = false;
```

```

        if (Trigger.isInsert) {
            if (product.Stock_Quantity__c != null &&
                product.Stock_Quantity__c < 5) {
                sendAlert = true;
            }
        }
    }
```

```

    if (Trigger.isUpdate) {
        HandsMen_Product__c oldProduct = Trigger.oldMap.get(product.Id);
```

```

        if (product.Stock_Quantity__c != null &&
```

```

        product.Stock_Quantity__c < 5 &&
        (oldProduct.Stock_Quantity__c == null ||
        oldProduct.Stock_Quantity__c >= 5)) {
            sendAlert = true;
        }
    }
    if (sendAlert) {
        Messaging.SingleEmailMessage email =
            new Messaging.SingleEmailMessage();
        email.setToAddresses(
            new String[] {UserInfo.getUserEmail()}
        );
        email.setSubject(
            'Low Stock Alert - ' + product.Name
        );

        email.setPlainTextBody(
            'Product: ' + product.Name +
            '\nSKU: ' + product.SKU__c +
            '\nCurrent Stock: ' + product.Stock_Quantity__c +
            '\n\nStock level has fallen below 5 units.'
        );
        emails.add(email);
    }
}
if (!emails.isEmpty()) {
    Messaging.sendEmail(emails);
}
}

```

Customer Layout Trigger

```

trigger CustomerLoyaltyTrigger on HandsMen_Customer__c (
    before insert,
    before update
)
{
    for (HandsMen_Customer__c customer : Trigger.new) {
        Decimal purchases =
            customer.Total_Purchases__c == null ? 0 : customer.Total_Purchases__c;
        if (purchases > 1000) {
            customer.Loyalty_Status__c = 'Gold';
        } else if (purchases < 500) {
            customer.Loyalty_Status__c = 'Bronze';
        } else {
            customer.Loyalty_Status__c = 'Silver';
        }
    }
}

```

Batch Apex:

The project implements Batch Apex and Scheduled Apex for automated inventory processing.

The Batch Apex class identifies products with stock below 10 units.

Stock Quantity < 10

↓

Batch Processing

↓

Add 50 Units

↓

Update Product

The batch is processed in groups of 200 records.

The same class implements Schedulable, allowing the inventory synchronization process to be scheduled to run daily at midnight.

Batch Apex class:

```
global class InventoryBatchJob implements Database.Batchable<SObject>,
Schedulable {

    global Database.QueryLocator start(Database.BatchableContext BC) {

        return Database.getQueryLocator(

            'SELECT Id, Stock_Quantity__c FROM HandsMen_Product__c WHERE
Stock_Quantity__c < 10'

        );

    }

    global void execute(Database.BatchableContext BC, List<SObject> records) {

        List<HandsMen_Product__c> productsToUpdate = new
List<HandsMen_Product__c>();

        for (SObject record : records) {

            HandsMen_Product__c product = (HandsMen_Product__c) record;

            product.Stock_Quantity_____c += 50;

            productsToUpdate.add(product);

        }

        if (!productsToUpdate.isEmpty()) {
```

```

    try {
        update productsToUpdate;
    } catch (DmlException e) {
        System.debug('Error updating inventory: ' + e.getMessage());
    }
}

}

global void finish(Database.BatchableContext BC) {
    System.debug('Inventory Sync Completed');
}

global void execute(SchedulableContext SC) {
    InventoryBatchJob batchJob = new InventoryBatchJob();
    Database.executeBatch(batchJob, 200);
}
}

```


Scheduled Jobs

All Scheduled Jobs

The All Scheduled Jobs page lists all of the jobs scheduled by your users. Multiple job types may display on this page. You can delete scheduled jobs if you have the permission to do so.

Percentage of Scheduled Jobs Used: 1%
 You have currently used 1 scheduled Apex jobs out of an allowed organization limit of 100 active or scheduled jobs. To learn about how this limit is calculated and what contributes to it see the [Limiting Platform Apex Usage](#) topic.

View: All Scheduled Jobs Create New Job

Action	Job Name	Scheduled By	Scheduled	Started	Next Scheduled Run	Type	Create Trigger ID
Manage Del Pause Job	Daily Inventory Sync	Yashwantrao, Phani Satish	9/14/2026, 1:53 AM		9/15/2026, 12:00 AM	Scheduled Apex	00e9v000001HMP
Del	Loyalty_Program-d	Yashwantrao, Phani Satish	9/14/2026, 2:49 AM		9/14/2026, 3:30 PM	Scheduled Flow	00e9v000001HMH
Del	Metasploit Data Loader Job for Org 000v0000026U83	User Integration	9/10/2026, 11:13 PM	9/13/2026, 8:47 AM	9/14/2026, 8:47 AM	Autonomous Data Loader Job	00e9v000000w8h
	Program Milestone Computation Cron Job	Process, Automated	9/10/2026, 11:13 PM	9/13/2026, 11:59 PM	9/14/2026, 6:59 AM	Program Milestone Computation Cron Job	00e9v000000w8u
	Program Status Update Cron Job	Process, Automated	9/10/2026, 11:13 PM	9/14/2026, 8:06 AM	9/14/2026, 8:00 PM	Program Status Update Cron Job	00e9v000000w8t

Loyalty Point Batch Job

global class LoyaltyPointsBatchJob implements Database.Batchable<SObject>, Schedulable {

```
global Database.QueryLocator start(Database.BatchableContext BC) {
    return Database.getQueryLocator(
        'SELECT Id, Total_Purchases__c, Loyalty_Points__c ' +
        'FROM HandsMen_Customer__c'
    );
}
```

global void execute(Database.BatchableContext BC, List<SObject> records) {

```
List<HandsMen_Customer__c> customersToUpdate =
    new List<HandsMen_Customer__c>();
```

```
for (SObject record : records) {
```

```
    HandsMen_Customer__c customer =
        (HandsMen_Customer__c) record;
```

```
    Decimal purchases =
        customer.Total_Purchases__c == null
        ? 0
        : customer.Total_Purchases__c;
```

```
    customer.Loyalty_Points__c =
        Math.floor(purchases / 100);
```

```
    customersToUpdate.add(customer);
}
```

```
if (!customersToUpdate.isEmpty()) {
    update customersToUpdate;
}
}
```

```
global void finish(Database.BatchableContext BC) {
    System.debug('Loyalty Points Calculation Completed');
}
```

```
global void execute(SchedulableContext SC) {
    LoyaltyPointsBatchJob batchJob =
```

```

new LoyaltyPointsBatchJob();

Database.executeBatch(batchJob, 200);
}
}

```

Testing

Feature	Test Input	Expected Result	Actual Result
Full Name Formula	Bhanu + Sathvik	Bhanu Sathvik	Passed
Stock Status	Stock = 5	Low Stock	Passed
Order Validation	Amount = 0	Record rejected	Passed
Order Confirmation	Status → Confirmed	Email sent	Passed
Stock Alert	Stock → 4	Alert email sent	Passed
Loyalty Flow	Purchases = 1500	Gold	Passed
Apex Trigger	Confirmed + Qty 300	Record rejected	Passed
Batch Apex	Stock = 5	Stock = 55	Passed

All the screenshots regarding the testing are pasted previous sections

8. Conclusion

The HandsMen Threads Salesforce CRM successfully provides a centralized solution for managing customer, order, product, inventory, and marketing information. The implementation combines Salesforce configuration with declarative and programmatic automation to improve data quality and business efficiency.

The implemented Formula Fields and Validation Rules improve data accuracy, while Profiles, Roles, and Permission Sets provide controlled access to business data. Record-Triggered Flows automate customer communication and inventory alerts, while Scheduled Flows manage loyalty status updates. Apex Triggers provide additional business validation, and Batch Apex automates large-scale inventory processing.

The project demonstrates how Salesforce can be used to build a scalable CRM solution that reduces manual work, improves operational accuracy, and enhances customer service.