

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>All Accounts | Basic Banking System</title>

  <link rel="stylesheet"

    href="https://unpkg.com/bootstrap-material-design@4.1.1/dist/css/bootstrap-material-
design.min.css">

  <link rel="stylesheet" href="assets/css/customer.css">

  <link href="https://fonts.googleapis.com/css2?family=Noto+Sans+JP:wght@500&display=swap" r
el="stylesheet">

  <link href="https://fonts.googleapis.com/css2?family=Sansita+Swashed:wght@700&display=swap
" rel="stylesheet">

  <link href="https://fonts.googleapis.com/css2?family=Roboto:wght@500&display=swap" rel="styl
esheet">

</head>

<body>

  <!-- navbar starts here -->

  <nav class="navbar navbar-expand-lg navbar-light bg-light">

    <a class="navbar-brand" href="/index.html">Soviet Union Bank</a>

    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent"

      aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">

      <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">
```

```

<ul class="navbar-nav ml-auto">
  <li class="nav-item">
    <a class="nav-link" href="/index.html">Home </a>
  </li>
  <li class="nav-item active">
    <a class="nav-link" href="/customers.html"
      style="color: rgb(37, 36, 36)!important; background-
color: rgb(180, 178, 178);">Send Money</a>
  </li>
</ul>
</div>
</nav>
<!-- navbar ends here -->

<div class="my-info text-center">
  <h2>Name: MEDAM BHANU TEJ</h2>
  <h4>Net Bank Balance: $<span id="myAccountBalance">50000</span></h4>

  <button class="btn btn-info" data-toggle="modal" data-
target="#sendMoney">Send Money</button>

  <a class="btn btn-info" href="" data-toggle="modal" data-
target="#transactionHistory">See All Transactions</a>
</div>

<!-- Modal send money -->

<div class="modal fade" id="sendMoney" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
  aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Send Money</h5>

```

```

<button type="button" class="close" data-dismiss="modal" aria-label="Close">
  <span aria-hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">
  <form action="">
    <div class="input-group mb-3">
      <input type="text" id="enterName" class="form-
control" placeholder="Recipient's username"
      aria-label="Recipient's username" aria-describedby="basic-addon2">
      <div class="input-group-append">
        <span class="input-group-text" id="basic-addon2">@gmail.com</span>
      </div>
    </div>
    <div class="input-group mb-3">
      <div class="input-group-prepend">
        <span class="input-group-text">$</span>
      </div>
      <input type="text" id="enterAmount" class="form-
control" placeholder=" Enter Amount"
      aria-label="Amount (to the nearest dollar)">
      <div class="input-group-append">
        <span class="input-group-text">.00</span>
      </div>
    </div>
  </form>
</div>
<div class="modal-footer">
  <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
  <button type="button" onclick="sendMoney()" class="btn btn-success" data-
dismiss="modal">Send

```

```
Money</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Modal transaction History-->
```

```
<div class="modal fade" id="transactionHistory" tabindex="-1" role="dialog" aria-  
labelledby="exampleModalLabel"
```

```
aria-hidden="true">
```

```
<div class="modal-dialog" role="document">
```

```
<div class="modal-content">
```

```
<div class="modal-header">
```

```
<h5 class="modal-title" id="exampleModalLabel">Transaction History</h5>
```

```
<button type="button" class="close" data-dismiss="modal" aria-label="Close">
```

```
<span aria-hidden="true">&times;</span>
```

```
</button>
```

```
</div>
```

```
<div class="modal-body">
```

```
<ol id="transaction-history-body">
```

```
</ol>
```

```
</div>
```

```
<div class="modal-footer">
```

```
<button type="button" class="btn btn-danger" data-dismiss="modal">Close</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- table -->
```

```
<div class="container">

  <div class="table-responsive">

    <table class="table table-hover table-bordered">

      <thead>

        <tr class="table-danger">

          <th scope="col">Sl. No.</th>

          <th scope="col">Name</th>

          <th scope="col">E-mail</th>

          <th scope="col">Bank Balance(in $)</th>

        </tr>

      </thead>

      <tbody>

        <tr class="table-light">

          <td scope="row">1</td>

          <td>Bhanu</td>

          <td>bhanu@gmail.com</td>

          <td>

            <p id="bhanuBankBalance">5000</p>

          </td>

        </tr>

        <tr class="table-info">

          <td scope="row">2</td>

          <td>varsha</td>

          <td>varsha@gmail.com</td>

          <td>

            <p id="varshaBankBalance">2000</p>

          </td>

        </tr>

        <tr class="table-light">

          <td scope="row">3</td>

          <td>Nithin</td>
```

<td>nithin@email.com</td>

<td>

<p id=nithinBankBalance">3500</p>

</td>

</tr>

<tr class="table-info">

<td scope="row">4</td>

<td>shreyaah</td>

<td>shreyaah@gmail.com</td>

<td>

<p id="shreyaahBankBalance">2500</p>

</td>

</tr>

<tr class="table-light">

<td scope="row">5</td>

<td>Venky</td>

<td>venky@gmail.com</td>

<td>

<p id="venkyBankBalance">6000</p>

</td>

</tr>

<tr class="table-info">

<td scope="row">6</td>

<td>Arun</td>

<td>arun@gmail.com</td>

<td>

<p id="arunBankBalance">1000</p>

</td>

</tr>

<tr class="table-light">

<td>7</td>

```
<td>Siva</td>

<td>siva@gmail.com</td>

<td>

    <p id="sivaBankBalance">5000</p>

</td>

</tr>

<tr class="table-info">

    <td scope="row">8</td>

    <td>Abhi</td>

    <td>abhi@mail.com</td>

    <td>

        <p id="abhiBankBalance">8000</p>

    </td>

</tr>

<tr class="table-light">

    <td scope="row">9</td>

    <td>Ruchi</td>

    <td>ruchi@gmail.com</td>

    <td>

        <p id="ruchiBankBalance">9000</p>

    </td>

</tr>

<tr class="table-info">

    <td scope="row">10</td>

    <td>kommerera</td>

    <td>kommerera@gmail.com</td>

    <td>

        <p id="varshaBankBalance">8500</p>

    </td>

</tr>

</tbody>
```

</table>

</div>

</div>

<script src="assets/js/script.js"></script>

<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"></script>

<script src="https://unpkg.com/popper.js@1.12.6/dist/umd/popper.js"></script>

<script src="https://unpkg.com/bootstrap-material-design@4.1.1/dist/js/bootstrap-material-design.js"></script>

</body>

</html>