

[Skip to main content](#)

CS23336-Introduction to Python Programming

Started on	Saturday, 9 November 2024, 10:51 PM
State	Finished
Completed on	Saturday, 9 November 2024, 11:27 PM
Time taken	36 mins 42 secs
Marks	10.00/10.00
Grade	100.00 out of 100.00

Question 1

Correct

Mark 1.00 out of 1.00

 [Flag question](#)

Question text

Create a Python program to delete a specific line from a text file based on a given line number.

Description:

1. Input:

- A text file with multiple lines.
- A line number to delete.

2. Output:

- The updated file with the specified line removed in file "output.txt".

Example:

- Input File Content:

```
"Line one.  
Line two.  
Line three.  
Line four."  
2
```

Updated line two.

Output:

```
Line one.  
Line three.  
Line four.
```

For example:

Test	Input	Result
with open('output.txt', 'r') as file: text = file.read() print(text)	input1.txt 2	Line one. Line three. Line four.

Answer:(penalty regime: 0 %)

	1
	2
	3
4	5
	6
7	8

```
i=input()  
o='output.txt'  
n=int(input())  
with open(i, 'r') as f:  
    l=f.readlines()  
    l.remove(l[n-1])  
with open(o, 'w') as f:  
    f.writelines(l)
```

|

Feedback

	Test	Input	Expected	Got	
	<pre>with open('output.txt', 'r') as file: text = file.read() print(text)</pre>	<pre>input1.txt 2</pre>	<pre>Line one. Line three. Line four.</pre>	<pre>Line one. Line three. . Line four.</pre>	
	<pre>with open('output.txt', 'r') as file: text = file.read() print(text)</pre>	<pre>input2.txt 3</pre>	<pre>Line A. Line B.</pre>	<pre>Line A. Line B.</pre>	

Passed all tests!


Correct

Marks for this submission: 1.00/1.00.

Question 2

Correct

Mark 1.00 out of 1.00

 [Flag question](#)

Question text

Develop a Python program to read a specific line from a text file based on a given line number.

Description:

1. Input:

- A text file with multiple lines.
- A line number to read.

2. Output:

- o The content of the specified line.

input1.txt:

Line one.

Line two.

Line three.

Line four.

For example:

Input	Result
input1.txt 3	Line three.

Answer:(penalty regime: 0 %)

	1
	2
3	4
	5

```
i=input()
n=int(input())
with open(i,'r') as f:
    l=f.readlines()
print(l[n-1])
```

Feedback

	Input	Expected	Got	
	input1.txt 3	Line three.	Line three.	
	input2.txt 3	Line C.	Line C.	

Passed all tests!


Correct

Marks for this submission: 1.00/1.00.

Question 3

Correct

Mark 1.00 out of 1.00

 [Flag question](#)

Question text

Write a Python program to reverse the contents of a specific line in a text file based on a given line number.

Description:

1. Input:

- A text file with multiple lines.
- A line number to reverse.

2. Output:

- The updated file with the specified line's contents reversed in file "output.txt".

Example:

• Input File Content:

```
"Line one.  
Line two.  
Line three.  
Line four."  
3
```

Output:

```
Line one.  
Line two.  
eerht eniL.  
Line four.
```

For example:

Test	Input	Result
with open('output.txt', 'r') as file:	input1.txt 3	Line one. Line two.

Test	Input	Result
<pre>text = file.read() print(text)</pre>		<pre>eerht eni L. Line four.</pre>

Answer:(penalty regime: 0 %)

	1
	2
3	4
	5
	6
7	8

```
fi=input()
n=int(input())
with open(fi,'r') as f:
    l=f.readlines()
l[n-1]=l[n-1][::-1]
l[n-1]=l[n-1][2:]+'. \n'
with open('output.txt','w') as f:
    f.writelines(l)
```

Feedback

	Test	Input	Expected	Got	
	<pre>with open('output.txt ','r') as file: text = file.read() print(text)</pre>	<pre>input1.txt 3</pre>	<pre>Line one. Line two. eerht eni L. Line four.</pre>	<pre>Line one. Line two. eerh t eni L . Line four .</pre>	

	Test	Input	Expected	Got	
	<pre>with open('output.txt', 'r') as file: text = file.read() print(text)</pre>	<pre>input2.txt 2</pre>	<pre>Line A. B eni L. Line C.</pre>	<pre>Line A. B eni L . Line C.</pre>	

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 4

Correct

Mark 1.00 out of 1.00

 [Flag question](#)

Question text

Create a Python program to write to a specific line in a text file, replacing the existing content of that line.

Description:

1. Input:

- A text file with multiple lines.
- A line number to write to.
- New content for the specified line.

2. Output:

- The updated file with the specified line replaced by the new content in file "output.txt".

Example:

• Input File Content:

```
"Line one.
Line two.
```

Line three.
Line four."
2

Updated line two.

Output:

Line one.
Updated line two.
Line three.
Line four.

For example:

Test	Input	Result
with open('output.txt', 'r') as file: text = file.read() print(text)	input1.txt 2 Updated line two.	Line one. Updated line two. Line three. Line four.

Answer:(penalty regime: 0 %)

	1
	2
	3
	4
	5
	6
	7
	8

```
i=input()
n=int(input())
s=input()
with open(i,'r') as f:
    l=f.readlines()
l[n-1]=s+'\n'
with open('output.txt','w') as f:
    f.writelines(l)
```

|

Feedback

	Test	Input	Expected	Got	
	<pre>with open('output.txt', 'r') as file: text = file.read() print(text)</pre>	<pre>input1.txt 2 Updated line two.</pre>	<pre>Line one. Updated line two. Line three. Line four.</pre>	<pre>Line one. Updated line two. Line three. Line four.</pre>	
	<pre>with open('output.txt', 'r') as file: text = file.read() print(text)</pre>	<pre>input2.txt 2 Line B Updated.</pre>	<pre>Line A. Line B Updated . Line C.</pre>	<pre>Line A. Line B Updated. Line C.</pre>	

Passed all tests!


Correct

Marks for this submission: 1.00/1.00.

Question 5

Correct

Mark 1.00 out of 1.00

 [Flag question](#)

Question text

Write a Python program to append a new line at a specific position in a text file, shifting existing lines down.

Description:

1. Input:

- A text file with multiple lines.

- A line number to insert the new line at.
- New content for the new line.

2. Output:

- The updated file with the new line inserted at the specified position, shifting the existing lines down in file "output.txt".

Example:

• Input File Content:

```
"Line one.
Line two.
Line three.
Line four."
3
```

Inserted line..

Output:

```
Line one.
Line two.
Inserted line.
Line three.
Line four.
```

For example:

Test	Input	Result
with open('output.txt', 'r') as file: text = file.read() print(text)	input1.txt 3 Inserted line.	Line one. Line two. Inserted line. Line three. Line four.

Answer:(penalty regime: 0 %)

	1
	2
	3

	4
5	6
7	8
	9
	10
11	12

```

i=input()
n=int(input())
s=input()
s+='\n'
with open(i, 'r') as f:
    l=f.readlines()
if n-1==len(l):
    l[-1]+='\n'
l.insert(n-1,s)

with open('output.txt', 'w') as f:
    f.writelines(l)

```

Feedback

	Test	Input	Expected	Got	
	with open('output.txt', 'r') as file: text = file.read() print(text)	input1.txt 3 Inserted line.	Line one. Line two. Inserted line. Line three. Line four.	Line one. Line two. Insert ed line. Line three. Line four.	
	with open('output.txt', 'r') as file:	input2.txt 4	Line A. Line B. Line C.	Line A. Line B.	

	Test	Input	Expected	Got	
	<pre>text = file.read() print(text)</pre>	Inserted line D.	Inserted line D.	Line C. Insert ed line D.	

Passed all tests!


Correct

Marks for this submission: 1.00/1.00.

Question 6

Correct

Mark 1.00 out of 1.00

 [Flag question](#)

Question text

Write a Python program to count the frequency of each word in a given text file.

Description:

1. Input:

- String as input.

2. Output:

- A list of words with their corresponding frequency count to be write in a file "output.txt"

Example:

- Input File Content:

apple orange apple banana apple orange

Output:

apple: 3
orange: 2
banana: 1

For example:

Test	Input	Result
<pre>with open('output.txt', 'r') as file: text = file.read() print(text)</pre>	apple orange apple banana apple orange	apple: 3 banana: 1 orange: 2

Answer:(penalty regime: 0 %)

	1
	2
	3
	4
	5
6	7
	8
9	10
	11
	12
	13

```
n=input()
l=''.join([c for c in n if c.isalnum() or
c.isspace()])
l=l.split()
l=sorted(l, key=str.lower)
d={}
for i in l:
    d[i.lower()]=str(l.count(i))
s=''
for i in d:
    s+=(i+' : '+d[i]+' \n')
f=open('output.txt', 'w')
f.write(s)
f.close()
```

Feedback

	Test	Input	Expected	Got	
	<pre>with open('output. txt', 'r') as file: text = file.read() print(text)</pre>	<pre>apple orange apple banana apple orange</pre>	<pre>apple: 3 banana: 1 orange: 2</pre>	<pre>apple: 3 banana: 1 orange: 2</pre>	
	<pre>with open('output. txt', 'r') as file: text = file.read() print(text)</pre>	<pre>Hello world! Hello everyone. Welcome to the world of programm ing.</pre>	<pre>everyone: 1 hello: 2 of: 1 programm ing: 1 the: 1 to: 1 wel come: 1 world: 2</pre>	<pre>everyone: 1 hello: 2 of: 1 programm ing: 1 the: 1 to: 1 wel come: 1 world: 2</pre>	
	<pre>with open('output. txt', 'r') as file: text = file.read() print(text)</pre>	<pre>One fish two fish Red fish blue fish</pre>	<pre>blue: 1 fish: 4 one: 1 red: 1 two: 1</pre>	<pre>blue: 1 fish: 4 one: 1 red: 1 two: 1</pre>	

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 7

Correct

Mark 1.00 out of 1.00

Question text

Create a Python program to find the longest word in a text file.

- Input:
 - A text file containing multiple lines of text.
- Output:
 - The longest word in the file.

For example:

Input	Result
input1.txt	Longest word: containi ng

Answer:(penalty regime: 0 %)

1
2
3
4
5
6

```
i=input()
with open(i,'r') as f:
    l=f.read()
l=l.split()
s=max(l,key=len)
print('Longest word:',s)
|
```

Feedback

	Input	Expected	Got	
	input 1. txt	Longest word: containi ng	Longest word: containi ng	

	Input	Expected	Got	
	input 2. txt	Longest word: thousand	Longest word: thousand	
	input 3. txt	Longest word: supercal i fragi l i sti cexpi al i doc i ous	Longest word: supercal i fragi l i sti cexpi al i doc i ous	

Passed all tests!


Correct

Marks for this submission: 1.00/1.00.

Question 8

Correct

Mark 1.00 out of 1.00

 [Flag question](#)

Question text

Develop a Python program to identify and print all palindrome words from a given text file.

Description:

1. Input:

- A text file containing multiple words.

2. Output:

- A list of palindrome words found in the file name as 'output.txt'.

For example:

Test	Input	Result
with open('output.txt', 'r') as file: text = file.read() print(text)	input1.txt	madam arora mal ayal am

Answer:(penalty regime: 0 %)

		1
	2	3
		4
		5
	6	
	7	
		8
	9	
		10

```

i=input()
with open(i,'r') as f:
    l=f.read()
l=l.split()
s=''
for i in l:
    if i==i[::-1]:
        s+=i+'\n'
with open('output.txt','w') as f:
    f.write(s)

```

Feedback

	Test	Input	Expected	Got	
	with open('output.txt', 'r') as file: text = file.read() print(text)	input1.txt	madam arora malayalam	madam arora malayalam	

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 9

Correct

Mark 1.00 out of 1.00

Question text

Develop a Python program to read a text file and count the total number of words in the file.

Description:

1. Input:

- A text file containing several lines of text.
- File name you should get as input.

2. Output:

- The total number of words in the file.

For example:

Input	Result
input2.txt	Total words: 14
input3.txt	Total words: 15

Answer:(penalty regime: 0 %)

	1
	2
3	4
	5
6	7
	8
	9

```
import re
i=input()
with open(i,'r') as f:
    l=f.readlines()
l1=[]
for i in l:
    x=i.split()
    l1.extend(x)
print('Total words:',len(l1))
```

Feedback

	Input	Expected	Got	
	input1.txt	Total words: 6	Total words: 6	
	input2.txt	Total words: 14	Total words: 14	
	input3.txt	Total words: 15	Total words: 15	

Passed all tests!


Correct

Marks for this submission: 1.00/1.00.

Question 10

Correct

Mark 1.00 out of 1.00

 [Flag question](#)

Question text

Develop a Python program to copy the contents of one file to another file.

Description:

1. Input:

- Source file and destination file names.

2. Output:

- The content of the source file copied to the destination file.

For example:

Test	Input	Result
with open('output1.txt', 'r') as file:	input1.txt output1.txt	This is the source file.

Test	Input	Result
<pre>text = file.read() print(text)</pre>		It contains multiple lines of text. Here is another line.

Answer:(penalty regime: 0 %)

	1
	2
	3
	4
	5

```
i=input()
o=input()
with open(i,'r') as f:
    with open(o,'a') as f1:
        f1.write(f.read())
```

Feedback

	Test	Input	Expected	Got	
	<pre>with open('output1. txt', 'r') as file: text = file.read() print(text)</pre>	input1. txt output1. txt	This is the source file. It contains multiple lines of text. Here is another line.	This is the source file. It contains multiple lines of text. Here is another line.	
	<pre>with open('output2.</pre>	input2. txt	Hello, world!	Hello, world!	

	Test	Input	Expected	Got	
	<pre>txt', 'r') as file: text = file.read() print(text)</pre>	output2.txt	Python programming is amazing. Let's copy this text to another file.	Python programming is amazing. Let's copy this text to another file.	
	<pre>with open('output3. txt', 'r') as file: text = file.read() print(text)</pre>	input3.txt output3.txt	Single line.	Single line.	

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

[\[Finish review\]](#)

[Skip Quiz navigation](#)

Quiz navigation

Question 1 This page

Question 2 This page

Question 3 This page

Question 4 This page

Question 5 This page

Question 6 This page

Question 7 This page

Question 8 This page

Question 9 This page

Question 10 This page

Show one page at a time

[Finish review]