

How to Install Adiyan

Video script & demo draft · grounded in the real `get.sh` / `install.sh` / `start_all.sh` flow

How to use this document: each scene has two parts. **ON SCREEN** tells you what to do or show during the demo — don't read it aloud. **SAY** is the actual narration text: since you're generating the voice with Adiyan Reader, feed it only the SAY paragraphs, in order, as one page/document. Everything in SAY is written to read naturally on its own, without needing the on-screen action to make sense.

SCENE 1

Cold open

ON SCREEN — don't read aloud

Website open on screen, page 1 (the hero). No terminal yet.

SAY — feed this into Adiyan Reader

This is Adiyan — an AI agent harness you run on your own machine, not someone else's cloud. In the last video I showed you what it is. This time, I'm actually going to install it, from nothing, right now.

SCENE 2

Before you type anything: Homebrew

ON SCREEN — don't read aloud

Terminal open, empty. Optionally show `https://brew.sh` in a browser tab.

SAY — feed this into Adiyan Reader

There's exactly one thing Adiyan can't install for you: Homebrew, the macOS package manager. Everything else in this video — Python, Node, MongoDB, Ollama — gets installed automatically. But Homebrew's own installer needs your password interactively, so it stays a manual step, on purpose. If you don't have it yet, get it from `brew dot s h` before you continue.

Note: this is a real gap in the current website copy — Homebrew isn't listed there yet. Worth flagging separately from this script.

SCENE 3

One command

ON SCREEN — don't read aloud

Type (don't run yet, or run it live if you want the real wait time on camera):

```
curl -fsSL https://raw.githubusercontent.com/BharanitharanR/adiyan/main/get.sh | bash
```

SAY — feed this into Adiyān Reader

One command. This clones Adiyān into a folder in your home directory, then hands off to its own setup script for everything else. It doesn't start anything yet — installing and starting are two separate steps, deliberately.

SCENE 4

What's actually happening

ON SCREEN — don't read aloud

Let it run. Terminal output scrolls: Python venv, Node, MongoDB, Ollama, Qdrant, OpenWA. Consider speeding this part up in the edit.

SAY — feed this into Adiyān Reader

While this runs: it's checking for Python, Node, and MongoDB, installing whichever ones you're missing through Homebrew. Then it installs Ollama — that's the engine that actually runs the AI models, entirely on your machine — and pulls down the specific models Adiyān uses. None of this touches a cloud API. Every model runs locally, from here on.

SCENE 5

Secrets, and the one manual step

ON SCREEN — don't read aloud

Show the terminal's own final message about ngrok. Optionally cut to <https://dashboard.ngrok.com> in a browser.

SAY — feed this into Adiyān Reader

Near the end, setup prints one more thing you need to do yourself: ngrok. Your WhatsApp messages have to reach Adiyān from the outside, and ngrok is what makes that possible. It's a one-time setup: install it, then add your own auth token from your free ngrok account. After that, Adiyān handles ngrok automatically, every time it starts.

SCENE 6

Starting Adiyān

ON SCREEN — don't read aloud

Type: `cd ~/Adiyān && mesh/start_all.sh` — let it run.

SAY — feed this into Adiyān Reader

Setup is done. Now we actually start it, with one command: mesh slash start underscore all dot s h. This brings up every piece — the database, the model runner, the agents, and the WhatsApp connection — all at once.

SCENE 7

Linking WhatsApp

ON SCREEN — don't read aloud

A dashboard window opens automatically with a QR code. Show scanning it from a phone: WhatsApp > Linked Devices > Link a Device.

SAY — feed this into Adiyen Reader

The first time it starts, a dashboard opens with a QR code. This is exactly like linking WhatsApp Web: open WhatsApp on your phone, go to Linked Devices, and scan it. That's the only time you'll ever do this.

SCENE 8

The first message

ON SCREEN — don't read aloud

Switch to WhatsApp on your phone. Send a message to your own number (or the linked account): "@Adiyen register me to make my life better". Show the reply arriving.

SAY — feed this into Adiyen Reader

And that's it. Open WhatsApp, and send it a message. This is Adiyen, running entirely on this machine, replying to you.

SCENE 9

Close

ON SCREEN — don't read aloud

Cut back to the website, or to a plain end card.

SAY — feed this into Adiyen Reader

That's the whole install: one command, one manual ngrok step, one QR scan. From here, everything else — the agents, the dev kit, the reader, the community — is already running. If you want to see what it can actually do next, that's the next video.

Full narration only (for Adiyen Reader)

If you'd rather feed one continuous document into Adiyen Reader instead of scene by scene, here is every SAY paragraph in order, with nothing else:

This is Adiyen — an AI agent harness you run on your own machine, not someone else's cloud. In the last video I showed you what it is. This time, I'm actually going to install it, from nothing, right now. There's exactly one thing Adiyen can't install for you: Homebrew, the macOS package manager. Everything else in this video — Python, Node, MongoDB, Ollama — gets installed automatically. But Homebrew's own installer needs your password interactively, so it stays a manual step, on purpose. If you don't have it yet, get it from `brew dot s h` before you continue. One command. This clones Adiyen into a folder in your home directory, then hands off to its own setup script for everything else. It doesn't start anything yet — installing and starting are two separate steps, deliberately. While this runs: it's checking for Python, Node, and MongoDB, installing whichever ones you're missing through Homebrew. Then it installs Ollama — that's the engine that actually runs the AI models, entirely on your machine — and pulls down the specific models Adiyen uses. None of this touches a cloud API. Every model runs locally, from here on. Near the end, setup prints one more thing you need to do yourself: ngrok. Your WhatsApp messages have to reach Adiyen from the outside, and ngrok is what makes that possible. It's a one-time setup: install it, then add your own auth token from your free ngrok account. After that, Adiyen handles ngrok automatically, every time it starts. Setup is done. Now we actually start it, with one command: `mesh slash start underscore all dot s h`. This brings up every piece — the database, the model runner, the agents, and the WhatsApp connection — all at once. The first time it starts, a dashboard opens with a QR code. This is exactly like linking WhatsApp Web: open WhatsApp on your phone, go to Linked Devices, and scan it. That's the only time you'll ever do this. And that's it. Open WhatsApp, and send it a message. This is Adiyen, running entirely on this machine, replying to you. That's the whole install: one command, one manual ngrok step, one QR scan. From here, everything else — the agents, the dev kit, the reader, the community — is already running. If you want to see what it can actually do next, that's the next video.