PATH & CLASSPATH SETTINGS

Set the following path to work with jdk tools(For example: javap, javac, java, jar, … etc.,

Administrator: Command Prompt

```
C:\>javap
'javap' is not recognized as an interna
and,
operable program or batch file.

C:\>set path="%path%".;C:\Program Files
in;

C:\>javap
Usage: javap <options> <classes>
where possible options include:
  --help -help -h -?                    Prin
```

Administrator: Command Prompt

```
C:\htmlapp\WEB-INF\classes>cd..

C:\htmlapp\WEB-INF>cd..

C:\htmlapp>jar cvf html.war .
'jar' is not recognized as an internal
d,
operable program or batch file.

C:\htmlapp>set path="%path%".;C:\Progra
6.0.1\bin;
```

The above path is temporary path, to set the permanent path use the following:

Set the following classpath to work with Servlets API:

```
C:\htmlapp\WEB-INF\classes>javac HTMLSe
HTMLServlet.java:4: error: cannot find
public class HTMLServlet extends Generi
                                  ^
  symbol: class GenericServlet
HTMLServlet.java:6: error: cannot find
        public void service(ServletRequ
sponse res)
                            ^
  symbol:   class ServletRequest
  location: class HTMLServlet
HTMLServlet.java:6: error: cannot find
```

```
sponse res)

  symbol:   class ServletResponse
  location: class HTMLServlet
HTMLServlet.java:2: error: package java
 exist
import javax.servlet.*;
^
4 errors

C:\htmlapp\WEB-INF\classes>set classpat
:\Program Files\Apache Software Foundat
\servlet-api.jar;
```

The above classpath is temporary path, to set the permanent path use the following:

To download tomcat web server version 9, use the following: