QUIZ - 28

(1.) HTML stands for:

Ans. High Text Markup Language

Hypertext Markup Language

Hypertext Markdown Language

None of the above

(2.) Number of header sizes available in HTML are:

Ans. 1

2

5

6

(3.) HTML files are saved with the extension:

Ans. .txt

.htm

.html

Both b and c

(4.) Which is the largest header in size ?

Ans. H2

H3

H6

H1

(5.) HTML tags are enclosed within:

Ans. { }

( )

< >

//

(6.) Which of them does not require a closing tag:

Ans. hr

br

p

Both a and b

(7.) Which tag is used to make the text bold:

Ans. p

b

h1

h6

(8.) **What is the correct HTML tag for creating a hyperlink?**

Ans. link

`a`

hyperlink

url

(9.) **What is the correct HTML tag for creating a line break?**

Ans. break

`br`

line

newline

(10.) **Which attribute is used to specify the URL for an image in HTML?**

Ans. `src`

url

img

picture

(11.) **What is the basic structure of an HTML document?**

Ans. head, body, and footer

header, main, and footer

head, body, and script

`doctype, head, and body`

(12.) What attribute is used to specify the URL of a link in the tag?

Ans. `href`

src

link

url

(13.) **What is the correct syntax for creating an image in HTML?**

Ans. img>image.jpg

`img src="image.jpg"`

img href="image.jpg"

image src="image.jpg"

(14.) **How do you write a comment in HTML?**

Ans. ! comment

`<!-- comment -->`

!-- comment –

comment

(15.) **Are comments visible to the user when the website is viewed in a browser?**

Ans. Yes

`No`

Sometimes

None of the above

(16.) CSS stands for:

Ans. Cascading style sheets
Cascading sheet style
Correcting style sheet
None of the above

(17.) How many ways are there to bring CSS in an HTML file?

Ans. 2
1
3
4

(18.) To write inline CSS we use _____ tag

Ans. Class
Style
Id
Onstyle

(19.) How do you import an external style sheet?

Ans. Import tag
Link tag
Script tag
Style tag

(20.) What file extension should we give to a css file?

Ans. .styles
.css
.stylesheet
.csssheet

(21.) How many different types of selectors in CSS?

Ans. 3
4
5
6

(22.) An id is not always unique within the page so it is chosen to select a single, unique element.

Ans. True
False
Can not say
Can be true or false

(23.) Id written with the ?

Ans. .
$
@
#

(24.) **How can you change the text color of an element in CSS?**

Ans. text-color: #ff0000;

font-color: #ff0000;

color: #ff0000;

text-style: color: #ff0000;

(25.) **How can you change the font size of text in CSS?**

Ans. text-size: 16px;

font-size: 16px;

size: 16px;

font: 16px;

(26.) **What does the display property in CSS do?**

Ans. It sets the background color of an element

It controls the visibility of an element

It defines how an element should be displayed on a web page

It sets the font size of text

(27.) **What is the default display value of a element in HTML?**

Ans. inline

block

inline or block

(28.) **How do we specify colors in HTML ?**

Ans. RGB values

HEX values

RGBA values

All of the above

(29.) **HTML tags are**

Ans. Case sensitive

Not case sensitive

In upper case

In lower case

(30.) **Which property is used to set border colors in HTML ?**

Ans. Border-color

Border

Both a and b

None of the above

(31.) **element :**

Ans. changes direction of the ltr text

override the direction of the rtl text

override the text direction

stops writing in current direction of text

(32.) **Which HTML tag will help in displaying the power expression in $(x^2 - y^2)$?**

Ans. br
sup
sub
None of the above

(33.) **Tag to be used to show the options in the drop-down selection lists?**

Ans. list
dropdown
option
select

(34.) **_____ is used to read an HTML page and render it?**

Ans. Web server
Web network
Web browser
Web matrix

(35.) **DOM in HTML is :**

Ans. Language-dependent application programming
Objects in ASP.NET
Convention for representing and interacting with objects in html documents
Application programming interface

(36.) **Grouping form controls can be done using :**

Ans. legend
fieldset
label
select

(37.) **A new input attribute introduced by HTML5 :**

Ans. Text
checkbox controls
submit buttons
date

(38.) **Which one of the following is not used in new forms?**

Ans. size
text
name
maxlength

(39.) **Name the tag used for plug-in content?**

Ans. embed
progress
meter
source

(40.) **Which of the following is not the keyword of form method attribute?**

Ans. GET

POST

OUT

PUT

(41.) **Author information is mentioned in?**

Ans. header

footer

head

body

(42.) **Following is used as a container for content :**

Ans. article

address

footer

aside

(43.) **For grouping together related elements, we use :**

Ans. footer

div

section

header

(44.) **Choose the tag which specifies the relationship between current document and external resource?**

Ans. meta

style

link

(45.) **HTML5 brings to the Web video and audio tracks without needing plugins**

Ans. True

False

(46.) **loop attribute is never used with _____**

Ans. audio

track

marquee

video

(47.) **Initial length of flex item is specified by :**

Ans. Flex-flow

Flex-basis

Flex-grow

Flex-shrink

(48.) Everything in HTML DOM is treated as :

Ans. Attributes
Elements
Node
Arrays

(49.) Which of the following is not the attribute of ?

Ans. seamless
Description
Keywords
robots

(50.) Attributes to identify a particular element is/are :

Ans. div and span
meta
id and class
iframes

(51.) Which cursor property value indicates that the program is busy?

Ans. help
default
auto
wait

(52.) The text-align property defines the ___ alignment of text in an element.

Ans. horizontal
vertical
both horizontal & vertical
None of these

(53.) Does the z-index property accept negative values?

Ans. Yes
No

(54.) Which one is a fallback font?

Ans. Times New Roman
Georgia
Serif
None of these

(55.) Which line of code specifies playing an animation with the same speed from beginning to the end?

Ans. div {animation- timing function: linear;}
div {animation- timing function: ease in;}
div {animation- play- state: paused;}
div {animation- fill-mode: both;}