SQL MINI PROJECT

CREATING DATABASE & SCHEMA



INSERTING DATA



LEVEL 1

Download LEVEL_1 SQL File

1

select name, email from customers;



2

select * from products;



3

select distinct category from products;



4

select name from products where price > 1000;



5

select name from products where price between 2000 and 5000;



6

select * from customers where customer_id in (2,3,4,6,26,23,19,18);



```
17
18    # 6 customer_id from loyality program > (2,3,4,6,26,23,19,18)
19 •  select * from customers where customer_id in (2,3,4,6,26,23,19,18);
20
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

customer_id	name	email	phone	created_at
2	Charles Grant	user2@example.com	9153947511	2023-11-25 15:45:24
3	Kaitlin Richards	user3@example.com	2073473421	2024-06-23 09:55:22
4	Christina Williams	user4@example.com	586-605-5061x06	2024-10-27 17:19:38
6	Mark Duke	user6@example.com	(144)957-2811	2024-06-24 03:22:59
18	Jeffrey Bray	user18@example.com	164.962.0222x92	2024-07-02 19:51:55
19	Amanda Bright	user19@example.com	380.981.9798x69	2024-12-20 22:58:15
23	Kathryn Mathews	user23@example.com	001-707-722-178	2023-12-21 15:30:24
26	Victoria Hall	user26@example.com	926-840-0016	2024-03-08 16:43:52
NULL	NULL	NULL	NULL	NULL

customers 16 × | Apply | Context He

7

select * from customers where name like 'A%';



```
19
20    # 7
21 •  select * from customers where name like 'A%';
22
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

customer_id	name	email	phone	created_at
15	Austin Flores	user15@example.com	329.901.1576x66	2024-06-13 09:03:42
16	Amy Landry	user16@example.com	+1-278-019-3748	2024-02-28 17:51:50
19	Amanda Bright	user19@example.com	380.981.9798x69	2024-12-20 22:58:15
27	Adrienne Green	user27@example.com	530.644.8455x93	2023-08-22 01:55:29
NULL	NULL	NULL	NULL	NULL

customers 15 × | Apply

Output

8

select name from products where category = 'Electronics' and price < 3000;



```
23
24    # 8
25 •  select name from products where category = 'Electronics' and price < 3000;
26
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name
Available Answer
If Whatever
Place Low
Series Page
Despite Win
Actually Term
Southern Thing

products 18 × | Read Only

Output

9

select name, price from products order by price desc;



```
26
27      # 9
28 •    select name, price from products order by price desc;
29
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	price
Response Indeed	4897.36
Population Social	4813.68
Development System	4801.78
Any Question	4759.28
Fire Often	4734.89
Natural Network	4722.66
Build High	4707.14
Serious Recognize	4523.10
Study Total	4413.68
Real Source	4398.66
Involve Officer	4244.09
Group But	4180.23

products 22 | Read Only

Output

10

select name, price from products order by price, name;



```
28
29
30      # 10
31 •    select name, price from products order by price, name;
32
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

name	price
If Whatever	177.40
Listen Development	296.17
Actually Term	396.11
Television Stock	421.73
Southern Thing	512.46
Plant No	639.43
Place Low	723.97
Stock Article	834.75
Toward Minute	857.85
Common Study	985.19
Answer But	1016.68
Special Fact	1094.18

products 21 | Read Only

Output

LEVEL 2

Download LEVEL_2 SQL File

1

select * from customers where customer_id is null;



2

select name as 'Customer Name',

email as Email

from customers;



3

```
select  order_id,
order_item_id,
item_price*quantity as total_value
from order_items;
```



```
10
11    # 3
12 •  select  order_id,
13            order_item_id,
14            item_price*quantity as total_value
15    from order_items;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

order_id	order_item_id	total_value
1	1	9414.28
2	2	532.20
3	3	2955.57
3	4	2208.99
4	5	9469.78
5	6	4707.14
5	7	9794.72
6	8	14692.08
6	9	1429.45
6	10	723.97
6	11	14204.67
7	12	3043.67

Result 8 | Read Only

Output

4

```
select concat(name,'-',phone) as Name_Number from customers;
```



```
16
17    # 4
18 •  select concat(name,'-',phone) as Name_Number from customers;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name_Number
Thomas Owens-142-479-1945
Charles Grant-9153947511
Kaitlin Richards-2073473421
Christina Williams-586-605-5061x06
David Allen-(751)456-8289x1
Mark Duke-(144)957-2811
Briana Wright-223-833-9635
John Bryan-045.568.0798x27
Jason Thompson-1862659420
Shawn Hill-(268)113-3152x7
Walter Jenkins-536-329-0817x71
Mary Knight-361-636-3802

Kaitlin Richards-2073473421

Result 10 | Read Only

Output

5

```
select date(order_date) as Date from orders;
```

```
19
20      # 5
21 •    select date(order_date) as Date from orders;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Date
2025-03-02
2024-10-09
2025-05-08
2024-09-19
2025-04-08
2024-10-25
2024-07-29
2024-07-30
2025-06-10
2025-02-16
2025-03-11
2025-01-15

Result 11 × Read Only

Output

6

select name as Products from products where stock_quantity = 0;

```
22
23      # 6
24 •    select name as Products from products where stock_quantity = 0;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Products

products 13 × Read Only

Output

LEVEL 3

Download LEVEL_3 SQL File

1

select count(order_id) as TotalOrder from orders;



2

select sum(total_amount) as TotalRevenue from orders;



3

select (sum(total_amount) / count(order_id)) as Avg_OrderValue from orders;



4

```
select count(distinct customer_id) as Customers_with_orders
from orders
where order_id is not null;
```



5

```
select  customer_id,
count(order_id) as Total_Orders
from orders
group by customer_id
order by Total_Orders desc;
```



```
16
17    # 5
18 •  select  customer_id,
19            count(order_id) as Total_Orders
20    from orders
21    group by customer_id
22    order by Total_Orders desc;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	Total_Orders
29	20
2	17
3	17
17	17
20	17
28	17
6	16
16	16
30	16
14	15
15	15
19	15

Result 8 | Read Only

Output

6

```
select  customer_id,
sum(total_amount) as Total_Amount
from orders
group by customer_id
order by Total_amount desc;
```



```
24    # 6
25 •  select  customer_id,
26            sum(total_amount) as Total_Amount
27    from orders
28    group by customer_id
29    order by Total_amount desc;
```

Limit to 1000 rows

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	Total_Amount
29	435408.89
24	379286.82
28	362584.19
14	360324.18
25	335100.94
2	284420.07
30	281841.38
16	278469.73
5	262504.19
17	262189.71
15	260499.91

Result 10 | Read Only

Output

7

```
select  category,
count(product_id) as Total_Products
```

```
from products
group by category
order by Total_Products desc;
```



8

```
select  category,
avg(price) as Avg_ItemPrice
from products
group by category
order by Avg_ItemPrice desc;
```



9

```
select  date(order_date) as Order_Date,
```

```
count(order_id) as Order_Count
from orders
group by Order_Date
order by Order_Date;
```



```
44
45    # 9
46    select  date(order_date) as Order_Date,
47            count(order_id) as Order_Count
48    from orders
49    group by Order_Date
50    order by Order_Date;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Order_Date	Order_Count
2024-06-15	1
2024-06-18	1
2024-06-19	1
2024-06-19	1
2024-06-19	1
2024-06-20	1
2024-06-20	1

Result 16 | Read Only

Output

10

```
select  method,
sum(amount_paid) as total_revenue
from payments
group by method;
```



```
51
52    # 10
53    select  method,
54            sum(amount_paid) as total_revenue
55    from payments
56    group by method;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

method	total_revenue
Credit Card	1754603.10
Net Banking	1658383.90
UPI	1617408.78
Debit Card	1930577.88

Result 17 | Read Only

Output

Action Output

LEVEL 4

Download LEVEL_4 SQL File

1

```
select  c.name as CustomerName,
o.order_id as OrderID,
o.order_date as OrderDate,
o.status as Status,
o.total_amount as Bill
from customers c join orders o
on c.customer_id = o.customer_id;
```



2

```
select  p.name as Products
from products p
join order_items oi
```

```
on p.product_id = oi.product_id;
```



3

```
select  o.order_id as OrderID,
o.customer_id as CustomerID,
o.order_date as OrderDate,
p.payment_date as PaymentDate,
o.status as Status,
o.total_amount as TotalAmount,
p.method as PaymentMethod
from orders o join payments p
on o.order_id = p.order_id;
```



4

```
select  c.name as CustomerName,
o.order_id as OrderId,
o.order_date as OrderDate
from customers c left join orders o
on c.customer_id = o.customer_id;
```



5

```
select  p.name as Products,
count(oi.order_item_id) as OrderItem_Qty
from products p left join order_items oi
on p.product_id = oi.product_id
group by products;
```

```
35
36
37    # 5
38 •  select  p.name as Products,
39            count(oi.order_item_id) as OrderItem_Qty
40    from products p left join order_items oi
41    on p.product_id = oi.product_id
42    group by products;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Products	OrderItem_Qty
Plant No	22
Population Social	16
Available Answer	25
Any Question	13
Natural Network	21
If Whatever	27
Response Indeed	21
Every Amount	27
Common Study	26
Development System	23
Build Her	24

Result 6 | Read Only

Output

6

```
select  p.payment_id as PaymentID,
date(p.payment_date) as PaymentDate,
p.amount_paid as Amount,
o.order_id as OrderID,
o.status as Status
from payments p right join orders o
on p.order_id = o.order_id;
```

Limit to 1000 rows

```
45    # 6
46 •  select  p.payment_id as PaymentID,
47            date(p.payment_date) as PaymentDate,
48            p.amount_paid as Amount,
49            o.order_id as OrderID,
50            o.status as Status
51    from payments p right join orders o
52    on p.order_id = o.order_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

PaymentID	PaymentDate	Amount	OrderID	Status
1	2025-03-02	9414.28	1	Delivered
2	2024-10-09	532.20	2	Shipped
3	2025-05-08	5164.56	3	Cancelled
4	2024-09-19	9469.78	4	Delivered
5	2025-04-08	14501.86	5	Pending
6	2024-10-25	31050.17	6	Cancelled
7	2024-07-29	3043.67	7	Shipped
8	2024-07-30	32714.06	8	Cancelled
9	2025-06-10	24219.20	9	Pending
10	2025-02-16	24342.52	10	Delivered
11	2025-03-11	16196.13	11	Cancelled
12	2025-01-15	9890.72	12	Shipped
13	2025-05-12	9627.36	13	Cancelled

Result 2 | Read Only

Output

7

```
select *
from customers c join orders o
on c.customer_id = o.customer_id
join payments p
on o.order_id = p.order_id;
```



```
53
54    # 7
55    select *
56    from customers c join orders o
57    on c.customer_id = o.customer_id
58    join payments p
59    on o.order_id = p.order_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	name	email	phone	created_at	order_id	customer_id	order_date
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	14	1	2024-09-24 21:21:38
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	17	1	2024-08-19 21:17:57
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	61	1	2024-12-26 23:21:58
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	76	1	2025-01-14 22:59:54
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	92	1	2024-09-26 11:33:58
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	109	1	2025-03-17 04:56:18
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	127	1	2025-06-10 18:01:32
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	135	1	2025-03-11 22:58:23
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	144	1	2024-09-19 09:18:22
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	221	1	2024-09-25 05:49:39
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	278	1	2025-02-01 20:05:38
1	Thomas Owens	user1@example.com	142-479-1945	2024-10-14 16:01:12	379	1	2025-03-22 15:57:58

Result 4 | Read Only

Output

LEVEL 5

Download LEVEL_5 SQL File

1

```
select name as Products
from products
where price > (select avg(price) from products);
```



2

```
select    name as CustomerName,
customer_id as CustomerID
from customers
where customer_id in (select customer_id from orders);
```

```
9     # 2
10    select  name as CustomerName,
11            customer_id as CustomerID
12    from customers
13    where customer_id in (select customer_id from orders);
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

CustomerName	CustomerID
Thomas Owens	1
Charles Grant	2
Kaitlin Richards	3
Christina Williams	4
David Allen	5
Mark Duke	6
Briana Wright	7
John Bryan	8
Jason Thompson	9
Shawn Hill	10
Walter Jenkins	11
Mary Knight	12
Leslie Wilson	13
Deborah Arias	14
Austin Flores	15

customers 2 | Read Only

Output

3

```
select  o.customer_id as CustomerID,
o.order_id as OrderID
from orders o
where total_amount > ( select avg(total_amount)
from orders oo
where o.customer_id = oo.customer_id);
```

```
15    # 3
16    select  o.customer_id as CustomerID,
17            o.order_id as OrderID
18    from orders o
19    where total_amount > ( select avg(total_amount)
20                           from orders oo
21                           where o.customer_id = oo.customer_id);
22
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

CustomerID	OrderID
29	6
19	8
6	9
28	10
1	14
5	16
13	18
22	21
20	22
6	24
17	25
24	26

orders 5 | Read Only

Output

4

```
select name as Customers
```

```
from customers
where customer_id not in ( select customer_id from orders);
```



5

```
select  product_id as ProductID,
name as ProductName
from products where product_id not in ( select product_id from order_items);
```



6

```
select  o.customer_id as CustomerID,
o.total_amount as Highest_OrderValue
from orders o
```

where o.total_amount in (select max(total_amount)

from orders oo

where oo.customer_id = o.customer_id);



7

select o.customer_id as CustomerID,

(select name from customers c where c.customer_id = o.customer_id) as CustomerName,

o.total_amount as Highest_OrderValue

from orders o

where o.total_amount in (select max(total_amount)

from orders oo

where oo.customer_id = o.customer_id);

```
33
34    # 7
35    select  o.customer_id as CustomerID,
36            (select name from customers c where c.customer_id = o.customer_id) as CustomerName,
37            o.total_amount as Highest_OrderValue
38    from orders o
39    where o.total_amount in (select max(total_amount)
40                             from orders oo
41                             where oo.customer_id = o.customer_id);
42
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

CustomerID	CustomerName	Highest_OrderValue
13	Leslie Wilson	32001.24
8	John Bryan	36147.09
10	Shawn Hill	35723.17
27	Adrienne Green	26176.05
24	Brandy Wright	36159.92
12	Mary Knight	38656.26
14	Deborah Arias	48042.06
16	Amy Landry	37415.67
7	Briana Wright	28589.04
11	Walter Jenkins	37129.82

Result 11 | Read Only

Output

LEVEL 6

Download LEVEL_6 SQL File

1

```
select  c.customer_id as CustomerID,
c.name as CustomerName
from customers c
where c.customer_id IN (
select customer_id
from orders
union
select customer_id
from product_reviews);
```



2

```
select  customer_id as CustomerID,
name as CustomerName
from  customers
where customer_id in (
select customer_id from orders
union
select customer_id from  product_reviews
)
and customer_id in (select customer_id from orders)
and customer_id in (select customer_id from product_reviews);
```