

MySQL Assignment 1 – DDL Commands & Constraints

1. Create Database

SQL Query

```
1 • CREATE DATABASE employee;  
2 • use employee  
>
```

2. Create employees Table

SQL Query

```
create table employees(  
employee_id INT,  
employee_name varchar(50),  
gender enum('m','n'),  
age INT,  
hire_date date,  
designation varchar(100),  
department_id int,  
location_id int,  
salary decimal(10,2)  
);
```

Output:

Result Grid



Filter Rows:

Export: 

Wrap Cell Content: 



employee_id	employee_name	gender	age	hire_date	designation	department_id	location_id	salary
-------------	---------------	--------	-----	-----------	-------------	---------------	-------------	--------



Result Grid



Form Editor



3. Create Location Table

SQL Query

```
16 create table Location(  
17     location_id INT,  
18     location varchar(30)  
19 );  
--
```

4. Create Departments Table

SQL Query

```
23 create table departments(  
24     department_id INT,  
25     department_name varchar(100)  
26 );  
27
```

Result Grid			Filter Rows:	Export:	Wrap Cell Content:
department_id	department_name				

5. ALTER TABLE Commands

SQL Query

```
31 alter table employees add email varchar(50)  
32 alter table employees modify column designation varchar(100)  
33 alter table employees drop column age  
34 alter table employees rename column hire_date to date_of_joining;
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:


employee_id	employee_name	gender	date_of_joining	designation	department_id	location_id	salary	email
-------------	---------------	--------	-----------------	-------------	---------------	-------------	--------	-------

6. Rename Tables

Rename Departments Table

SQL Query

```
--
38 • rename table departments to departments_info
39 ✖ rename table Location to Locations
40
41 select * from departments_info
```




The screenshot shows the results of the SQL query in a table grid. The grid has two columns: department_id and department_name. The interface includes a toolbar with options for Result Grid, Filter Rows, Export, and Wrap Cell Content.

department_id	department_name
---------------	-----------------

Rename Location Table

```
--
38 • rename table departments to departments_info
39 ✖ rename table Location to Locations
40
41 select * from Locations
```



The screenshot shows the results of the SQL query in a table grid. The grid has two columns: location_id and location. The interface includes a toolbar with options for Result Grid, Filter Rows, Export, and Wrap Cell Content.


location_id	location
-------------	----------

7. Truncate Employees Table

SQL Query

```
truncate table employees

select * from employees
```



The screenshot shows the results of the SQL query in a table grid. The grid has eight columns: employee_id, employee_name, gender, date_of_joining, designation, department_id, location_id, salary, and email. The interface includes a toolbar with options for Grid, Filter Rows, Export, and Wrap Cell Content.

employee_id	employee_name	gender	date_of_joining	designation	department_id	location_id	salary	email
-------------	---------------	--------	-----------------	-------------	---------------	-------------	--------	-------

8. Drop Employee Database and Drop Employees Table

SQL Query

46	DROP TABLE Employees;	
47	DROP DATABASE employee;	
48	select * from employees	
49		
50		

#	Time	Action	Message	Duration / Fetch
23	14:11:07	select * from Locations LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec
24	14:14:11	truncate table employees	0 row(s) affected	0.032 sec
25	14:14:54	select * from employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
26	14:27:02	DROP TABLE Employees	0 row(s) affected	0.016 sec
27	14:27:02	DROP DATABASE employee	2 row(s) affected	0.031 sec
28	14:27:44	select * from employees LIMIT 0, 1000	Error Code: 1046. No database selected Select the default DB to be used by doubl...	0.000 sec

9. Database Recreation & Constraints

Objective

To recreate the **employee** database and implement all required constraints on the Departments, Location, and Employees tables.

Step 1: Drop Existing Database

SQL Query

```

• DROP DATABASE IF EXISTS employee;

• create database employee

✗ use employee

```

Step 2: Recreate Database

SQL Query

```

• DROP DATABASE IF EXISTS employee;

• create database employee

✖ use employee

```

Step 3: Create Departments Table with Constraints

SQL Query

```

create table department(
  department_id int primary key,
  department_name varchar(100) not null unique
);

```

Output:

Result Grid	Filter Rows:	Edit:	Export/Import:	Wrap Cell C
department_id	department_name			
*	NULL	NULL		

Step 4: Create Location Table with Constraints

SQL Query

```

create table location(
  location_id int auto_increment primary key,
  location varchar(100) not null unique
);

```

Output:

Result Grid	Filter Rows:	Edit:	Export/Import:	Wrap Cell Content:
location_id	location			
*	NULL	NULL		

[illegible]