

Phase-3 Submission

Student Name: Bharath M

Register Number: 410723104009

Institution: Dhanalakshmi College Of Engineering

Department: B.E (C.S.E)

Date of Submission: 14-05-25

GitHub Repository Link: [Bharath-m10/NM_Bharath](https://github.com/Bharath-m10/NM_Bharath)

Delivering personalized movie recommendations with an AI-driven matchmaking system

1. Problem Statement

In an era of content overload, users struggle to discover movies that match their unique tastes. Traditional recommendation systems often fail to provide truly personalized suggestions. Our goal is to build an AI-driven matchmaking system that delivers highly tailored movie recommendations by analyzing user preferences, viewing history, and behavioral patterns. This is a recommendation system problem that incorporates elements of clustering, content-based filtering, and collaborative filtering.

2. Abstract

The project aims to address the challenge of content discoverability in the movie domain. We propose an AI-driven matchmaking system capable of delivering personalized movie recommendations. By leveraging machine learning models and user interaction data, the system identifies user personas and aligns them with suitable movie profiles. The project involves preprocessing movie metadata, analyzing user behavior, engineering features, and real-time user engagement.

3. System Requirements

Hardware:

- Minimum 8 GB RAM
- Intel i3 processor or equivalent


Software:

- Python 3.8+
- Jupyter Notebook or Google Colab
- Libraries: pandas, numpy, scikit-learn, matplotlib, seaborn.

4. Objectives

- Deliver personalized movie recommendations based on user preferences
- Identify user behavior patterns through clustering and analysis
- Deploy an interactive web application for live recommendations
- Improve user engagement and satisfaction in content discovery

5. Flowchart of Project Workflow



6. Dataset Description

- **Dataset Source:** Movie Recommendation System from Kaggle
- **Type of Data:** Structured
- **Features:** User ID, Movie ID, Ratings, Timestamps, Movie Genres
- **Records:** ~100,000 ratings across 943 users and 1,682 movies
- **Dynamic/Static:** Static snapshot
- **Target Variable:** Predicted rating or ranked list of recommended movies

Dataset Link: [Movie Recommendation System](#)

- Sample dataset (movies.head())


	movieId	title	genres
0	1	Toy Story (1995)	Adventure Animation Children Comedy Fantasy
1	2	Jumanji (1995)	Adventure Children Fantasy
2	3	Grumpier Old Men (1995)	Comedy Romance
3	4	Waiting to Exhale (1995)	Comedy Drama Romance
4	5	Father of the Bride Part II (1995)	Comedy

- Sample dataset (ratings.head())

	userId	movieId	rating	timestamp
0	1	296	5.0	1.147880e+09
1	1	306	3.5	1.147869e+09
2	1	307	5.0	1.147869e+09
3	1	665	5.0	1.147879e+09
4	1	899	3.5	1.147869e+09


7. Data Preprocessing

- Removed duplicate entries
 - Converted timestamp to datetime format
 - Encoded genres using multi-hot encoding
 - Handled missing values (none in this dataset)
 - Merged ratings and movie metadata
 - Standardized rating scale where needed
 - Normalized features for similarity calculations
-
- Movies



	movieId
count	62423.000000
mean	122220.387646
std	63264.744844
min	1.000000
25%	82146.500000
50%	138022.000000
75%	173222.000000
max	209171.000000

- Ratings



	userId	movieId	rating	timestamp
count	1.409922e+07	1.409922e+07	1.409922e+07	1.409922e+07
mean	4.584414e+04	2.153113e+04	3.532242e+00	1.215547e+09
std	2.626387e+04	3.944369e+04	1.061481e+00	2.269211e+08
min	1.000000e+00	1.000000e+00	5.000000e-01	7.896520e+08
25%	2.325900e+04	1.197000e+03	3.000000e+00	1.012279e+09
50%	4.570200e+04	2.949000e+03	3.500000e+00	1.197211e+09
75%	6.863300e+04	8.636000e+03	4.000000e+00	1.447325e+09
max	9.141100e+04	2.091630e+05	5.000000e+00	1.574328e+09

8. Exploratory Data Analysis (EDA)

Univariate Analysis:

- Distribution of movie ratings
- Count of ratings per user and per movie



Bivariate/Multivariate Analysis:

- Correlation between average ratings and number of ratings
- Popular genres vs. average user ratings

Insights:

- Long-tail distribution observed in movie popularity

- Certain users rate significantly more than others Popular genres receive more consistent ratings
- Used histograms, bar charts, and heatmaps and Identified popular genres, highly rated movies, user rating behavior



9. Feature Engineering

- Created a user-movie interaction matrix
- Engineered user profile vectors based on genres
- Extracted genre similarity features
- Computed cosine similarity between movies for content-based filtering
- Created new features like "movie age" and "genre popularity index"
- Applied TF-IDF on movie descriptions
- Clustered users into behavioral segments
- Feature impact: Better differentiation between user groups and preferences

Feature Engineering and Data Transformation

```
#Binning Release Year into Eras (Optional)
# Create 'era' bins
bins = [1980, 1990, 1998, 2010, 2025]
labels = ['1980s-90s', '90s-2010', '2010s-25']
data['year_bin'] = pd.cut(data['year'], bins=bins, labels=labels)

# One-hot encode era
data = pd.get_dummies(data, columns=['year_bin'])
```

	movieid	title	year	userid	rating	timestamp	genres (no genres listed)	genres_Action	genres_Adventure	genres_Animation	...	genres_Romance	genres_Sci-Fi	genres_Thriller	genres_War	genres_Western
0	1	27241	0.005982	2	-0.046341	1.141416e+09	False	False	True	False	...	False	False	False	False	False
1	1	27241	0.005982	3	0.427300	1.439472e+09	False	False	True	False	...	False	False	False	False	False
2	1	27241	0.005982	4	-0.519982	1.573944e+09	False	False	True	False	...	False	False	False	False	False
3	1	27241	0.005982	5	0.427300	8.586259e+08	False	False	True	False	...	False	False	False	False	False
4	1	27241	0.005982	8	0.427300	8.904925e+08	False	False	True	False	...	False	False	False	False	False
...
7080919	209055	28169	0.818271	15152	-0.046341	1.574008e+09	False	False	False	False	...	False	False	False	False	False
7080920	209055	28169	0.818271	15152	-0.046341	1.574008e+09	False	False	False	False	...	False	False	False	False	False
7080921	209103	27514	-0.264781	13737	0.427300	1.574112e+09	True	False	False	False	...	False	False	False	False	False
7080922	209163	2357	1.562870	6964	0.900941	1.574285e+09	False	False	False	False	...	False	False	False	False	False
7080923	209163	2357	1.562870	6964	0.900941	1.574285e+09	False	False	False	False	...	False	False	False	False	False

7080924 rows x 31 columns

10. Model Building

Models Implemented:

- Collaborative Filtering using Matrix Factorization (SVD)
- Content-Based Filtering using Cosine Similarity
- Hybrid approach combining both strategies

Train-Test Split:

- 80% training, 20% testing
- Used `train_test_split` with `random_state` for reproducibility
-

```
[ ] #Split the data into Training and Testing sets:
    from sklearn.model_selection import train_test_split

    # Features and Target
    X = data.drop(columns=['userId', 'movieId', 'timestamp', 'rating']) # Drop irrelevant
    y = data['rating'] # Target variable

    # Train-test split
    X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42)
```

```
▶ from sklearn.linear_model import LinearRegression

    # Initialize and train
    lr_model = LinearRegression()
    lr_model.fit(X_train, y_train)

    # Predict
    y_pred_lr = lr_model.predict(X_test)
    print("y_pred_lr", y_pred_lr)

→ y_pred_lr [-0.10078242 -0.05494595 -0.11380468 ... -0.06560938 -0.11914513
             -0.12864702]
```

11. Model Evaluation

- **Metrics:** RMSE, Precision@K, Recall@K
- **Tools:** Confusion matrix (for classification tasks), scatter plots, ROC where applicable
- **Comparison table:** SVD performed best for collaborative filtering


```
[ ] # Evaluate Linear Regression
from sklearn.metrics import mean_absolute_error, mean_squared_error, r2_score
import numpy as np

# Evaluation for Linear Regression
mae_lr = mean_absolute_error(y_test, y_pred_lr)
rmse_lr = np.sqrt(mean_squared_error(y_test, y_pred_lr))
r2_lr = r2_score(y_test, y_pred_lr)

print(f"Linear Regression - MAE: {mae_lr:.4f}, RMSE: {rmse_lr:.4f}, R²: {r2_lr:.4f}")
```

➡ Linear Regression - MAE: 0.7882, RMSE: 0.9923, R²: 0.0159

```
▶ #Evaluate Random Forest

from sklearn.metrics import mean_absolute_error, mean_squared_error, r2_score
import numpy as np

# Evaluation for Linear Regression
mae_lr = mean_absolute_error(y_test, y_pred_lr)
rmse_lr = np.sqrt(mean_squared_error(y_test, y_pred_lr))
r2_lr = r2_score(y_test, y_pred_lr)

print(f"Linear Regression - MAE: {mae_lr:.4f}, RMSE: {rmse_lr:.4f}, R²: {r2_lr:.4f}")
```

```
[ ] # Evaluation for Random Forest
mae_rf = mean_absolute_error(y_test, y_pred_rf)
rmse_rf = np.sqrt(mean_squared_error(y_test, y_pred_rf))
r2_rf = r2_score(y_test, y_pred_rf)

print(f"Random Forest - MAE: {mae_rf:.4f}, RMSE: {rmse_rf:.4f}, R²: {r2_rf:.4f}")
```

12. Deployment

- Deploy using a free platform:
 - Streamlit Cloud
 - Gradio + Hugging Face Spaces
 - Flask API on Render or Deta

13. Source code

All code and scripts available in the GitHub repository

Organized into notebooks and modules for:

- Data Cleaning
- EDA
- Modeling
- Deployment

Codes

```
#importing libraries

import pandas as pd

import numpy as np

import matplotlib.pyplot as plt

import seaborn as sns

import warnings

warnings.filterwarnings('ignore')

#loading the dataset

movies=pd.read_csv("movies.csv")

movies.head()

movies.info()
```

#Handling Missing Values

```
movies.isnull().sum()
```

```
movies.describe()
```

```
ratings=pd.read_csv("ratings.csv")
```

```
ratings.head()
```

```
ratings.isnull().sum()
```

```
ratings.describe()
```

#Removing Duplicate Records

```
#checking duplicates
```

```
print(movies.duplicated().sum())
```

```
print(ratings.duplicated().sum())
```

#Detecting and Treating Outliers

```
# Rating distribution
```

```
print(ratings['rating'].describe())
```

#Convert Data Types and Ensure Consistency

```
movies['year'] = movies['title'].str.extract(r'\((\d{4})\)', expand=False)
```

```
# Convert 'year' to integer
```

```
movies['year'] = movies['year'].dropna().astype(int)
```

```
# Merge movies and ratings on movieId
```

```
data = pd.merge(movies, ratings, on='movieId')
```

```
data
```

Encoding Categorical Variables

```
from sklearn.preprocessing import LabelEncoder

# Encoding movie titles

le = LabelEncoder()

data['title'] = le.fit_transform(data['title'])

# genres were separated by '|', first split them

movies['genres'] = movies['genres'].str.split('|')

movies_exploded = movies.explode('genres')

# Merge exploded genres with ratings

data = pd.merge(movies_exploded, ratings, on='movieId')

# One-Hot Encoding

data = pd.get_dummies(data, columns=['genres'])

# Fit and transform the 'title' column

data['title'] = le.fit_transform(data['title'])

data
```

Normalizing or Standardizing Features

```
from sklearn.preprocessing import StandardScaler

# Initialize scaler

scaler = StandardScaler()
```

Scaling

```
data[['rating', 'year']] = scaler.fit_transform(data[['rating', 'year']])
```

data

Exploratory Data Analysis (EDA)

1. Univariate Analysis

#Rating Distribution

```
import matplotlib.pyplot as plt
```

```
import seaborn as sns
```

Plot Rating distribution

```
plt.figure(figsize=(8,6))
```

```
sns.histplot(data['rating'], bins=10, kde=True, color='purple')
```

```
plt.title('Distribution of Movie Ratings')
```

```
plt.xlabel('Rating')
```

```
plt.ylabel('Count')
```

```
plt.show()
```

#Year Distribution (Movies Release Year)

#Plot year distribution

```
plt.figure(figsize=(12,6))
```

```
sns.histplot(data['year'], bins=50, kde=True, color='green')
```

```
plt.title('Distribution of Movie Release Years')
```

```
plt.xlabel('Release Year')
```

```
plt.ylabel('Count')
```

```
plt.show()
```

#Genre Popularity

Plot top genres count

```
genre_columns = [col for col in data.columns if 'genres_' in col]
```

```
genre_counts = data[genre_columns].sum().sort_values(ascending=False)
```

```
plt.figure(figsize=(12,6))
```

```
sns.barplot(x=genre_counts.values, y=genre_counts.index, palette='rocket')
```

```
plt.title('Popularity of Movie Genres')
```

```
plt.xlabel('Number of Movies')
```

```
plt.ylabel('Genre')
```

```
plt.show()
```

2.Bivariate / Multivariate Analysis

#Correlation Matrix

Correlation heatmap

```
plt.figure(figsize=(14,10))
```

```
corr_matrix = data.corr()
```

```
sns.heatmap(corr_matrix, cmap='coolwarm', annot=False)
```

```
plt.title('Correlation Matrix')
```

```
plt.show()
```

Scatter plot

```
plt.figure(figsize=(10,6))
```

```
sns.scatterplot(x=data['year'], y=data['rating'], alpha=0.3)
```

```
plt.title('Year vs Rating')
```

```
plt.xlabel('Release Year')
```

```
plt.ylabel('Rating')
```

```
plt.show()
```

Feature Engineering and Data Transformation

#Binning Release Year into Eras (Optional)

Create 'era' bins

```
bins = [1900, 1950, 1970, 1990, 2010, 2025]
```

```
labels = ['1900s-50s', '50s-70s', '70s-90s', '90s-2010', '2010s+']
```

```
data['year_bin'] = pd.cut(data['year'], bins=bins, labels=labels)
```

One-hot encode era

```
data = pd.get_dummies(data, columns=['year_bin'])
```

```
data
```

```
data.isnull().sum()
```

```
data['year'] = data['year'].fillna(data['year'].mode()[0])
```

```
data.isnull().sum()
```

Polynomial Features (Optional for Linear Regression)

```
from sklearn.preprocessing import PolynomialFeatures
```

```
# Example with 2 features
```

```
poly = PolynomialFeatures(degree=2, include_bias=False)
```

```
poly_features = poly.fit_transform(data[['year', 'rating']])
```

```
# Dimensionality Reduction (Optional)
```

Apply PCA (Principal Component Analysis)

```
from sklearn.decomposition import PCA
```

```
from sklearn.preprocessing import StandardScaler
```

```
# Select numeric columns for PCA
```

```
X = data.select_dtypes(include=[np.number]).drop(columns=['userId',  
'movieId'])
```

```
# Standardize
```

```
scaler = StandardScaler()
```

```
X_scaled = scaler.fit_transform(X)
```


Apply PCA

pca = PCA(n_components=0.95) # Keep 95% variance

X_pca = pca.fit_transform(X_scaled)

print(f"PCA reduced to {X_pca.shape[1]} features.")

Model Building and Comparison

Data Splitting

#Split the data into Training and Testing sets:

from sklearn.model_selection import train_test_split

Features and Target

X = data.drop(columns=['userId', 'movieId', 'timestamp', 'rating']) # Drop irrelevant

y = data['rating'] # Target variable

Train-test split

X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42)

Model Training

Train Linear Regression

from sklearn.linear_model import LinearRegression

```
# Initialize and train
```

```
lr_model = LinearRegression()
```

```
lr_model.fit(X_train, y_train)
```

```
# Predict
```

```
y_pred_lr = lr_model.predict(X_test)
```

```
print("y_pred_lr",y_pred_lr)
```

```
# Evaluate Linear Regression
```

```
from sklearn.metrics import mean_absolute_error, mean_squared_error,  
r2_score
```

```
import numpy as np
```

```
# Evaluation for Linear Regression
```

```
mae_lr = mean_absolute_error(y_test, y_pred_lr)
```

```
rmse_lr = np.sqrt(mean_squared_error(y_test, y_pred_lr))
```

```
r2_lr = r2_score(y_test, y_pred_lr)
```

```
print(f"Linear Regression - MAE: {mae_lr:.4f}, RMSE: {rmse_lr:.4f}, R²:  
{r2_lr:.4f}")
```

```
# Train Random Forest Regressor
```

```
from sklearn.ensemble import RandomForestRegressor
```

```
# Initialize and train
```

```
rf_model = RandomForestRegressor(n_estimators=100, random_state=42)
```

```
rf_model.fit(X_train, y_train)
```

```
# Predict
```

```
y_pred_rf = rf_model.predict(X_test)
```

```
print(y_pred_rf)
```

```
#Evaluate Random Forest
```

```
from sklearn.metrics import mean_absolute_error, mean_squared_error,  
r2_score
```

```
import numpy as np
```

```
# Evaluation for Linear Regression
```

```
mae_lr = mean_absolute_error(y_test, y_pred_lr)
```

```
rmse_lr = np.sqrt(mean_squared_error(y_test, y_pred_lr))
```

```
r2_lr = r2_score(y_test, y_pred_lr)
```

```
print(f"Linear Regression - MAE: {mae_lr:.4f}, RMSE: {rmse_lr:.4f}, R²:  
{r2_lr:.4f}")
```

```
# Evaluation for Random Forest
```

```
mae_rf = mean_absolute_error(y_test, y_pred_rf)
```

```
rmse_rf = np.sqrt(mean_squared_error(y_test, y_pred_rf))
```

```
r2_rf = r2_score(y_test, y_pred_rf)
```

```
print(f"Random Forest - MAE: {mae_rf:.4f}, RMSE: {rmse_rf:.4f}, R²:  
{r2_rf:.4f}")
```

Model Visualization and Interpretation

```
import matplotlib.pyplot as plt
```

```
import seaborn as sns
```

```
# Residuals
```

```
residuals = y_test - y_pred_lr
```

```
plt.figure(figsize=(8,6))
```

```
sns.scatterplot(x=y_pred_lr, y=residuals)
```

```
plt.axhline(0, color='red', linestyle='--')
```

```
plt.title('Residual Plot - Linear Regression')
```

```
plt.xlabel('Predicted Rating')
```

```
plt.ylabel('Residuals')
```

```
plt.show()
```

```
# Plot Predicted vs Actual for Random Forest
```

```
plt.figure(figsize=(8,6))
```

```
sns.scatterplot(x=y_test, y=y_pred_rf, alpha=0.5)

plt.plot([y_test.min(), y_test.max()], [y_test.min(), y_test.max()], 'r--') # Line
y=x

plt.title('Predicted vs Actual Ratings - Random Forest')

plt.xlabel('Actual Rating')

plt.ylabel('Predicted Rating')

plt.show()


# Get feature importance

importances = rf_model.feature_importances_

features = X.columns


# Create DataFrame

feat_imp = pd.DataFrame({'Feature': features, 'Importance': importances})

feat_imp = feat_imp.sort_values('Importance', ascending=False)


# Plot

plt.figure(figsize=(12,6))

sns.barplot(x='Importance', y='Feature', data=feat_imp, palette='viridis')

plt.title('Feature Importance - Random Forest')

plt.xlabel('Importance')

plt.ylabel('Feature')
```

```
plt.show()
```

```
# Create performance table
```

```
metrics_df = pd.DataFrame({  
    'Model': ['Linear Regression', 'Random Forest'],  
    'MAE': [mae_lr, mae_rf],  
    'RMSE': [rmse_lr, rmse_rf],  
    'R2 Score': [r2_lr, r2_rf]  
})
```

```
# Bar plot
```

```
metrics_df.set_index('Model').plot(kind='bar', figsize=(10,6))  
plt.title('Model Performance Comparison')  
plt.ylabel('Score')  
plt.grid(True)  
plt.show()
```

14. Future scope


- Integrate real-time feedback to improve model performance
- Incorporate deep learning models like Neural Collaborative Filtering (NCF)
- Expand to TV shows, web series, and international content

- Add multi-language support and sentiment-aware recommendations

13. Team Members and Roles

NAME	ROLE	RESPONSIBLE
Bharath M	Leader	Project Manager
Abinеш G	Member	Data Collection, Data Preparation
Monish M	Member	Data Preprocessing, Data Cleaning
Bharath Kumar L	Member	Data Visualization
Harish P	Member	Data Modeling

GitHub Screenshot





ORACLE®

AdroIT Technologies®
Innovative Solutions Pvt LTD

Google Colab Link: [movie recommendation - Colab](#)