


Hello World RESTful Web Service



pom.xml:

```
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
    https://maven.apache.org/xsd/maven-4.0.0.xsd">

  <modelVersion>4.0.0</modelVersion>

  <parent>
    <groupId>org.springframework.boot</groupId>
    <artifactId>spring-boot-starter-parent</artifactId>
    <version>3.5.3</version>
    <relativePath/>
  </parent>

  <groupId>com.cognizant</groupId>
  <artifactId>spring-learn</artifactId>
  <version>0.0.1-SNAPSHOT</version>
  <name>spring-learn</name>

  <properties>
    <java.version>17</java.version>
  </properties>

  <dependencies>

    <dependency>
      <groupId>org.springframework.boot</groupId>
      <artifactId>spring-boot-starter-web</artifactId>
    </dependency>

    <dependency>
      <groupId>org.springframework.boot</groupId>
      <artifactId>spring-boot-devtools</artifactId>
      <scope>runtime</scope>
      <optional>true</optional>
    </dependency>

  </dependencies>

</project>
```

```

    <dependency>
      <groupId>org.springframework.boot</groupId>
      <artifactId>spring-boot-starter-test</artifactId>
      <scope>test</scope>
    </dependency>

    <dependency>
      <groupId>org.springframework</groupId>
      <artifactId>spring-context</artifactId>
    </dependency>

  </dependencies>

  <build>
    <plugins>
      <plugin>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-maven-plugin</artifactId>
      </plugin>
    </plugins>
  </build>
</project>

```

application.properties:

```

spring.application.name=spring-learn
server.port=8083
logging.level.root=INFO
logging.level.com.cognizant.spring-learn=DEBUG

```

HelloController.java:

```

package com.cognizant.spring_learn.controller;

import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.RestController;

@RestController

public class HelloController {

    private static final Logger LOGGER =
        LoggerFactory.getLogger(HelloController.class);

    @GetMapping("/hello")
    public String sayHello() {
        LOGGER.info("START");

        String message = "Hello World!!";

        LOGGER.info("END");

        return message;
    }
}

```

SpringLearnApplication.java:

```
package com.cognizant.spring_learn;

import org.springframework.boot.SpringApplication;

import org.springframework.boot.autoconfigure.SpringBootApplication;

@SpringBootApplication

public class SpringLearnApplication {

    public static void main(String[] args) {


        SpringApplication.run(SpringLearnApplication.class, args);

    }


}
```

OUTPUT:


1) Browser



2) Postman:



3) Console:



In network tab of developer tools , the HTTP header details received:

Name

X

Headers

Preview

Response

Initiator

Timing

Cookies

hello

General

Request URL

http://localhost:8083/hello

Request Method

GET

Status Code

200 OK

Remote Address

[::1]:8083

Referrer Policy

strict-origin-when-cross-origin

Response headers

Raw

HTTP/1.1 200
Content-Type: text/html; charset=UTF-8
Content-Length: 13
Date: Sun, 05 Jul 2026 08:28:52 GMT
Keep-Alive: timeout=60
Connection: keep-alive

Request Headers

Raw

GET /hello HTTP/1.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Accept-Encoding: gzip, deflate, br, zstd
Accept-Language: en-US,en;q=0.9
Cache-Control: max-age=0
Connection: keep-alive
Cookie: ajs_anonymous_id=6a6dfe8b-23fc-4a8e-826f-f3a40ce992c1
Host: localhost:8083
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/149.0.0.0 Safari/537.36
sec-ch-ua: "Google Chrome";v="149", "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"

In postman , the HTTP header details received in "Headers" tab:

Body

Cookies

Headers

5

Test Results

1/1

200 OK

35 ms

177 B

Save Response

...

Key	Value
Content-Type	text/plain; charset=UTF-8
Content-Length	13
Date	Sun, 05 Jul 2026 08:26:26 GMT
Keep-Alive	timeout=60
Connection	keep-alive