


REST - Get country based on country code



pom.xml:

```
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
    http://maven.apache.org/xsd/maven-4.0.0.xsd">

  <modelVersion>4.0.0</modelVersion>

  <parent>
    <groupId>org.springframework.boot</groupId>
    <artifactId>spring-boot-starter-parent</artifactId>
    <version>3.5.3</version>
    <relativePath/>
  </parent>

  <groupId>com.cognizant</groupId>
  <artifactId>spring-learn</artifactId>
  <version>0.0.1-SNAPSHOT</version>
  <name>spring-learn</name>

  <properties>
    <java.version>17</java.version>
  </properties>

  <dependencies>

    <dependency>
      <groupId>org.springframework.boot</groupId>
      <artifactId>spring-boot-starter-web</artifactId>
    </dependency>

    <dependency>
```

```

        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-devtools</artifactId>
        <scope>runtime</scope>
        <optional>true</optional>
    </dependency>

    <dependency>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-test</artifactId>
        <scope>test</scope>
    </dependency>

    <dependency>
        <groupId>org.springframework</groupId>
        <artifactId>spring-context</artifactId>
    </dependency>

</dependencies>

<build>
    <plugins>
        <plugin>
            <groupId>org.springframework.boot</groupId>
            <artifactId>spring-boot-maven-plugin</artifactId>
        </plugin>
    </plugins>
</build>
</project>

```

application.properties:

```

spring.application.name=spring-learn
server.port=8083
logging.level.root=INFO
logging.level.com.cognizant.spring-learn=DEBUG

```

Country.java:

```

package com.cognizant.spring_learn;

public class Country {

    private String code;
    private String name;

    public Country() {
    }

    public Country(String code, String name) {
        this.code = code;
        this.name = name;
    }

    public String getCode() {
        return code;
    }

    public void setCode(String code) {
        this.code = code;
    }

    public String getName() {
        return name;
    }
}

```

```

    public void setName(String name) {
        this.name = name;
    }
}

```

Country.xml:

```

<?xml version="1.0" encoding="UTF-8"?>

<beans xmlns="http://www.springframework.org/schema/beans"
        xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
        xsi:schemaLocation="
            http://www.springframework.org/schema/beans
            https://www.springframework.org/schema/beans/spring-beans.xsd">

    <bean id="countryList" class="java.util.ArrayList">

        <constructor-arg>
            <list>

                <bean class="com.cognizant.spring_learn.Country">
                    <property name="code" value="IN"/>
                    <property name="name" value="India"/>
                </bean>

                <bean class="com.cognizant.spring_learn.Country">
                    <property name="code" value="US"/>
                    <property name="name" value="United States"/>
                </bean>

                <bean class="com.cognizant.spring_learn.Country">
                    <property name="code" value="JP"/>
                    <property name="name" value="Japan"/>
                </bean>

                <bean class="com.cognizant.spring_learn.Country">
                    <property name="code" value="DE"/>
                    <property name="name" value="Germany"/>
                </bean>

            </list>
        </constructor-arg>

    </bean>

</beans>

```

CountryController.java:

```

import com.cognizant.spring_learn.Country;
import com.cognizant.spring_learn.service.CountryService;

@RestController
public class CountryController {

    @Autowired
    private CountryService countryService;

    @GetMapping("/countries")
    public List<Country> getAllCountries() {

        return countryService.getAllCountries();
    }
}

```

```

    @GetMapping("/countries/{code}")
    public Country getCountry(
        @PathVariable String code) {

        return countryService.getCountry(code);
    }
}

```

CountryService.java:

```

package com.cognizant.spring_learn.service;

import java.util.List;

import org.springframework.context.ApplicationContext;
import org.springframework.context.support.ClassPathXmlApplicationContext;
import org.springframework.stereotype.Service;

import com.cognizant.spring_learn.Country;

@Service
public class CountryService {

    @SuppressWarnings("unchecked")
    public List<Country> getAllCountries() {

        ApplicationContext context =
            new ClassPathXmlApplicationContext("country.xml");

        return (List<Country>) context.getBean("countryList");
    }

    public Country getCountry(String code) {

        List<Country> countries = getAllCountries();

        return countries.stream()
            .filter(country ->
                country.getCode().equalsIgnoreCase(code))
            .findFirst()
            .orElse(null);
    }
}

```

SpringLearnApplication.java:

```

package com.cognizant.spring_learn;

import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.SpringBootApplication;

@SpringBootApplication
public class SpringLearnApplication {

    public static void main(String[] args) {

        SpringApplication.run(SpringLearnApplication.class, args);
    }
}

```

OUTPUT:


1) Console:




```
:: Spring Boot :: (v3.5.3)

2026-07-05T18:01:00.796+05:30 INFO 17196 --- [spring-learn] [ restartedMain] c.c.spring_learn.SpringLearnApplication : Starting SpringLearnApplication using Java 21.0.9 with PID 17196 (C:\Users\Asu
2026-07-05T18:01:00.908+05:30 INFO 17196 --- [spring-learn] [ restartedMain] c.c.spring_learn.SpringLearnApplication : No active profile set, falling back to 1 default profile: "default"
2026-07-05T18:01:00.909+05:30 INFO 17196 --- [spring-learn] [ restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port 8083 (http)
2026-07-05T18:01:00.909+05:30 INFO 17196 --- [spring-learn] [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-07-05T18:01:00.920+05:30 INFO 17196 --- [spring-learn] [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/10.1.42]
2026-07-05T18:01:00.920+05:30 INFO 17196 --- [spring-learn] [ restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext
2026-07-05T18:01:00.964+05:30 INFO 17196 --- [spring-learn] [ restartedMain] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed in 122 ms
2026-07-05T18:01:00.969+05:30 INFO 17196 --- [spring-learn] [ restartedMain] o.s.b.d.a.OptionalLiveReloadServer : LiveReload server is running on port 35729
2026-07-05T18:01:00.971+05:30 INFO 17196 --- [spring-learn] [ restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port 8083 (http) with context path '/'
2026-07-05T18:01:00.972+05:30 INFO 17196 --- [spring-learn] [ restartedMain] c.c.spring_learn.SpringLearnApplication : Started SpringLearnApplication in 0.195 seconds (process running for 2416.25)
2026-07-05T18:01:00.972+05:30 INFO 17196 --- [spring-learn] [ restartedMain] .ConditionEvaluationDeltaLoggingListener : Condition evaluation unchanged
2026-07-05T18:01:11.754+05:30 INFO 17196 --- [spring-learn] [nio-8083-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'
2026-07-05T18:01:11.754+05:30 INFO 17196 --- [spring-learn] [nio-8083-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-07-05T18:01:11.754+05:30 INFO 17196 --- [spring-learn] [nio-8083-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 0 ms
```

2) Browser:




```
{
  "code": "US",
  "name": "United States"
}
```



```
{
  "code": "IN",
  "name": "India"
}
```

3) Postman:



GET

http://localhost:8083/countries/in

Send

Docs

Params

Authorization

Headers 6

Body

Scripts

Tests

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body

Cookies

Headers 5

Test Results 1/1

200 OK

21 ms

192 B

Save Response

{ } JSON

Preview

Visualize

```
1 {
2   "code": "IN",
3   "name": "India"
4 }
```