Day-49 OData Adapter

* We have discussed about Query Options which are standard operations

→ Till yesterday we are left with filter and expand operation

* filter → Filter out and get Some data

$Filter = on which basis we need to filter

→ eg = order information entity

ShipCountry = 'France' (eq) → as of now discussed

Syntax of $filter = shipCountry eq France

↓ filter operation

Result → only France Country data will be Result's

* OData → data fetch → only required data → filter

→ data → 100 records → 1 record (Response time) more

* Suppose 200 records → 10 records → filter

eq, ne, ... — — — ?

* text ,or Substring using filter

* Instead of getting Complete payload → we use filter
  → then we will get → required field's
  ∴ filter query

⇒ Expand → basically → Enlarge → more than required data
  Eg: Employee details → address Info → not Country

* Employees Api, Address Api, projects
  ↓
  Seperate Api's

* NOW we need Address Api, projects details
  With Singe Employee Api call
  ↓

* Navigation property → Important

Employee ('Api') Entity → Address (Entity)
                        → projects (Entity)
} Sub Entity's

* Root Entity → SubEntity (Expand operation OData)

* Eg: Employees → Order's (Entity Enlarge)

↓

Expand operation

Customers?$expand=orders ~ (E → Entity)

E1 E2

~~2$Customer~~

* If we want to get Sub Entity detail & also we will use Expand operation in a "Single call".

*demo → call from SAP cpl

Connection Tab → Address → lend's

ResourcePath:→/. Remote or local edmx file

edmx file → Metadata file

* Connect to System:

Address: Service root URL /$metadata

* Step: how many entities

* CPI will generate query parameters

Automatically whichever we select fields

Step (3): filter By
Sort By

Sublevels → 1 to CPI
↳ Expand

Query → SAP cpi will generate

* OData → Removed → Unwanted Header's and fields

* Custom Query options


* Atom → one type of XML

* Process in pages

* Attach Error details on Failure

* eg → Employees information → OData

* Multicast pallet function :



Batch processing : if we want to perform multiple operations in single call then we will use a

Batch Processing

* Create, update → Empl , Empl , Empl
  ↓ create, ↓ update, ↓ delete

~~Set~~ for Get call NO Batch processing

↓

Remember

* batch parts

  ↳ batch change set

  ↳ batch change set part → Method → URI → create, update, delete

* Processing the records in batches.

→ Splitter → 10 messages → 10 calls (10 RTs) Cost

→ Batch processing → 1 Call → 10 operations (1 RT)

COST

*gwlsaplodata

*** Difference b/w V_2 & V_4 (oData)

V_2	V_2
→ not support Json format (Atom → xml)	→ Supports Json format (Json)
→ Root Entity	→ Expand Entities.
→ Patch is not Supported	→ Patch is Supported.
→ Less performance	→ More performance