Day 50 — Content Enricher

* What is Content Enricher?

→ Enricher : If Suppose you want to Enhance Something ⇒ If we want to add additional data to the existing data (Then we will use Content enricher)

∴ Content Enricher → payload → Enricher

~~(or)~~ Enhancing the data

~~to Content~~ → Content Enricher → If Suppose we want to Enhance the existing payload, Existing message or incoming payload then we will use Content Enricher.

* Simple Example → Source → Employe Information,
→ And we retrieving some additional information
→ from Target

* Scenario → Employee Information → data fetch
→ api Call → (Source'e) Only getting Employee 'ID'

Now → Employee ID → Employee Information

→ api call → data fetch → Combine → Send

2nd api call

↳ for Employee Information based on the what we have (Employee ID)

* Example : Northwind API → Employee Information

⇒ Basically, Source → EmpID (Recieving only) → Northwind API → api call

: <EmployeeInfo>
<Empdetails>
<EmpID>1</EmpID>
</Empdetails>
</EmployeeInfo>

} Input payload

→ Based EmpID → we need get Employee Information

~~Based on~~ → Combine the Information → Send

→ Information → Combine → Send → to → target

Now What we will do

Now we will use Content Enricher


⇒ Existing payload → additional api call → Combine → Send

<Employee Info>
<Empdetail's>
<EmpID> 1 </EmpID>
<Empdetails From API>

* Difference between expand and Contents Enricher explained.

* Call palette → External → Content Enricher ✓

* iflow:



* NOW two payloads Combined ✓

① Inputpayload (message ①)

② API → Employee details

Read the data from the Reciever


* For Existing payload (or) message → api call →
(xml file)

Combine :: append process

* This process also we can do using Content modifier

property → Inputpayload → Expression → ${body}

→ String.



Expression:

```
<multimap:messages
<multimap:message1>
${property.Inputpayload}
</multimap:message1>
<multimap:message2>
${body}
</multimap:message2>
</multimap:messages>
```

Combine the data


* Scenario → Incoming payload → Stored in property variable in 1st Content modifier → (Employee) api call → odata → get related Information → append

or Combine both data → Content modifier

→ 2nd content modifier

- Content Enricher → alternative → RequestReply

- Example:



- When we click on this palette functions we will get one dropdown for Aggregation Algorithm: (1) Combine (append)

Combines Two payloads (as it is)

(2) - enrich

TOP & Bottom

One after another

* Enrich: Respective ID it will combine.

⇒ < EmployeeInfo>
< Empdetails>
<EmpID> L </EMPID>
<Employee>
<FirstNames> Nancy. </FirstNames>
<Title> Sales Representative. </Title>
<LastNames> DAVOLIO. </LastNames>
< EmployeeID> 1 </ EmployeeID>
</Employee>
</Empdetails>
</EmployeeInfo>

* processing Tab:

Aggregation Algorithm: Enrich

original message:

Path to Node: /EmployeeInfo/Empdetails

Key Element: EmpID

Lookup message:

Path to Node: /Employees/Employee

Key element: EmployeeID

* How about order's (Entity call based on EmployeID)

Look up message:

Path to Node: /Orders) ~~Employee~~ order

Key Element: EmployeeID

* here we will get all order's related to the input payload EmployeeID's

* Realtime Scenario → S4/hana → data Recieving (event mesh) → purchase order Member Information → api call → append → send.

* Content Enricher → oData, Success factors, Soap 1.x

only, Support's → XML Data only

NO 'JSON'

* Why → Combine & Enrich → x path mandatory

Content enricher only supports.
api based Connections


So only Supports
XML

* Now → Source → payload → pick the file → from SFTP
→ SFTP
→ etc

→ poll Enriched → In between of the iflow if we want to pick a file from SFTP server then we will use poll Enrich.

XXX → poll Enricher will Read the file from the Sender

Remember Very very Important -



- <Employee Info>
  <employees>
  </employees>
  </employeeInfo>

- poll Enrich : processing

Aggregation Algorithm: * Replace
combineAM1
Concatenate

Source file
xml xml
(m1) combine (m2) → two xml files

→ Concatenate → Combines → any content

→ Replace → SFTP → Replace the file

(2) Throw Exception