

Day 3 — SAP BTP Trial Account Creation (25 Aug 2026)

1. What Is the Trial Account?

- We can have a **Trial Account** from CPI
- It is available **in the cloud**

2. Step 1: Register Your ID with SAP

Account Type	When It's Used
P-User ID	For the trial account — a personal/individual SAP account, free to create, used for learning and non-commercial practice
S-User ID	What you'll actually get and use in real-time/production projects — issued under a company's official SAP customer contract

Good distinction from class, confirmed accurate: A P-user is a personal SAP account (used for your trial, SAP Community, learning materials). An S-user is tied to a real company's SAP customer contract and is what you'll be issued once you're working on an actual client project. Both are valid "SAP account" login types — you'll simply move from P-user (learning) to S-user (working) as you enter the job.

3. What Is BTP Cockpit?

The BTP Cockpit is created **by SAP only** — it's the web-based administrative interface where you manage everything: subaccounts, services, users, and roles.

BTP is a platform — all the services available within it are provided by SAP.

4. How Many Services Does BTP Offer?

Your notes mention **82 services** available under BTP.

Verified: This number is accurate as an approximate, current figure — SAP's service count on BTP changes over time as new services are added (it was around 81 earlier this year), so seeing slightly different numbers (80s range) in different sources is normal and not a mistake.

Out of these ~82 services, **we (as CPI learners) work specifically with the Integration team** — meaning **CPI / Integration Suite**.

5. Global Account vs Trial Account

Account Type	Purpose
Global Account	Helps track/consolidate charges for usage — this is the billing-level account used in real commercial scenarios
Trial Account	No charge — free to use for learning and practice

6. Trial Account URL

Correction: Your notes have the URL written as `hana.trail.ondemand.com` / `hana.ondemand.com` — the correct URL is:

`https://account.hanatrial.ondemand.com`

(Note the spelling: **"hanatrial"** as one word, not "hana.trail". Once your account is created, the actual working dashboard — the BTP Cockpit itself — is accessed at `https://cockpit.hanatrial.ondemand.com/trial`.)

7. After Creating the Trial Account — Steps to Follow

Once the trial account is created, follow these steps in order to get Integration Suite (CPI) ready to use:

Step	Action
Step 1	Create an Integration Suite Subscription service (via Service Marketplace)
Step 2	Add the Integration_Provisioner Role to your user
Step 3	Add Capabilities and Activate
Step 4	Add Roles to the Capabilities

Why Step 2 Matters (Integration Provisioner Role)

When you first try to open the Integration Suite tile after subscribing, you'll get an **authorization error**. This happens because access to Integration Suite requires the **Integration_Provisioner** role to be explicitly assigned to your user first — subscribing to the service alone isn't enough.

8. Key Terms From This Step

Term	What It Means
Integration Provisioner (Role)	The specific role that must be assigned to your BTP user to unlock access to Integration Suite
Developer Hub	Where you need to check the relevant checkbox as part of enabling capabilities
Assign Role Collection	The action of formally attaching a bundled set of roles (a "Role Collection") to your user

Role Collection Prefixes to Recognize

Your notes list three prefixes seen when assigning role collections:

- **PI_** — related to Process Integration (message monitoring, iFlow development/deployment roles)
- **API_** — related to API Management
- **Open_** — related to Open Connectors

Practical tip added during review: When you get to the hands-on step of assigning roles later in your BTP cockpit, you'll see full role collection names like `Integration_Provisioner`, `PI_Administrator`, `PI_Developer`, `PI_Business_Expert`, and similar API/Open Connector-prefixed ones. For a beginner building and testing iFlows, the two you'll use constantly are **Integration_Provisioner** (initial access) and **PI_Developer** (build/deploy/monitor iFlows) — keep this pairing in mind once you're doing the hands-on setup.