Day 32

xml validator

What is xml validator? → If you want to validate xml payload Base on XSD then we will use xml validator

one of the function like mandatory

field = Emp ID (example)

↓

minOccurs → minimum how many number of times that element Should occur

maxOccurs → maximum how many number of times that element Should occur

eg: minOccurs = "1" maxOccurs = "1"

(0,1)

(1, unbounded)

field can come or no

field must come one's

any number of times it will come

0..1 (no, or 1 time)

1..1 (1 time)

0..unbounded

1..unbounded

In mapping min.occurs and max occurs is very important

This minOccurs and maxOccurs is not only for fields, for nodes also we have like how many times that particular node should come

<root minoccurs="0" maxOccurs="1">.

* Now, we need to know what type of validations we can do in XSD

① datatype validations → Instead of sending numeric value we will send string then we will get error

② Length → Input → Restricted on characters

like Emp ID : 5 or 6 characters (Restriction).

Restriction (validation) ✓

(3) Suppose age Constraint → Age should be in between 0 to 120

(4) We need to get particular values only

for example status = "Active"
"InActive"
"Rejected"
} There will accepted

But if u get xyz → in status

What is that → not accepted right this is one type of validation

(5) only characters → we need get no other data

(6) If I want to get capital letters only this is one type of validation

on Integer type → you cannot use minlength or maxlength

↓

you can only use the **min exclusive** and **max exclusive**

* Prevent Exception on failure: ☑

If the xml failed → then you will get header or property saying that

↓

SAP_XmlValidationResult: Some Content

* How to create XSD in CPI

① Add → Data type → Create

↓

Name: root
ID : root

Enumeration ↓ drop down

Target namespace : https://demmy.com

Category : ○ Simple type ◉ Complex type

Description :

Add