Day 34

Mapping Arithmetic

* Today we will discuss about the standard functions that are available in mapping

① Arithmetic functions:

add, substract, equals(number), absolute, sqrt, Square, Sign, neg, inv, power

mapping expressions

Source

Target

Cost → Amount

Quantity → Amount

Logic is we need apply Arithmetic functions

add:

Cost → number1


Quantity → number

add → Amount


*.m1 → *.SD

field names → Case Sensitive


Substract :



multiply :



divide :



The above all generic standard functions greater2 it will check if no1 is greater than no2

$n_1 > n_2$

output will be → true (or) false

lesser: It will just check. if number 1 is less than number 2

$n_1 < n_2$ → false

Cost < Quantity

90 < 5

max: It returns out of those inputs which ever is highest number


n1, n2

90 & 5 → 90 (Ans)


Square: only 1 input → Ans will be n^2 → multiplied

like $5^2 = 25$


Power



Sqrt: (→ input



equal: it will chek if two numbers are equal or not (true or false)



absolute: Returns the absolute value
i/e is positive value

Here, important point if you send any value either positive (or) negative value the output will be → positive.

* Sign : -1, 0, 1

Input is any negative value → output = -1

Input ↓ any positive value → the output = 1

if the input is 0 then Sign output will be '0'

* neg : Input will be any value → then the output will be in negative (vise versa)

(+ × − → (−)
− × − → (+)

Because beelend it will multiply with (−1)

for '0' → input → the output will be = '0' only

eg: 5 × −1 = −5 (negative)
−1 × −1 = 1 (positive)

* inv : It will reverse the numbers

numerator, denominator

(5) → inv → Amount
number

Inv → $1/5 = 0.2$

$1/10 = 0.1$

⇒ **round** function: Returns the closest Integer to the argument

10.3 → 10 → 10.5 → 11

10.7 → 11

⇒ Floor: return the nearest integer value which is less than the input number

⇒ ceil: return the nearest integer value which is greater than input number

⇒ Count: like a number range, If you want to initiate a counter value

Counter ——→ Amount

Initial value
10

Increment value
10

=> Format number : If you receiving multiple decimal numbers → formatting we need to do

10.8705y —— number ——→ Amount
0.00 — Decimal separator
10.88 → Output

— → If you will this operation → ~~you will~~
It will ignore '0'
zero value

we, need to give only 0, #

↓
in number format