Day-23


IDoc Splitter

* IDoc → Intermediate document

A Standard document or a Standard data Structure, ie is used to trasfer the data blw one SAP System to non SAP System

→ iDoc → Standard format of Structure
Standard xml format Content
(Concept of SAP) → Ecc, S4/HANA

(eg) IDoc → purchase order



Scenario : Sap → Will define → Standard purchase order iDoc Structure

NOW

If anyone Wants to Send purchase order

data to SAP ECC (or) S4/HANA then they will take existing purchase order IDOC Standard Structure Document and Will update that document with that purchase order details and send to the SAP System → then the data will be added

*** IDOC will always be in XML file only

→ IDOC → Segments
nodes

→ Every IDOC will start with an IDOC tag

<IDOC BEGIN = "1">

<EDI_DC40 SEGMENT = "1">

→ mandatory Segment → Controll Segments of IDOC

This segment will tell you ① What is IDOC type ② What message they are parsing ③ from where IDOC is coming ④ to where the IDOC is going ⑤ What is IDOC number (unique)

⑥ What is the status of IDOC

Status → Successful (or) Fail

→ IDoc → 3 mandatory records → (1) Control records
(2) Data records
(3) Status records

What Type of IDoc

below the
Control record
all segments → data records

→ SOP → IDOC → use → Master Data

→ Some organizations → addital tab → requirement
→ extend the IDOC (standard)

Custom IDOC
↓
Starts with Z
<ZORDERS05>

Standard IDOC
↓
<ORDERS05>

Document Segment → mandatory

Send → IDoc → message mapping → structure
(we don't write IDoc manually → Instead) (Transformations) (import)

* The Reason Why IDoc Splitter Came into picture

is, When you get multiple iDoc's at a time and you want to send Single iDoc at a time then we will use iDoc Splitter

→ IDoc Splitter only works with Sender iDoc only

Because → input → iDoc's → in a Single payload.
→ and if you want to → split that message into multiple → messages → then we will use IDoc Splitter

IDoc Splitter → no configuration properties should be present in IDoc Splitter →

Automatically IDoc Splitter will differentiate Based on <IDOC BEGIN="1">

IDoc packaging → grouping → IDoc's

→ PKCS#7 / CMS Splitter : Puplic key Based encrypted messages → we → want → split

So, When we are discussing about "Zip Splitter" → we will discuss about the PKCS#7/CMS Splitter & Tar Splitter

→ EDI Splitter : EDIFACT, B2B Scenarios



Because the functionality of zip Splitter Same as to Tar & PKCS Splitter

So till now we did Splitting the data,
→ therefore if we Split the data
then we need to Combine the data
aswell → right (Gather)

Gather : To Combine multiple messages into a Single message → then we will use gather

Scenario → Splitter / multicast → multiple messages


Combine
↓
Single message
↓
Gather

So, with this gather we do have more pallete function called Join

Join : To Combine Coming data from multiple branches to Single Branch

* What is the difference between gather and Join ~

∴ So if we observe those two both function ality is Combining right, but we need to what both will do actually ~



*** We did not get output → Because. why not work

Gather will take input from one Branch only (Remember) → *** Important

Join → will → only → Combine the branches → nothing else it will. do

**** If we place Content modifier in HW Join & Gather → will not work