Day 25

Gather and Zip format

* When do we use SFTP Connection → When we want to Integrate with file based Server we have to go with SFTP

SFTP → Secure File transfer protocol

→ We don't have any local file Server's

* If we are working with PI/PO System then we might know about,

① File adapter

② SFTP adapter

③ FTP adapter ✓

But in CPI → we don't have above all File operation adapters

→ What is the adapter that we have in CPI →

SFTP

* Why we have File adapter in PI/PO

Why not in CPI

Ans: File adapter is nothing But local file Server as PI/PO is local-fs

On premise System → it has local folder

→ So we can place files in that local folder and pick the file from that local folder. → That's we had a file adapter

→ In CPI → we don't have any folder to Place files because → CPI is on cloud

→ we have SFTP adapter

Scenario: If we want place any file in SFTP folder → They have to expose that folder as a SFTP Server folder ✓ untill (or) unless the expose that folder as a SFTP Server we cannot Place or retrieve file from the folder

It can be anywhere → on premise (or) Cloud.

* SFTP adapter Connection :

filename ---> Test.xml

folder ---> /output

Server host : port(22) ---> tcs265.files.com: 22

authentication ---> username, Password. (Static)

Public key

Dual Authentication

* What is public key Based Authentication

→ Certificates → key pair

↓

2 types of keys { Public key, Private key }

⇒ Public → this key will be shared with Every one

Private → Cannot be Shared

Here the Private key and public key is inter linked → So Scenario will be

→ We will share the public key with the SFTP team and we will use our private key with the and send the request with that → So the will verify that whether the request is coming from valid source or not

generation of public key :

Monitor tab → key store → create → key pair (or) SSH key

→ Create SSH key → created →

click on Actions → Download public SSH key → Done

* Dual Authentication → using Combination of Both public, and ~~pvt~~ username, password
key

→ As a middle ware working Consultant → Connectivity is most important with in Security Concern

Security → most important

* Now, if you want to check the connection

monitor tab → Connectivity Test → SSH → Host(test-sftp.com) → provide all required fields → test the connection

here, we tested using Public key
&
User credentials
&
None

So this about the SFTP Connection (This is one part)

* Now, what ever is telling that is the main important topic

Because of the reason only they will try to ask you regarding the SFTP Connection

→ Generally, they will ask what are all the required for the SFTP Connection

~~***~~ [known.hosts] File ✓

→ Host key verification: ◉ Against Tenant
◉ Against partner Directory
○ off

[Y] check Directory

[/output] ✓

* With out the host key placing in the known.host → we cannot use the files operation adapter [SFTP] → in iflows

Remember above point-1 is mandatory

[Iflows → By default → they use → [Against Tenant]]

* what do you mean by known host file?

AS per name → known host → which ever SFTP Server you are connecting → is a valid SFTP server or not → it is known SFTP Server or not → ID identify that we use this known host file

* Earlier case → Server fingerprint →
We will we that
But NOW in CPI

→ Instead of using the Server fingerprint we will use the Host key.

Getting Host key finger print

→ monitor tab → Connectivity test → SSH
→ provide all required Details →
use → authentication → none
→ click on Send

Result: Host key Type: SSh-rsa

Host key fingerprint: ——— generated

Copy this and.

→ goto → Security material → click → Create

→ known.hosts → Add → paste → Deploy

* So The main important point here is anyone can connect the public SFTP Server → But from CPI if you want to connect then you need

Known.host → Host key fingerprint

↓

it's mandatory

↓

Its helps to identify whether the host is valid or not?

Coming Back to the last week topic → Gather

→ we are discussing about the gather in multiple Algorithms

→ What are all algorithm's we had

Gather → Aggregation Strategy

Incomming format : Any, Plain text, XML(Different format), XML(same format)

Aggregation Algorithm:

* NOW we are going to discuss about "zip"

Algorithms

⇒ zip → If you want to Compress file and place it as a zip file then you will use the particular option called zip

Demo:

Postman → ~~para~~ HTTPS adapter → parallel

Multicast → CM1 (Emp①) → Join → gather → ~~Fwd~~ SFTP PL

CM2 (Emp②)

* Now we want to place a zip file ⇒ Instead of normal file, then what we will do →

gather → * Incoming format : XML (same format)
Aggregation algorithm: zip
filename: ~~Employees.zip~~
test.xml


SFTP adapter → filename → Employees.zip
Gather → with → zip format → What it is doing

1 zip file → Multiple files placing

* Now Requirement is Seperate xml Records → Seperate xml file → Seperate zip file at this time ?

Pallet → zip Compression

Demo



Zip Compression: If you want to Compress a message and place it as a zip file then you will use zip compression

Zip Compression → no Configuration Details

→ two times SFTP Server has to be called.

~~X~~ here we should not use the Join when you want to use.. zip compression

* if you are getting multiple files and i want to combine all those multiple files into a single zip file then we need to use

Gather → zip format

* if you are getting only particular message and you want to zip that file → zip Compression

- So, above clarification do you use Gather → zip format
  &
  zip Compression

* What if, i want to read a zip file
- What i will do
  Scenario → decompress the zip file

at that what will do

* → Pallete tunition → Transformation →

Decoder → zip Decompression

↓

Unzip the zip file

Scenario : SFTP Sender → file picked → zip Decompression

↓

zip file

→ output

POC → Employe_id.xml

↓

Employee