

Day 16

Start Events

* What is an event: What ever the action's that's need to be takes place is an event

SAP → CPI → Events → What Actions → Should be performed

* Palette → Events Tab → ① End Event

② End message

③ Error End Event

④ Error Start Event

⑤ Escalation End Event

⑥ Start Event

⑦ Start message ✓

⑧ Terminate message

⑨ Start Timer

① Start message → If you want to start the Integration process (or) The integration flow ✓
we can use Start message Event

↓
It will pick the message from the Source System and trigger an iflow.

or start an iflow

* Without start message event, an iflow cannot

start ✓ from an External System ✓

eg: Source System → postman → iflow → start
message event - mandatory in iflow

With out this event → iflow won't start

Triggering point of iflow always will be

the start message event

⇒ This works only when we receive the
message from Source's System

→ So we will have start message event in

the main Integration process → Because this
is the first point, to trigger the message


→ ② End message event: If we want
to end the message at the particular
step

then we will use (End message event)

* End message: Basically it is not useful
When you want to send the data to the target
System or Source System back then we will
you End message Event

→ It will send the data to the target System
and end the data flow over there

③ Start Event: if you want to start an local
Integration process then you will use Start Event



Why we cannot use Start message event
in local integration process?

Ans: External call will hit only the
main integration process not in the
local Integration process

④ end event: If you want to end the message processing in local Integration process then we will use end event

⑤ escalation Subprocess → Error Start Event


* When you think if you place any exception Subprocess in ~~and~~ any integration process. What will happen? So through out that Integration process → if any error occurs then that exception Subprocess will be triggered (OK) then how it will happen

So here inside that Exception Subprocess

The Error Start event → event will be used ✓

⑥ Error End event

Same as above this is also used in Exception Subprocess



* Now the Complexity part is where these above events are used?

⑦ escalation end event: If you want to Represent the message status as (escalated) ie mean's
 → message (or) Error (X) → But you want to
 Show the status as differently ✓ Like escalation
 end event ✓

eg. Suppose → employee information → Source →
 target → Emp ID (X) → you don't want to
 Show that message as a error → you want
 to Show it escalated at that time
 we will use escalated end event

Realtime Scenario: if payload validation is failed then we can show the processed message status as escalated

⑧ Terminate message event:

If you want to terminate the message flow in between then we can use this event.

→ Complexity part → Where exactly which event can be used

~~Main~~

① ~~Start message event~~

goto events process excel file and check on sheet 2 and observe that you get to know where all

the above events can be used


Interview perspective → mandatory two questions

- ① What is exception end event and why do we use it
- ② What is end message event in exception sub processes What will happen and what will happen if we use error start event?


* SAP message processing LogCustomStatus -

Exchange property → Create → Name()
 Source type(property) → Source value
 (Failed) ✓

→ monitor tab → message status will be Completed → But in logs → Failed



escalation end event:



escalation end ①

* When escalation end used internally
it doesnot call the Exception Sub-
process

⇒ Camel HTTP ResponseCode Constant (400)