Day 56 APIM Part ⑤

* Basic Auth → encod, decode → username Password (Authorization header) → We will use Basic Auth Policy

→ Security policies: ① Basic Authentication
② Decode JWT
③ Generate JWT
④ JSON Threat protection
⑤ oAuth V2.0
⑥ oAuth V2.0 Get
⑦ oAuth V2.0 SET
⑧ Regular Expression protection
⑨ SAML Assertion Generation
⑩ SAML Assertion validation
⑪ Verify API key
⑫ verify JWT
⑬ XML Threat protection

generic policy

① verify apikey → apikey → URL, query params, heade

→ verify → correct or no

step ① → product creation

→ APIs → existingflow → edit → Save → Deploy
Configure.

⇒ Engage → create product → APIDemo → Add

→ existing Flow → publish
↳ multiple time's we need to click if it dosnot publish

→ Deployed Succes

→ policy → verify api key

(ii) verify apikey:

product created → Application creation
↓
different API's
fico API's, SD APIs

club all those relavent api proxies one location

HR, finance Related
product's
Place where we can group similar

Api's

Engage → product → grouping. Api's

Developer hub: All the api's are manged

→ Developer hub (All API's)

Central hub → Developer hub (All API's)

managed

→ Subscribe to an application → create an application
↓
postman
↓
application created
↓
API { client ID
password
Created

3rd party System A,
System B
" system C,
↓
My work space
↓
Subscriptions
↓
postman

→ engage → subscriptions → postman → API Key

API Secret

example:



queryparam

→ request - header.APIKey

⑤ → OAuth 2.0

Scenario → verify API key → based upon

→ OAuth2.0 → How we will do

→ API Proxy URL → don't need → credentials

CPI → OAuth2.0 ⇒ APIM → OAuth2.0
↓
HOW?

* you have ~~to~~ policy

→ OAuth2.0 → policy → verify Access token →

Source → Authorization header →

verify token valid or not _✓

Basic Auth
↓
static

OAuth2.0
Dynamic
(expire → regenerate)

→ Generat Access token

Create API proxy → policies → OAth2.0 Generate Access token

→ ~~gene~~ grant_type : client_credentials
Authorization Cod
Implicit grant

= Validate token