Day 58 APIM part (7)

* Till yesterday we discussed about the Security Policies.

⇒ Today we are going to discuss about the Mediation policies.

Before we go for the mediation policies; we will discuss some of leftover policies from the Security Policies,

(1) JSon threat protection → to do operations on JSon Incoming Content (This policy will be used)

(2) Regular Expression protection →

* Suppose → Incoming → header → expression / error
Query params →
payload →
body
error
(If we get Regular expression

demo:

Scenario → header → threat (String) → (word) → same → throwing an error

→ Regular expression → validate → particular content

→ we will use Regular expression protection

→ Similar to xml or Json threat protection →

→ We can also use Regular expression threat protection → which will help you to validate → payload and also other data

* demo done → Regular expression Threat policy →

header → action (key) | threat (value)

---

Error

* So till here we cloed the Security Policies

* Now Mediation policies:

1. Access Entity
2. Assign Message
3. Extract variables
4. JSon to XM
5. Keyvalue Map operation's
6. Raise fault
7. XML Transformation

* Assign message policy → It's like a Content modifier

Set headers, payload; assign message policy

→ different operations → Set payload
Add payload

Copy, Remove, Add, Set

* Access Entity → API management → Standard Entity ?

What is product name

* ⇒ Read → Application name
→ API product name
→ Consumer key
→ Developer name
→ Company name
→ Company developer name

Then we will use AccessEntity

Scenario: Read the developer name from the current apikey → ** → product details

Important apikey we need to pass

Scenario: Access product details

demo: pass the apikey in the header (postman)

Extract variables : → extract → particular → variable

demo → developer ID

## Preflow:

→ Verify Auth → Regularexpression → accessentity → extract variables → assign message

→ XML to JSON → Configuration needed

→ JSON to XML Converter → Configuration needed

→ XSL Transformation → Allowed one or two fields not encourageable

→ Raise fault → particular condition or Scenario

→ not satisfied → Custom error

Raisefault

demo: Scenario → Basic auth → Username, Password → not matched the Customerror.