Day 59: APIM Part_8

* Mediation policies → Key value map policy
* What is key value map policy?
* What is value mapping → Key, value operations

Key value → pair → value mapping of CPI (SAP)

* key value map operation's

Input pass → output we want

* Where we will map value mapping CPI →

Artificat → value mapping But in APIM →

What you will do?

* Menu → Cofigure → Api's → Key value Maps
* create a key value map

Practical example

→ KVM → create → KVM_value mapping_demo

Key	value
India	IN
Australia	AUS

Step ②: ~~API~~ proxy → policy section → KVM.

KVM → documentation → multiple operations
- → put (updating KVM)
- → delete (delete entry)
- → get (getting data)

* Now about "Put ~~get~~ Entry": demo did in the System.

* Now about "get operation": demo did in the System.

* Now about "delete operation": demo did in the System.

→ Get ~~apim~~. Sapapim. Country code → variable

<Key>
<parameter> India </parameter>
</Key>

∴ These are the ways we can use "KVM".

∴ So now we are closing the policies called Mediation policies | Topic

NOW, Extention policies:

① JavaScript
② message logging
③ message validation
④ open connector's
⑤ python script
⑥ Service callout
⑦ Statistic collector

* The main important policy here is: Service Callout

→ Service Callout policy → in CPI like Request Reply
like

if i want to call an Api → Service Callout Policy

* Scenario → Source → data → Inbetween → api call

→ for this → Service Callout policy.

⇒ Service Callout policy → Three Step's
Assign message
Service Callout
Extract variable

* Assign message → if I want to generate (Send) any data to Response

* Service Callout policy → Calling an external api

* extract variables: → Jsonpath / xpath

* let's take an example:

Demo: Service Callout policy (Remove SSL Into)

URL: northwin odata used / Ceustomers

: Northwind_Response.

So here, Storing the data, not passing the Request

→ Debug → checking for Service Callout Policy

⇒ @northwindResponse.Content

Scenario: → Service Callout → assign message

Policy: northapicall/customers

Policy: Setpayload

demo ✓

* Message validation → validation based on the "Schema"

Scenario: If you want to send the APIM Message logs to the Third party log management

Service → splunk, Sumo logic, loggly

* Open connectors → need to call open connectors

* Javascript

* python script

* Statistic Collector

Show static Report

Java Script

Scenario →
Generate → custom
→ dashboard →
on → user id