

Day - 09

CPI - Pallet's

- \* What is CPI → middle ware Service
- \* What CPI will do → It transfers data from one System to another System

\* What is data?


- \* Message there will be two steps for message processing

→ message processing → ① Connectivity (https) →  
→ Gmail (mail)


② Message Transformation  
(XML → data only)

- \* Pallet options → message transformation → Integration process ~


\* Why pallets and what do we have in pallets



It will represent what is Source System and Target System



\* iflow → main body → Subprocess all are Included in this pallet ✓




\* local Integration process → If we want to use the same logic multiple times then we will use local Integration process

It is called using process call  
↓  
Pallet function

In main Integration flow

SAP Integration process



## \* Exception Subprocess:

Integration process

differentiation:

Start message



end message

Start event



end event


Local Integration process

catches errors and handles exceptions during execution

→ If any failure occurs → exceptionSubprocess will invoke

\* Exception Subprocess → will be mandatorily used in main Integration process (or) local Integration process other than these two we cannot use

Exception Subprocess



③

Events

End event

End message

Error End Event

Error Start Event

Escalation End Event

Start Event

Start message

Terminate message

Timer

\* Events → When should the process start, end will decide


\* Timer → iflow → triggers → schedule time

↳ Scheduler → Important

\* End message → End of message transformation process

\*\*\*

Start message



End message



Integration flow



Start event

Local Integration process



end event



exception

Start error sub process




End error end event

④  → Connectivity part

⑤  → delete

⑥ \* mappings → data format or structure will be modified using mappings




\* So here in Real time we will use mostly message mapping & XSLT mapping

⑦ Transformations:

\* add, delete, Convert, Secure

↓  
Content modifier


→ used to modify the Incoming payload



\* JSON  $\rightarrow$  XML  $\rightarrow$  Now we will use pallets

\* All pallets only support xml only


⑧ Call




\* External Call  $\rightarrow$  In between the flow if we want get any data we will use

request reply

⑨ Routing Conditions



⑩ Security → message level security.  
Suppose if Data → ~~non~~ readable → non  
redable



⑪ Persistence Temporarily store's the data  
Data store operations  
→ Persist  
→ write variables

⑫ validator → EDI validator  
→ XML validator

\* Now Message Transformation → Using pollent's  
options

\* message  $\rightarrow$  Transform's Data

\* Data  $\rightarrow$  Transform's  $\rightarrow$  We can push data in different ways  $\rightarrow$  csv, Text, xml, json, encrypted data, encoded, zip, Compress, videos  $\rightarrow$  text, Audio  $\rightarrow$  text

\* now we  $\rightarrow$  text, csv, xml, json.

\* so now we will convert not xml data to xml by using Converter option from project options ✓

eg: Student  $\rightarrow$

Roll no 1  
Name Ashok  
Phone no 99239810  
Address Penna

①  
N  $\rightarrow$  1:N

The above is plain text line items ✓  
format ✓

$\rightarrow$  csv ✓

$\rightarrow$  xml  $\rightarrow$  2 Students

<Student>  
 <Roll no> ✓  
 <Name> ✓  
 <phone no> ✓  
 <Address> ✓  
</Student>  
</Students>

→ JSON format:

```
{  
  "Name": "Bharath",  
  "RollNo": "  
  "phone": "  
  "Address": "  
}
```

```
[  
  {  
    :  
  }  
]
```

\* Now demo: Content modifier (Very very Important)

\* message → actual transfer data

→ message — → message header

→ message property

→ message body.

→ attachments

\* header → C/P1 message → username password →

\* Authorization → encoded format

\* Content type → Plain text

\* properties → variable → storing a value in container and reuse again

\* Trace → If we want check Message process

~~End~~ to end  
Start

