Day 22

# Splitter

* What is Splitter: Split the message into small, small -- messages → i,e is the use of Splitter.

→ if you are getting multiple messages or huge payload → if you want to split the data → multiple messages then you will use splitter

for eg:

<root>
<employeeInfo> → <employee>
<empID>1</Empid>
<Status> Active </Status>
</employee>
<employee>
<empID>2</empid>
<Status> In Active </Status>
</employee>
</employeeInfo>
</root>

Now if we send the above XML payload then Router cannot handle so that to overcome that situation we can use **Splitter** pallete funtion

* Split the data → previous → xml data →
  for eg → we getting → 2 employees information
→ Split that one payload or 1 Combined message into '2' messages

* **Requirement** → Target System → will accept one at a time? they cannot accept multiple records at a time then what will happen → we have only one option of using Splitter

→ Realtime example → Sometimes → we need
→ to → update → the record → So what happens
→ at a time only one Record will update
So we need Send 1 Record for updation → We must use Splitter

* How to use Splitter.

Splitter → EDI Splitter

→ General Splitter

→ IDoC Splitter

→ Iterating Splitter

→ PKCS#7/CMS Splitter

→ Tar Splitter

→ zip Splitter

① General Splitter: @ processing

Expression Type: Xpath, Line Break

Xpath Expression: //employee

Grouping: _____

Streaming: ☑

parallel processing:

Stop on execution: ☑

* Grouping: If input payload is 100 records we are getting then if Target System is capable of Reciving only 10 records for a call → what we will do at this time ? we will use grouping ~

→ if we want to grop some set of records then we can use grouping ~

* Streaming: → Bulk data incoming → By Streaming → UPscale the preformance ~

* Parallel processing: When you are Splitting the messages in to particular messages or multiple messages and you want to execute all the messages at the same time

By default → the Splitter will works as a sequential format

* Stop on exception: Assume you are Splitting the data and Sending it to the target System

So while Splitting the data, 8th record Successfully processed ✓

Now, Some other reason 2nd record got failed (Splitting) → at this time

What we have to do

→ Continue with the other messages Splitting

→ end the current message Splitting with error

Stop on exception

↓

will stop

Line Break: * Basically, you getting csv file or plain text file → & you want to split the data in Single, Single line → Line Break

→ each line → Seperate message

(2) **Iterating Splitter:** → It is also same functionality of General Splitter

→ output → with out the root tags

General Splitter → output → root tag or
→ header name.

Iterating Splitter → output → No root tag

→ It will provide output for that particular node → It will not give all root elements, (or) parent tag or etc → directly it will provid that required node output.