

ADMIEZO University API Integration Guide

Official portal requests for photocopy, revaluation, and recounting

Purpose

This guide explains how a university portal connects to ADMIEZO. The university submits a request through the protected API. ADMIEZO administrators review and approve the request, and the university then downloads the approved result and confirms delivery.

The university receives a production HTTPS base URL, one scoped API key, and the endpoint details in this document. The university does not receive an ADMIEZO administrator login.

Integration details

Item	Value
Base URL	Provided by ADMIEZO after production deployment. Do not use localhost in university systems.
Authentication header	X-ADMIEZO-API-KEY
Key format	admz_live_...
Transport	HTTPS only in production
Required identifier	The actual finalized script UUID supplied by ADMIEZO

1 Create and share the API key

An ADMIEZO administrator creates the key inside the product:

- Open Platform operations.
- Open Integrations, then API keys.
- Select Create API key.
- Set source system to university_portal.
- Add the scopes photocopy:request, revaluation:request, and recounting:request.
- Copy the complete key immediately. ADMIEZO stores only a hash and does not display the raw key again.

Share the key through the university's approved secret-management channel. Do not put it in email, screenshots, source code, Postman collections committed to Git, or student-facing pages.

2 Available endpoints

Method	Endpoint	Purpose
POST	/api/v1/phase4/official-portal/photocopy-requests	Submit a photocopy request
GET	/api/v1/phase4/official-portal/photocopy-requests/{id}/download	Download an approved copy
POST	/api/v1/phase4/official-portal/photocopy-requests/{id}/acknowledge	Confirm university delivery
POST	/api/v1/phase4/official-portal/revaluation-requests	Submit a full revaluation request
POST	/api/v1/phase4/official-portal/recounting-requests	Submit a missed-mark recounting request

3 Photocopy request

The university sends the request with the exact API key header and an actual script UUID. The release mode may be masked or unmasked_identity, subject to ADMIEZO policy and administrator approval.

```
$headers = @{
    "X-ADMIEZO-API-KEY" = "admz_live_REPLACE_WITH_REAL_KEY"
    "Content-Type" = "application/json"
}

$body = @{
    external_application_id = "UNI-COPY-1001"
    identity_reference      = "STUDENT-001"
    script_id              = "ACTUAL_FINALIZED_SCRIPT_UUID"
    purpose                 = "copy"
    release_mode            = "masked"
} | ConvertTo-Json

Invoke-RestMethod `
    -Uri "https://YOUR-ADMIEZO-DOMAIN/api/v1/phase4/official-portal/photocopy-requests" `
    -Method Post -Headers $headers -Body $body
```

The response contains the ADMIEZO request id, status, external application id, and version. Save the request id for the download and acknowledgement calls.

4 Photocopy delivery

After the request appears in Administration > Photocopy requests, an ADMIEZO administrator chooses the release mode and approves it. The university then downloads the approved copy:

```
$headers = @{ "X-ADMIEZO-API-KEY" = "admz_live_REPLACE_WITH_REAL_KEY" }

Invoke-RestMethod `
    -Uri "https://YOUR-ADMIEZO-DOMAIN/api/v1/phase4/official-portal/photocopy-requests/REQUEST_ID/download" `
    -Method Get -Headers $headers
```

The released copy is watermarked or masked according to the approved release mode and excludes evaluator marks. After the university hands the copy to the student, acknowledge delivery:

```
$headers = @{
    "X-ADMIEZO-API-KEY" = "admz_live_REPLACE_WITH_REAL_KEY"
    "Content-Type" = "application/json"
}

$body = @{ delivery_reference = "UNIVERSITY-HANDOVER-1001" } | ConvertTo-Json

Invoke-RestMethod `
    -Uri "https://YOUR-ADMIEZO-DOMAIN/api/v1/phase4/official-portal/photocopy-requests/REQUEST_ID/acknowledge" `
    -Method Post -Headers $headers -Body $body
```

5 Revaluation and recounting

The university submits the request. ADMIEZO controls approval, allocation, evaluator separation, review, and final decision inside the product.

Full revaluation

```
POST /api/v1/phase4/official-portal/revaluation-requests
X-ADMIEZO-API-KEY: admz_live_REPLACE_WITH_REAL_KEY
Content-Type: application/json
```

```
{
  "external_application_id": "UNI-REV-1001",
  "identity_reference": "STUDENT-001",
  "script_id": "ACTUAL_FINALIZED_SCRIPT_UUID",
  "scope": "full",
  "reason": "Student requested independent revaluation",
  "rule": "best",
  "request_type": "revaluation"
}
```

Missed-mark recounting

```
POST /api/v1/phase4/official-portal/recounting-requests
X-ADMIEZO-API-KEY: admz_live_REPLACE_WITH_REAL_KEY
Content-Type: application/json
```

```
{
  "external_application_id": "UNI-COUNT-1001",
  "identity_reference": "STUDENT-001",
  "script_id": "ACTUAL_FINALIZED_SCRIPT_UUID",
  "scope": "questions",
  "question_ids": ["Q1", "Q2(a)"],
  "reason": "Possible missed marking",
  "rule": "best",
  "request_type": "recounting",
  "recounting_notes": "Check the listed questions only"
}
```

6 End to end flow

Step	Owner	Result
1	University portal	Submit request with API key
2	ADMIEZO admin	Review request and approve or reject
3	ADMIEZO system	Apply masking, watermarking, and evaluator-mark exclusion
4	ADMIEZO evaluator workflow	Process revaluation or recounting with independent allocation
5	University portal	Download approved copy or receive final request status
6	University portal	Acknowledge photocopy delivery

7 Troubleshooting

Response	Meaning	Action
401	API key header is missing	Send X-ADMIEZO-API-KEY.
403	Key is invalid, revoked, expired, or lacks scope	Use the complete key and verify the required scope.

Response	Meaning	Action
404	Script or request was not found	Check tenant, request id, and finalized script UUID.
422	Payload validation failed	Check request_type, release_mode, and required fields.
409	Version or state conflict	Refresh the record and retry with the latest version.

For local testing, use the Postman collections in the repository. Replace every placeholder with real test values and never commit a real API key.