



Configure vSphere virtual switches and policies-23

vSphere is VMware's virtualization platform.


It combines **VMware ESXi** (the hypervisor that runs virtual machines) and **vCenter Server** (the management tool). With vSphere, you can create and manage **virtual machines, networks, and storage**.




We have added a network adaptor of NAT then creating a virtual switch






Go to networking > Add standard virtual switch > then edit see the policies that you want to accept



Then we have created a port group with VLAN ID 100




We have uplinked it with the Physical network adaptor



Security Policy

Found under the **Security** tab when editing a vSwitch or Port Group:

- **Promiscuous Mode** – Controls whether VMs can receive all network traffic on the segment.
- **MAC Address Changes** – Rejects spoofed MAC attempts (recommended to keep as Reject).
- **Forged Transmits** – Blocks traffic if the source MAC doesn't match the assigned MAC (recommended to set to Reject).



We are changing network adaptor of one of the VM from the resource pool


The screenshot shows the ESXi Host Client interface. The top navigation bar includes the title 'localhost.localdomain - VMware' and a search bar. The main content area displays a table of virtual machines. A red arrow points to the 'ESXi 8 - windows' VM. Below the table is a 'Recent tasks' section showing a list of tasks with their status and completion times.

Virtual machine	Status	Used space	Guest OS	Host name	Host CPU	Host memory
ESXi 8 - windows	Normal	15 GB	Microsoft Windows 10 (32-bit)	Unknown	0 MHz	0 MB
ESXi 8 - winFinance	Normal	8 GB	Microsoft Windows 10 (32-bit)	Unknown	0 MHz	0 MB
ESXi 8 - Linux	Normal	8 GB	CentOS 4/5 (32-bit)	Unknown	0 MHz	0 MB

Task	Target	Initiator	Queued	Started	Result	Completed
Refresh Network System	localhost.localdomain	root	08/18/2025 16:04:14	08/18/2025 16:04:14	Completed successfully	08/18/2025 16:04:14
Update Network Config	localhost.localdomain	root	08/18/2025 16:04:14	08/18/2025 16:04:14	Completed successfully	08/18/2025 16:04:14
Refresh Network System	localhost.localdomain	root	08/18/2025 16:03:23	08/18/2025 16:03:23	Completed successfully	08/18/2025 16:03:23
Update Network Config	localhost.localdomain	root	08/18/2025 16:03:23	08/18/2025 16:03:23	Completed successfully	08/18/2025 16:03:23
Auto Start Power On	localhost.localdomain	root	08/18/2025 15:56:46	08/18/2025 15:56:46	Completed successfully	08/18/2025 15:56:46

The screenshot shows the configuration page for the 'ESXi 8 - windows' VM. A message at the top states: 'VMware Tools is not installed in this virtual machine. VMware Tools allows detailed guest information to be displayed as well as allowing you to perform operations on the guest OS, e.g. graceful shutdown, reboot, etc. You should install VMware Tools.' The configuration is divided into two sections: 'General Information' and 'Hardware Configuration'. A red arrow points to the 'Network adapter 1' setting, which is currently set to 'VM Network (Connected)'. Below the configuration is a 'Recent tasks' section showing a list of tasks with their status and completion times.

Task	Target	Initiator	Queued	Started	Result	Completed
Destroy	ESXi 8 - winFinance	root	08/18/2025 16:20:54	08/18/2025 16:20:54	Completed successfully	08/18/2025 16:20:54
Rename	ESXi 8 - Linux	root	08/18/2025 16:20:32	08/18/2025 16:20:32	Completed successfully	08/18/2025 16:20:33
Refresh Network System	localhost.localdomain	root	08/18/2025 16:04:14	08/18/2025 16:04:14	Completed successfully	08/18/2025 16:04:14
Update Network Config	localhost.localdomain	root	08/18/2025 16:04:14	08/18/2025 16:04:14	Completed successfully	08/18/2025 16:04:14
Refresh Network System	localhost.localdomain	root	08/18/2025 16:03:23	08/18/2025 16:03:23	Completed successfully	08/18/2025 16:03:23
Update Network Config	localhost.localdomain	root	08/18/2025 16:03:23	08/18/2025 16:03:23	Completed successfully	08/18/2025 16:03:23



Here we have given a Ip address 192.168.163.0/24 to allow connection through the switch

