

Deploy code to App service .Net-75

In the azure account create a web app select .NET as a runtime stack and give a name

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

[Home](#) > [App Services](#) >

Create Web App

Basics

Database

Deployment

Networking

Monitor + secure

Tags

Review + create

App Service Web Apps lets you quickly build, deploy, and scale enterprise-grade web, mobile, and API apps running on any platform. Meet rigorous performance, scalability, security and compliance requirements while using a fully managed platform to perform infrastructure maintenance. [Learn more](#)

Project Details

Select a subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *

Concierge Subscription

Resource Group *

learn-7421da98-c5a2-465c-8a69-02c37e8b5eb9

[Create new](#)

Instance Details

Name

dotnet-webapp

-gpcwgebaf0b0gzfe.canadacentral-01.azurewebsites.net

☒ Secure unique default hostname on. [More about this update](#)

Publish *

☒ Code ☐ Container

Runtime stack *

.NET 10 (LTS) (Preview)

Operating System *

☐ Linux ☒ Windows

Region *

Canada Central

Not finding your App Service Plan? Try a different region or select your App

Review + create

< Previous

Next : Database >

Select region and operating system you like

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

[Home](#) > [App Services](#) >

Create Web App

Runtime stack *

.NET 10 (LTS) (Preview)

Operating System *

☐ Linux ☒ Windows

Region *

Canada Central

Not finding your App Service Plan? Try a different region or select your App Service Environment.

Pricing plans

App Service plan pricing tier determines the location, features, cost and compute resources associated with your app. [Learn more](#)

Windows Plan (Canada Central) *

ASP-learn7421da98c5a2465c8a6902c37e-981a (\$1)

[Create new](#)

Pricing plan

Standard S1 (100 total ACU, 1.75 GB memory, 1 vCPU)

Zone redundancy

An App Service plan can be deployed as a zone redundant service in the regions that support it. Your initial instance count will be set based on your zone redundancy configuration. To ensure you'll be able to enable zone redundancy at any point in the lifecycle of your app, enable zone redundancy now. You can decrease the instance count after the App Service plan is created. [Learn more](#)

Zone redundancy

☐ Enabled: Your App Service plan and the apps in it will be zone redundant. The minimum App Service plan instance count will be two.

☒ Disabled: Your App Service plan and the apps in it will not be zone redundant. The minimum App Service plan instance count will be one.

Review + create

< Previous

Next : Database >

Windows Taskbar

Create a database or don't

Microsoft Azure

Search resources, services, and docs (G+/I)

Home > App Services >

Create Web App ...

Basics **Database** Deployment Networking Monitor + secure Tags Review + create

Once database is enabled, a new VNet and related networking resources will be created automatically. [Learn More](#)

⚠ Creating a database requires a new App service plan.

Create a Database ☐

Review + create

< Previous

Next : Deployment >

Search

File Explorer

VS Code

Chrome

Excel

Word

Teams

You can give basic authentication

Microsoft Azure

Search resources, services, and docs (G+/I)

Co

Home > App Services >

Create Web App ...

GitHub settings

Set up GitHub Actions to push content to your app whenever there are code changes made to your repository. Note: Your GitHub account must have write access to the selected repository in order to add a workflow file which manages deployments to your app.

GitHub account

Authorize

Organization

Select organization

Repository

Select repository

Branch

Select branch

Workflow configuration

Click the button below to preview what the GitHub Actions workflow file will look like before setting up continuous deployment.

Complete the Basics tab and the form above to preview the GitHub Actions workflow file.

Preview file

Authentication settings

Choose if you would like to allow basic authentication to deploy code to your app. [Learn more](#)

Basic authentication

☒ Disable ☐ Enable

Review + create

< Previous

Next : Networking >

Enable or disable public access

Microsoft Azure

Search resources, services, and docs (G+/I)

Home > App Services >

Create Web App ...

Basics

Database

Deployment

Networking

Monitor + secure

Tags

Review + create

Web Apps can be provisioned with the inbound address being public to the internet or isolated to an Azure virtual network. Web Apps can also be provisioned with outbound traffic able to reach endpoints in a virtual network, be governed by network security groups or affected by virtual network routes. By default, your app is open to the internet and cannot reach into a virtual network. These aspects can also be changed after the app is provisioned. [Learn more](#)

Enable public access * ☒ On ☐ Off

Enable virtual network integration * ☐ On ☒ Off

Review + create

< Previous

Next : Monitor + secure >

You can enable the application insights or not its for overview server

Microsoft Azure

Search resources, services, and docs (G+/I)

Home > App Services >

Create Web App ...

Basics

Database

Deployment

Networking

Monitor + secure

Tags

Review + create

The following features are optional and billed separately. Microsoft recommends enabling them to ensure the most robust protections and capabilities to monitor and secure your web applications.

Application Insights

Azure Monitor application insights is an Application Performance Management (APM) service for developers and DevOps professionals. Enable it below to automatically monitor your application. It will detect performance anomalies, and includes powerful analytics tools to help you diagnose issues and to understand what users actually do with your app. Your bill is based on amount of data used by Application Insights and your data retention settings. [Learn more](#)

[App Insights pricing](#)

Enable Application Insights * ☒ No ☐ Yes

⚠ Application Insights code-less monitoring isn't supported with your selections of subscription, runtime stack, operating system, publish type, region, or resource group. If you want to keep these selections, you can use the Application Insights SDK to monitor your app.

Microsoft Defender for Cloud

When you add the Defender for App Service plan to your Azure subscription, you get a cloud-native security solution that monitors logs, requests, VM instance, and more—detecting threats and ongoing attacks to your resources. [More benefits of Defender for App Service](#)

[Defender for Cloud pricing](#)

ℹ You need permissions to activate Defender for Cloud in this subscription. Contact the owner, contributor, or security administrator.

Review + create

< Previous

Next : Tags >

After all that you can see the details of webapp and create it

Microsoft Azure

Search resources, services, and docs (G+I)

Co

[Home](#) > [App Services](#) >

Create Web App ...

Details

Subscription

8b6001cd-a329-4999-8dbb-3b3261bb100a

Resource Group

learn-7421da98-c5a2-465c-8a69-02c37e8b5eb9

Name

dotnet-webapp

Secure unique default hostname

Enabled

Publish

Code

Runtime stack

.NET 10 (LTS) (Preview)

App Service Plan

Name

ASP-learn7421da98c5a2465c8a6902c37e-981a

Operating System

Windows

Region

Canada Central

SKU

Standard

Size

Small

ACU

100 total ACU

Memory

1.75 GB memory

Monitor + secure

Application Insights

Not enabled

Deployment

Basic authentication

Disabled

Continuous deployment

Not enabled / Set up after app creation

Create

< Previous

Next >

Download a template for automation

Initialization will start and it will get deployed

Microsoft Azure

Search resources, services, and docs (G+I)

Copilot

munmedibharath9966...
MICROSOFT LEARN SANDBOX

[Home](#) > [App Services](#) >

Create Web App ...

Details

Subscription

8b6001cd-a329-4999-8dbb-3b3261bb100a

Resource Group

learn-7421da98-c5a2-465c-8a69-02c37e8b5eb9

Name

dotnet-webapp

Secure unique default hostname

Enabled

Publish

Code

Runtime stack

.NET 10 (LTS) (Preview)

App Service Plan

Name

ASP-learn7421da98c5a2465c8a6902c37e-981a

Operating System

Windows

Region

Canada Central

SKU

Standard

Size

Small

ACU

100 total ACU

Memory

1.75 GB memory

Monitor + secure

Application Insights

Not enabled

Deployment

Basic authentication

Disabled

Continuous deployment

Not enabled / Set up after app creation

Validating...

< Previous

Next >

Download a template for automation

*** Initializing deployment...

Initializing template deployment to resource group 'learn-7421da98-c5a2-465c-8a69-02c37e8b5eb9'.

Search

File Explorer

VS Code

Chrome

Edge

PowerShell

Terminal

Teams

Outlook

OneDrive

End IN

12:39

30-08-2025

Wait for it to complete the deployment in progress

Microsoft Azure

Search resources, services, and docs (G+J)

Home > Microsoft.Web-WebApp-Portal-a8975b5c-93ae | Overview

Deployment

Deployment is in progress

Deployment name : Microsoft.Web-WebApp-Portal-a8975b5c-93ae
Subscription : Concierge Subscription
Resource group : learn-7421da98-c5a2-465c-8a69-02c37e8b5eb9

Start time : 8/30/2025, 12:39:16 PM
Correlation ID : eee385cf-9d97-4d10-b5b4-b844b67cec43

Deployment details

Resource	Type	Status	Operation details
There are no resources to display.			

Microsoft Defender for Cloud
Secure your apps and infrastructure
Go to Microsoft Defender for Cloud >

Free Microsoft tutorials
Start learning today >

Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
Find an Azure expert >

After that process is completed then open dotnet-webapp

Microsoft Azure

Search resources, services, and docs (G+J)

Home > Microsoft.Web-WebApp-Portal-a8975b5c-93ae | Overview

Deployment

Your deployment is complete

Deployment name : Microsoft.Web-WebApp-Portal-a8975b5c-93ae
Subscription : Concierge Subscription
Resource group : learn-7421da98-c5a2-465c-8a69-02c37e8b5eb9

Start time : 8/30/2025, 12:39:19 PM
Correlation ID : eee385cf-9d97-4d10-b5b4-b844b67cec43

Deployment details

Resource	Type	Status	Operation details
dotnet-webapp/ftp	Microsoft.Web/sites/basicPublis	OK	Operation details
dotnet-webapp/scm	Microsoft.Web/sites/basicPublis	OK	Operation details
dotnet-webapp	Microsoft.Web/sites	OK	Operation details

Next steps

[Go to resource](#)

Cost management
Get notified to stay within your budget and prevent unexpected charges on your bill.
[Set up cost alerts >](#)

Microsoft Defender for Cloud
Secure your apps and infrastructure
Go to Microsoft Defender for Cloud >

Free Microsoft tutorials
Start learning today >

Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
Find an Azure expert >


Here open the copied link on browser see if the server site is live or not

The screenshot shows the Microsoft Azure portal interface. The top navigation bar includes the Microsoft Azure logo, a search bar, and a Copilot button. The main content area displays the 'Overview' page for a Web App named 'dotnet-webapp'. The page is divided into several sections: 'Essentials' (Resource group, Status, Location, Subscription, Tags), 'Properties' (Web app details like Name, Publishing model, Runtime Stack), 'Domains' (Default domain, Custom domain), and 'Hosting' (Virtual IP address, Outbound IP addresses). A 'Deployment Center' section is also visible, showing deployment logs and provider information. The left sidebar contains a navigation menu with options like Activity log, Access control (IAM), Tags, Diagnose and solve problems, Microsoft Defender for Cloud, Events (preview), Log stream, Resource visualizer, Deployment, Settings, Performance, App Service plan, Development Tools, API, Monitoring, Automation, and Support + troubleshooting. The bottom of the screen shows a Windows taskbar with various application icons and the system clock indicating 12:11 on 30-08-2025.

Here we have successfully

The screenshot shows the Microsoft Azure App Service landing page. The page features the Microsoft Azure logo at the top. Below the logo, there is a heading 'Your web app is running and waiting for your content'. A paragraph explains that the web app is live but content is missing, and it may take up to 5 minutes for content to show up. To the right of the text is an illustration of a computer monitor displaying a globe, with several circular icons floating around it. Below the main text, there is a section titled 'Supporting Node.js, Java, .NET and more'. At the bottom, there are two columns of text. The left column, titled 'Haven't deployed yet?', provides instructions on using the deployment center to publish code or set up continuous deployment, with a 'Deployment center' button. The right column, titled 'Starting a new web site?', provides instructions on following a Quickstart guide to get a web app ready quickly, with a 'Quickstart' button.

In the azure console we can create a new application if you want



```
Update-PSResource Az -- Update your Az modules.
VERBOSE: Building your Azure drive ...
PS /home/mummadib> dotnet new mvc --name dotnet-webapp

Welcome to .NET 9.0!
-----
SDK Version: 9.0.301

Telemetry
-----
The .NET tools collect usage data in order to help us improve your experience. It is collected by Microsoft and shared with the community. You can opt-out of telemetry by setting the DOTNET_CLI_TELEMETRY_OPTOUT environment variable to '1' or 'true' using your favorite shell.

Read more about .NET CLI Tools telemetry: https://aka.ms/dotnet-cli-telemetry


-----
Installed an ASP.NET Core HTTPS development certificate.
To trust the certificate, run 'dotnet dev-certs https --trust'
Learn about HTTPS: https://aka.ms/dotnet-https

-----
Write your first app: https://aka.ms/dotnet-hello-world
Find out what's new: https://aka.ms/dotnet-whats-new
Explore documentation: https://aka.ms/dotnet-docs
Report issues and find source on GitHub: https://github.com/dotnet/core
Use 'dotnet --help' to see available commands or visit: https://aka.ms/dotnet-cli
-----
An issue was encountered verifying workloads. For more information, run "dotnet workload update".
The template "ASP.NET Core Web App (Model-View-Controller)" was created successfully.
This template contains technologies from parties other than Microsoft, see https://aka.ms/aspnetcore/9.0-third-party-notices for details.

Processing post-creation actions...
Restoring /home/mummadib/dotnet-webapp/dotnet-webapp.csproj:
Restore succeeded.

PS /home/mummadib>
```


Here we have made dotnet run and init the azure directory



```
PS /home/mummadib> mkdir dotnet-webapp
/usr/bin/mkdir: cannot create directory 'dotnet-webapp': File exists
PS /home/mummadib> ls
dotnet-webapp  Microsoft
PS /home/mummadib> cd dotnet-webapp
PS /home/mummadib/dotnet-webapp> ls
appsettings.Development.json  appsettings.json  Controllers  dotnet-webapp.csproj  Models  obj  Program.cs  Properties  Views  wwwroot
PS /home/mummadib/dotnet-webapp> dotnet run &

Id      Name      PSJobTypeName State      HasMoreData  Location      Command
--      -
1      Job1      BackgroundJob Running     True          localhost     dotnet run

PS /home/mummadib/dotnet-webapp>
```



```
PS /home/mummadib/dotnet-webapp> azd init --template https://github.com/Azure-Samples/quickstart-deploy-a
spnet-core-app-service.git

Initializing an app to run on Azure (azd init)

WARNING: The current directory is not empty.
Initializing an app in this directory may overwrite existing files.

? Continue initializing an app here? This will also initialize a new git repository in '/home/mummadib/do
tnet-webapp'. Yes
  (✓) Done: Initialized git repository
  (✓) Done: Downloading template code to: /home/mummadib/dotnet-webapp

? Enter a unique environment name: Dotnetenvironment

SUCCESS: New project initialized!
You can view the template code in your directory: /home/mummadib/dotnet-webapp
Learn more about running 3rd party code on our DevHub: https://aka.ms/azd-third-party-code-notice
The Azure Developer CLI collects usage data and sends that usage data to Microsoft in order to help us i
mprove your experience.
You can opt-out of telemetry by setting the AZURE_DEV_COLLECT_TELEMETRY environment variable to 'no' in
the shell you use.

Read more about Azure Developer CLI telemetry: https://github.com/Azure/azure-dev#data-collection
```

We can see what is there to see on browser using curl local host

```
PS /home/mummadi> cd dotnet-webapp
PS /home/mummadi/dotnet-webapp> curl -kL http://localhost:5265/
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Home Page - dotnet_webapp</title>

  <link rel="stylesheet" href="/lib/bootstrap/dist/css/bootstrap.min.css" />
  <link rel="stylesheet" href="/css/site.css?v=j6fhJSuuyLpOSLUPJU0TsDV0iNjor5S3rDnvxJrt4bg" />
  <link rel="stylesheet" href="/dotnet_webapp.styles.css" />
</head>
<body>
  <header b-j0ewyfy7c0>
    <nav b-j0ewyfy7c0 class="navbar navbar-expand-sm navbar-toggleable-sm navbar-light bg-white border-bottom box-shadow mb-3">
      <div b-j0ewyfy7c0 class="container-fluid">
        <a class="navbar-brand" href="/">dotnet_webapp</a>
        <button b-j0ewyfy7c0 class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target=".navbar-collapse" aria-controls="navbarSupportedContent"
          aria-expanded="false" aria-label="Toggle navigation">
          <span b-j0ewyfy7c0 class="navbar-toggler-icon"></span>
        </button>
        <div b-j0ewyfy7c0 class="navbar-collapse collapse d-sm-inline-flex justify-content-between">
          <ul b-j0ewyfy7c0 class="navbar-nav flex-grow-1">
            <li b-j0ewyfy7c0 class="nav-item">
              <a class="nav-link text-dark" href="/">Home</a>
            </li>
            <li b-j0ewyfy7c0 class="nav-item">
              <a class="nav-link text-dark" href="/Home/Privacy">Privacy</a>
            </li>
          </ul>
        </div>
      </div>
    </nav>
```