



Install and configure Nagios-64

Go to the nagios installation page <https://www.linode.com/docs/guides/install-nagios-on-centos-8/>

Copy and paste the commands from the steps in the website



Just copy paste the commands line by line and be in the sudo us



```
root@localhost:/home/bharath - sudo su

bharath@localhost:~$ sudo sed -i 's/SELINUX=.*SELINUX=permissive/g' /
etc/selinux/config
[sudo] password for bharath:
bharath@localhost:~$ sudo su
root@localhost:/home/bharath# sudo setenforce 0S
usage: setenforce [ Enforcing | Permissive | 1 | 0 ]
root@localhost:/home/bharath# S
```

Here we are enabling the firewall and setting the httpd zone to public

Speech Dispatcher library is missing. [Learn more](#) [Don't show again](#)

Docs Home > Guides > Uptime & Analytics > Server Monitoring

Learn more about SELinux in our guides [Getting started with SELinux on CentOS 8](#) and [Changing SELinux Modes](#).

2. Typically, CentOS and similar RHEL-based systems use FirewallD for managing firewall rules. Use the following commands to open the server's HTTP and HTTPS ports and then reload FirewallD:

```
sudo firewall-cmd --zone=public --add-service=http --permanent
sudo firewall-cmd --zone=public --add-service=https --permanent
sudo firewall-cmd --reload
```

See more on using FirewallD in our guide [Configure a Firewall with FirewallD](#).

3. Install the prerequisite packages for the Nagios installation:

```
sudo dnf install gcc glibc glibc-common make gettext automake autoconf
sudo dnf --enablerepo=powertools,epel install perl-Net-SNMP
```


Setting Up the LAMP Stack #

Nagios uses a LAMP stack for its base application and to serve its monitoring interface. Learn more about LAMP stacks, as well as how to set them up, in our guide [Installing a LAMP Stack on CentOS 8](#).

```
root@localhost:/home/bharath - sudo su

bharath@localhost:~$ sudo sed -i 's/SELINUX=.*SELINUX=permissive/g' /
etc/selinux/config
[sudo] password for bharath:
bharath@localhost:~$ sudo su
root@localhost:/home/bharath# sudo setenforce 0S
usage: setenforce [ Enforcing | Permissive | 1 | 0 ]
root@localhost:/home/bharath# sudo firewall-cmd --zone=public --add-se
rvice=http --permanent
success
root@localhost:/home/bharath# sudo firewall-cmd --zone=public --add-service=https --permanent
success
root@localhost:/home/bharath# sudo firewall-cmd --reload
success
root@localhost:/home/bharath# S
```

Now we will install prerequisites packages for the nagios



Wait for it to download and type yes means y to install the some openssl like that

```
root@localhost:/home/bharath - sudo su

redhat-rpm-config      noarch 293-1.el10      appstream 77 k
rust-toolset-srpm-macros noarch 1.88.0-1.el10     appstream 13 k
sombok                x86_64 2.4.0-23.el10     appstream 49 k
sysprof-capture-devel x86_64 47.2-1.el10       appstream 56 k
systemtap-sdt-devel   x86_64 5.3-3b.el10       appstream 70 k
systemtap-sdt-dtrace  x86_64 5.3-3b.el10       appstream 71 k
xorg-x11-proto-devel  noarch 2024.1-3.el10     appstream 311 k
xz-devel              x86_64 1:5.6.2-4.el10     appstream 64 k
zlib-ng-compat-devel  x86_64 2.2.3-2.el10       appstream 39 k

Installing weak dependencies:
perl-CPAN-DistnameInfo noarch 0.12-32.el10      appstream 15 k
perl-Encode-Locale     noarch 1.05-31.el10     appstream 19 k
perl-Term-Size-Any      noarch 0.002-45.el10   appstream 14 k
perl-TermReadKey        x86_64 2.38-24.el10    appstream 37 k
perl-Unicode-LineBreak x86_64 2019.001-24.el10 appstream 119 k

Transaction Summary
=====
Install 243 Packages
Upgrade  4 Packages

Total download size: 130 M
Is this ok [y/N]: y
```

```
root@localhost:/home/bharath - sudo su

(234/247): rust-toolset-srpm-macros-1 52 kB/s | 13 kB 00:00
(235/247): sombok-2.4.0-23.el10.x86_6 218 kB/s | 49 kB 00:00
(236/247): systemtap-sdt-devel-5.3-3b 332 kB/s | 70 kB 00:00
(237/247): sysprof-capture-devel-47.2 49 kB/s | 56 kB 00:01
(238/247): systemtap-sdt-dtrace-5.3-3 34 kB/s | 71 kB 00:02
(239/247): xorg-x11-proto-devel-2024. 202 kB/s | 311 kB 00:01
(240/247): xz-devel-5.6.2-4.el10.x86_ 186 kB/s | 64 kB 00:00
(241/247): zlib-ng-compat-devel-2.2.3 204 kB/s | 39 kB 00:00
(242/247): epel-release-10-5.el10s.no 7.1 kB/s | 18 kB 00:02
(243/247): glibc-2.39-54.el10.x86_64. 121 kB/s | 2.1 MB 00:17
(244/247): glibc-common-2.39-54.el10. 123 kB/s | 345 kB 00:02
(245/247): perl-doc-5.40.2-514.el10.n 162 kB/s | 4.9 MB 00:30
(246/247): glibc-gconv-extra-2.39-54. 145 kB/s | 1.7 MB 00:11
(247/247): glibc-all-langpacks-2.39-5 342 kB/s | 18 MB 00:54

-----
Total                        654 kB/s | 130 MB 03:24
CentOS Stream 10 - Extras packages 2.1 MB/s | 2.1 kB 00:00
Importing GPG key 0x1D997668:
  Userid : "CentOS Extras SIG (https://wiki.centos.org/SpecialInterestGroup) <security@centos.org>"
  Fingerprint: 363F C097 2F64 B699 AED3 968E 1FF6 A217 1D99 7668
  From : /etc/pki/rpm-gpg/RPM-GPG-KEY-CentOS-SIG-Extras-SHA512
Is this ok [y/N]: y
```

Wait for sometime

```
root@localhost:/home/bharath - sudo su
perl-sub-1.04-514.el10.noarch
perl-threads-1:2.40-511.el10.x86_64
perl-threads-shared-1.69-511.el10.x86_64
perl-utils-5.40.2-514.el10.noarch
perl-version-8:0.99.32-4.el10.x86_64
perl-vmsish-1.04-514.el10.noarch
pixman-devel-0.43.4-2.el10.x86_64
pyproject-srpm-macros-1.16.2-1.el10.noarch
python-srpm-macros-3.12-10.el10.noarch
python3-pyparsing-3.1.1-7.el10.noarch
qt6-srpm-macros-6.9.1-1.el10.noarch
redhat-rpm-config-293-1.el10.noarch
rust-toolset-srpm-macros-1.88.0-1.el10.noarch
sombok-2.4.0-23.el10.x86_64
sysprof-capture-devel-47.2-1.el10.x86_64
systemtap-sdt-devel-5.3-3b.el10.x86_64
systemtap-sdt-dtrace-5.3-3b.el10.x86_64
xorg-x11-proto-devel-2024.1-3.el10.noarch
xz-devel-1:5.6.2-4.el10.x86_64
zlib-ng-compat-devel-2.2.3-2.el10.x86_64

Complete!
root@localhost:/home/bharath#
```

Here we are enabling the powertools and epel repo to download them also

The screenshot shows a web browser window displaying the Nagios documentation page for "Setting Up the LAMP Stack". The page includes instructions for installing the Apache Web Server and PHP. A red arrow points from the terminal window to the documentation page. The terminal window shows the command 'sudo dnf --enable=powertools,epel install perl-Net-SNMP' being executed, followed by an error message: 'Error: Unknown repo: 'powertools''. A red arrow points from the terminal to the documentation page.

Now for nagios to run we need a apache server so we install it If it is already their no need

The screenshot shows a web browser window displaying the Nagios documentation page for "Setting Up the LAMP Stack". The page includes instructions for installing the Apache Web Server and PHP. A red arrow points from the terminal window to the documentation page. The terminal window shows the command 'sudo dnf install httpd' being executed, followed by the output 'Complete!'. A red arrow points from the terminal to the documentation page.

Wait for it to complete

```
root@localhost:/home/bharath - sudo su

=====
Installing:
  httpd                x86_64      2.4.63-4.el10      appstream      49 k
Installing dependencies:
  apr                  x86_64      1.7.5-2.el10      appstream     129 k
  apr-util             x86_64      1.6.3-21.el10     appstream      99 k
  apr-util-lmdb        x86_64      1.6.3-21.el10     appstream      15 k
  centos-logos-httpd   noarch      100.2-3.el10      appstream     855 k
  httpd-core           x86_64      2.4.63-4.el10     appstream     1.5 M
  httpd-filesystem     noarch      2.4.63-4.el10     appstream      13 k
  httpd-tools          x86_64      2.4.63-4.el10     appstream      82 k
Installing weak dependencies:
  apr-util-openssl     x86_64      1.6.3-21.el10     appstream      17 k
  mod_http2            x86_64      2.0.29-3.el10     appstream     164 k
  mod_lua              x86_64      2.4.63-4.el10     appstream      59 k

Transaction Summary
=====
Install 11 Packages

Total download size: 3.0 M
Installed size: 7.4 M
Is this ok [y/N]: y
```

```
root@localhost:/home/bharath - sudo su

Installing      : httpd-filesystem-2.4.63-4.el10.noarch      6/11
Installing      : httpd-core-2.4.63-4.el10.x86_64          7/11
Installing      : mod_http2-2.0.29-3.el10.x86_64           8/11
Installing      : mod_lua-2.4.63-4.el10.x86_64             9/11
Installing      : centos-logos-httpd-100.2-3.el10.noarch    10/11
Installing      : httpd-2.4.63-4.el10.x86_64               11/11
Running scriptlet: httpd-2.4.63-4.el10.x86_64              11/11

Installed:
  apr-1.7.5-2.el10.x86_64
  apr-util-1.6.3-21.el10.x86_64
  apr-util-lmdb-1.6.3-21.el10.x86_64
  apr-util-openssl-1.6.3-21.el10.x86_64
  centos-logos-httpd-100.2-3.el10.noarch
  httpd-2.4.63-4.el10.x86_64
  httpd-core-2.4.63-4.el10.x86_64
  httpd-filesystem-2.4.63-4.el10.noarch
  httpd-tools-2.4.63-4.el10.x86_64
  mod_http2-2.0.29-3.el10.x86_64
  mod_lua-2.4.63-4.el10.x86_64

Complete!
root@localhost:/home/bharath#
```

Start and enable the httpd server you can check the status also

forums

Speech Dispatcher library is missing. [Learn more](#) [Don't show again](#)

Docs Home > Guides > Uptime & Analytics > Server Monitoring

Nagios uses a LAMP stack for its base application and to serve its monitoring interface. Learn more about LAMP stacks, as well as how to set them up, in our guide [Installing a LAMP Stack on CentOS 8](#).

However, Nagios only needs to install two parts of the LAMP stack: the Apache Web Server and PHP. The following steps just set up these necessary parts.

1. Install the Apache Web Server:

```
sudo dnf install httpd
```
2. Start and enable the Apache Web Server:

```
sudo systemctl start httpd
sudo systemctl enable httpd
```
3. Install PHP:

```
sudo dnf install php php-cli
```

Downloading and Installing Nagios #


1. Download and extract the Nagios Core and Nagios plugins packages. You could go to the [Nagios](#)

```
root@localhost:/home/bharath - sudo su


Installing      : centos-logos-httpd-100.2-3.el10.noarch    10/11
Installing      : httpd-2.4.63-4.el10.x86_64              11/11
Running scriptlet: httpd-2.4.63-4.el10.x86_64             11/11

Installed:
  apr-1.7.5-2.el10.x86_64
  apr-util-1.6.3-21.el10.x86_64
  apr-util-lmdb-1.6.3-21.el10.x86_64
  apr-util-openssl-1.6.3-21.el10.x86_64
  centos-logos-httpd-100.2-3.el10.noarch
  httpd-2.4.63-4.el10.x86_64
  httpd-core-2.4.63-4.el10.x86_64
  httpd-filesystem-2.4.63-4.el10.noarch
  httpd-tools-2.4.63-4.el10.x86_64
  mod_http2-2.0.29-3.el10.x86_64
  mod_lua-2.4.63-4.el10.x86_64


Complete!
root@localhost:/home/bharath# sudo systemctl start httpd
sudo systemctl enable httpd
Created symlink '/etc/systemd/system/multi-user.target.wants/httpd.service' → '/usr/lib/systemd/system/httpd.service'.
root@localhost:/home/bharath#
```


Now after installation of php-cli we can now configure the files in nagios in temp files using the curl from a github repo so that it can get latest releases and all like pulgins




After that cd to nagios-4




Configure and make all file




Now we'll install group users and make a nagios user apache group and add nagios user




Now again compile all the changes with sudo make install




After all the change again we need to configure all the daemon and init mode webconfig and restart the httpd




Now here make a user so that we can login into nagios and give password also here nagiosadmin is the username




After giving the password and making a user start the nagios and enable it you can check the status also




Here we are going in to the nagios plugin directory



Compile and install the pulgins



Wait for it to complete it will take time and the process is complete here on




We can get the ip of our machine using ip addr command

```
root@localhost:/tmp/nagios-plugins-2.4.12 - sudo su

/usr/local/nagios/share/gettext/po/$file; \
done; \
for file in Makevars; do \
    rm -f /usr/local/nagios/share/gettext/po/$file; \
done; \
else \
: ; \
fi
make[1]: Leaving directory '/tmp/nagios-plugins-2.4.12/po'
make[1]: Entering directory '/tmp/nagios-plugins-2.4.12'
make[2]: Entering directory '/tmp/nagios-plugins-2.4.12'
make[2]: Nothing to be done for 'install-exec-am'.
make[2]: Nothing to be done for 'install-data-am'.
make[2]: Leaving directory '/tmp/nagios-plugins-2.4.12'
make[1]: Leaving directory '/tmp/nagios-plugins-2.4.12'
root@localhost:/tmp/nagios-plugins-2.4.12# ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: ens160: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:b8:bb:ec brd ff:ff:ff:ff:ff:ff
    altname enp3s0
    altname enx000c29b8bbec
    inet 192.168.176.128/24 brd 192.168.176.255 scope global dynamic noprefixroute ens160
        valid_lft 1400sec preferred_lft 1400sec
    inet6 fe80::20c:29ff:feb8:bbec/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
root@localhost:/tmp/nagios-plugins-2.4.12#
```

Using that ip address go to browser and type [http://your-ip /nagios/](http://your-ip/nagios/) search it



We have created a nagiosadmin user right and the password we have given input them here to sign in

This is the host page

CentOSBlogDocumentationForums

Nagios

General

Home

Documentation

Current Status

Tactical Overview

Map

Hosts

Services

Host Groups

Summary

Grid

Service Groups

Summary

Grid

Problems

Services (Unhandled)

Hosts (Unhandled)

Network Outages

Quick Search:

Reports

Availability

Trends

Alerts

History

Summary

Histogram

Current Network Status

Last Updated: Fri Aug 29 11:01:34 IST 2025

Updated every 90 seconds

Nagios® Core™ 4.5.9 - www.nagios.org

Logged in as nagiosadmin

View Service Status Detail For All Host Groups

View Status Overview For All Host Groups

View Status Summary For All Host Groups

View Status Grid For All Host Groups

Host Status Totals

UpDownUnreachablePending

100000

All ProblemsAll Types

01

Service Status Totals

OkWarningUnknownCriticalPending

51020

All ProblemsAll Types

38

Host Status Details For All Host Groups

Limit Results: 100

Host	Status	Last Check	Duration	Status Information
localhost	UP	08-29-2025 11:00:18	0d 0h 3m 46s	PING OK - Packet loss = 0%, RTA = 0.08 ms

Results 1 - 1 of 1 Matching Hosts

How to Install Nagios on CentOSNagios: 192.168.176.128

CentOSBlogDocumentationForums

Nagios

General

Home

Documentation

Current Status

Tactical Overview

Map

Hosts

Services

Host Groups

Summary

Grid

Service Groups

Summary

Grid

Problems

Services (Unhandled)

Hosts (Unhandled)

Network Outages

Quick Search:

Reports

Availability

Trends

Alerts

History

Summary

Histogram

Current Network Status

Last Updated: Fri Aug 29 11:23:40 IST 2025

Updated every 90 seconds

Nagios® Core™ 4.5.9 - www.nagios.org

Logged in as nagiosadmin

View History For all hosts

View Notifications For All Hosts

View Host Status Detail For All Hosts

Host Status Totals

UpDownUnreachablePending

100000

All ProblemsAll Types

01

Service Status Totals

OkWarningUnknownCriticalPending

710000

All ProblemsAll Types

18

Service Status Details For All Hosts

Limit Results: 100

Host	Service	Status	Last Check	Duration	Attempt	Status Information
localhost	Current Load	OK	08-29-2025 11:19:03	0d 0h 24m 37s	1/4	OK - load average: 0.13, 0.21, 0.59
	Current Users	OK	08-29-2025 11:19:41	0d 0h 23m 59s	1/4	USERS OK - 3 users currently logged in
	HTTP	WARNING	08-29-2025 11:22:18	0d 0h 16m 22s	4/4	HTTP WARNING: HTTP/1.1 403 Forbidden - 1415363 bytes in 0.011 second response time
	PING	OK	08-29-2025 11:20:56	0d 0h 22m 44s	1/4	PING OK - Packet loss = 0%, RTA = 0.14 ms
	Root Partition	OK	08-29-2025 11:21:33	0d 0h 22m 7s	1/4	DISK OK - free space: / 25560 MiB (82.01% inode=99%):
	SSH	OK	08-29-2025 11:22:11	0d 0h 21m 29s	1/4	SSH OK - OpenSSH_9.9 (protocol 2.0)
	Swap Usage	OK	08-29-2025 11:22:48	0d 0h 25m 52s	1/4	SWAP OK - 100% free (3583 MB out of 3583 MB)
	Total Processes	OK	08-29-2025 11:23:26	0d 0h 25m 14s	1/4	PROCS OK: 83 processes with STATE = RSZDT

Results 1 - 8 of 8 Matching Services

Page Tour

Nagios

General

- Home
- Documentation
- Current Status
- Tactical Overview
- Map
- Hosts
- Services
- Host Groups
 - Summary
 - Grid
- Service Groups
 - Summary
 - Grid
- Problems
 - Services (Unhandled)
 - Hosts (Unhandled)
 - Network Outages
- Quick Search:
- Reports
 - Availability
 - Trends
 - Alerts
 - History
 - Summary
 - Histogram

Current Network Status
 Last Updated: Fri Aug 29 11:24:08 IST 2025
 Updated every 90 seconds
 Nagios® Core™ 4.5.9 - www.nagios.org
 Logged in as nagiosadmin

Host Status Totals

Up	Down	Unreachable	Pending
1	0	0	0

Service Status Totals

Ok	Warning	Unknown	Critical	Pending
7	1	0	0	0

Status Grid For All Host Groups

Linux Servers (linux-servers)

Host	Services	Actions
localhost	Current Load, Current Users, HTTP, PING, Root Partition, SSH, Swap Usage, Total Processes	

here you can see what are the localhost are running and all of it's information

Nagios

General

- Home
- Documentation
- Current Status
- Tactical Overview
- Map
- Hosts
- Services
- Host Groups
 - Summary
 - Grid
- Service Groups
 - Summary
 - Grid
- Problems
 - Services (Unhandled)
 - Hosts (Unhandled)
 - Network Outages
- Quick Search:
- Reports
 - Availability
 - Trends
 - Alerts
 - History
 - Summary
 - Histogram

Host Information
 Last Updated: Fri Aug 29 11:24:36 IST 2025
 Updated every 90 seconds
 Nagios® Core™ 4.5.9 - www.nagios.org
 Logged in as nagiosadmin

Host State Information

Host Status: UP (for 0d 0h 26m 48s)

Status Information: PING OK - Packet loss = 0%, RTA = 0.19 ms

Performance Data: rta=0.195000ms;3000.000000;5000.000000;0.000000 pi=0%;80;100;0

Current Attempt: 1/10 (HARD state)

Last Check Time: 08-29-2025 11:20:18

Check Type: ACTIVE

Check Latency / Duration: 0.001 / 4.095 seconds

Next Scheduled Active Check: 08-29-2025 11:25:18

Last State Change: 08-29-2025 10:57:48

Last Notification: N/A (notification 0)

Is This Host Flapping? NO (0.00% state change)

In Scheduled Downtime? NO

Last Update: 08-29-2025 11:24:35 (0d 0h 0m 1s ago)

Host Commands

- Locate host on map
- Disable active checks of this host
- Re-schedule the next check of this host
- Submit passive check result for this host
- Stop accepting passive checks for this host
- Stop obsessing over this host
- Disable notifications for this host
- Send custom host notification
- Schedule downtime for this host
- Schedule downtime for all services on this host
- Disable notifications for all services on this host
- Enable notifications for all services on this host
- Schedule a check of all services on this host
- Disable checks of all services on this host
- Enable checks of all services on this host
- Disable event handler for this host
- Disable flap detection for this host
- Clear flapping state for this host

Host Comments

Add a new comment Delete all comments

Entry Time	Author	Comment	Comment ID	Persistent	Type	Expires	Actions
------------	--------	---------	------------	------------	------	---------	---------