



# VMware ESXi on Virtual machine and access via webpage-22


Select typical when installing




Give name we have given ESXi 8





## Create a 80 Gb virtual disk




## give 8096MB of memory




Select the ISO file from the software





Now power on the VM






don't do anything it will load









Press enter





Press F11 to Accept and continue





Hit enter to continue







Give a secure password you'll have to remember it for web interface login






















We are trying to make changes in the network adaptor IPv4 so that it can be static not DHCP








Enter and click Y for applying changes





Exist everything after changes and restart the VM ESXi














Minimize everything and open chrome search this <https://192.168.163.132>






Here this is where we can manage ESXi sever







Now we'll see how to manage it from here like creating a VM and Storage and networking


Now create a hard disk of 20gb using VM settings




## Create database using that 20GB virtual disk







We will create a VM



New virtual machine - ESXi 8 (ESXi 8.0 U2 virtual machine)

1 Select creation type

4 Select a name and guest OS

5 Select storage

6 Customize settings

10 Ready to complete

Select a name and guest OS

Specify a unique name and OS

Name

ESXi 8

Virtual machine names can contain up to 80 characters and they must be unique within each ESXi instance.

Identifying the guest operating system here allows the wizard to provide the appropriate defaults for the operating system installation.

Compatibility

ESXi 8.0 U2 virtual machine

Guest OS family

Windows

Guest OS version

Microsoft Windows 10 (32-bit)

CANCEL

BACK

NEXT

FINISH

New virtual machine - ESXi 8 (ESXi 8.0 U2 virtual machine)

1 Select creation type

4 Select a name and guest OS

5 Select storage

6 Customize settings

10 Ready to complete

Select storage

Select the storage type and datastore

Standard

Persistent Memory

Select a datastore for the virtual machine's configuration files and all of its virtual disks.

| Name   | Capacity | Free     | Type  | Thin provisio | Access |
|--------|----------|----------|-------|---------------|--------|
| IT-Sec | 19.75 GB | 18.34 GB | VMFS6 | Supported     | Single |

1 items

CANCEL

BACK

NEXT

FINISH



New virtual machine - ESXi 8 (ESXi 8.0 U2 virtual machine)

1 Select creation type

4 Select a name and guest OS

5 Select storage

6 Customize settings

10 Ready to complete

Customize settings

Configure the virtual machine hardware and virtual machine additional options

Virtual Hardware

VM Options

Add hard disk

Add network adapter

Add other device

> CPU

2

> Memory

2048

MB

> Hard disk 1

15

GB

X

Maximum Size

18.34 GB

Location

[IT-Sec] ESXi 8/

BROWSE...

Disk Provisioning

Thin provisioned

☒ Thick provisioned, lazily zeroed

Thick provisioned, eagerly zeroed

CANCEL

BACK

NEXT

FINISH

New virtual machine - ESXi 8 (ESXi 8.0 U2 virtual machine)

1 Select creation type

4 Select a name and guest OS

5 Select storage

6 Customize settings

10 Ready to complete

Ready to complete

Review your settings selection before finishing the wizard

|                           |                               |
|---------------------------|-------------------------------|
| Name                      | ESXi 8                        |
| Datastore                 | IT-Sec                        |
| Guest OS name             | Microsoft Windows 10 (32-bit) |
| Compatibility             | ESXi 8.0 U2 virtual machine   |
| vCPUs                     | 2                             |
| Memory                    | 2048 MB                       |
| Network adapters          | 1                             |
| Network adapter 1 network | VM Network                    |
| Network adapter 1 type    | E1000e                        |
| IDE controller 0          | IDE 0                         |
| IDE controller 1          | IDE 1                         |
| SCSI controller 0         | LSI Logic SAS                 |
| SATA controller 0         | New SATA controller           |
| Hard disk 1               |                               |


CANCEL

BACK

NEXT

FINISH

Here we have added three sector




The screenshot shows the ESXi Host Client interface with the 'Datastores' tab selected. A notification at the top states: 'Virtual machine ESXi 8-winFinance was successfully created dismiss'. The left sidebar shows 'Virtual Machines' (2), 'Storage' (3), and 'Networking' (1). The main panel displays a table of datastores:

| Name       | Drive Type | Capacity | Provisioned | Free    | Type  | Thin provisioning | Access |
|------------|------------|----------|-------------|---------|-------|-------------------|--------|
| Finance    | SSD        | 9.75 GB  | 9.41 GB     | 348 MB  | VMFS6 | Supported         | Single |
| IT-Sec     | SSD        | 19.75 GB | 16.41 GB    | 3.34 GB | VMFS6 | Supported         | Single |
| Networking | SSD        | 9.75 GB  | 1.41 GB     | 8.34 GB | VMFS6 | Supported         | Single |

Below the table is a 'Recent tasks' section with a table of task history:

| Task                  | Target                | Initiator | Queued              | Started             | Result                 | Completed           |
|-----------------------|-----------------------|-----------|---------------------|---------------------|------------------------|---------------------|
| Rescan Vmfs           | localhost.localdomain | root      | 08/18/2025 15:15:13 | 08/18/2025 15:15:13 | Completed successfully | 08/18/2025 15:15:13 |
| Create Vmfs Datastore | localhost.localdomain | root      | 08/18/2025 15:15:12 | 08/18/2025 15:15:12 | Completed successfully | 08/18/2025 15:15:13 |
| Rescan Vmfs           | localhost.localdomain | root      | 08/18/2025 15:14:51 | 08/18/2025 15:14:51 | Completed successfully | 08/18/2025 15:14:51 |
| Create Vmfs Datastore | localhost.localdomain | root      | 08/18/2025 15:14:51 | 08/18/2025 15:14:51 | Completed successfully | 08/18/2025 15:14:51 |
| Auto Start Power On   | localhost.localdomain | root      | 08/18/2025 15:13:45 | 08/18/2025 15:13:45 | Completed successfully | 08/18/2025 15:13:45 |
| Create VM             | vm                    | root      | 08/18/2025 15:16:45 | 08/18/2025 15:16:45 | Completed successfully | 08/18/2025 15:16:45 |

We have created three virtual machines




The screenshot shows the ESXi Host Client interface with the 'Virtual Machines' tab selected. The left sidebar shows 'Virtual Machines' (3), 'Storage' (3), and 'Networking' (1). The main panel displays a table of virtual machines:

| Virtual machine   | Status   | Used space | Guest OS                   | Host name | Host CPU | Host memory |
|-------------------|----------|------------|----------------------------|-----------|----------|-------------|
| ESXi 8 - windows  | Nor...   | 15 GB      | Microsoft Windows 10 (L... | Unknown   | 0 MHz    | 0 MB        |
| ESXi 8-winFinance | ✓ Nor... | 8 GB       | Microsoft Windows 10 (L... | Unknown   | 0 MHz    | 0 MB        |
| ESXi 8 - Linux    | ✓ Nor... | 0 B        | CentOS 4/5 (32-bit)        | Unknown   | 0 MHz    | 0 MB        |


Below the table is a 'Recent tasks' section with a table of task history:

| Task                  | Target                | Initiator | Queued              | Started             | Result                 | Completed           |
|-----------------------|-----------------------|-----------|---------------------|---------------------|------------------------|---------------------|
| Create VM             | vm                    | root      | 08/18/2025 15:16:45 | 08/18/2025 15:16:45 | Completed successfully | 08/18/2025 15:16:45 |
| Rescan Vmfs           | localhost.localdomain | root      | 08/18/2025 15:15:13 | 08/18/2025 15:15:13 | Completed successfully | 08/18/2025 15:15:13 |
| Create Vmfs Datastore | localhost.localdomain | root      | 08/18/2025 15:15:12 | 08/18/2025 15:15:12 | Completed successfully | 08/18/2025 15:15:13 |
| Rescan Vmfs           | localhost.localdomain | root      | 08/18/2025 15:14:51 | 08/18/2025 15:14:51 | Completed successfully | 08/18/2025 15:14:51 |
| Create Vmfs Datastore | localhost.localdomain | root      | 08/18/2025 15:14:51 | 08/18/2025 15:14:51 | Completed successfully | 08/18/2025 15:14:51 |
| Auto Start Power On   | localhost.localdomain | root      | 08/18/2025 15:13:45 | 08/18/2025 15:13:45 | Completed successfully | 08/18/2025 15:13:45 |



We have added a virtual switch



And added a port group



Now add another adaptor for up-linking in the virtual switch



localhost.localdomain - VMware x +

Not secure https://192.168.163.132/ui/#/host/networking/portgroups

### vm ESXi Host Client

root@192.168.163.132 Help Search

localhost.localdomain - Networking

Port groups Virtual switches Physical NICs VMkernel NICs TCP/IP stacks Firewall rules

+ Add port group Edit settings Refresh Actions

| Name               | Active ports | VLAN ID | Type                | vSwitch    | VMs |
|--------------------|--------------|---------|---------------------|------------|-----|
| Batch8             | 0            | 100     | Standard port group | Networking | 0   |
| VM Network         | 0            | 0       | Standard port group | vSwitch0   | 3   |
| Management Network | 1            | 0       | Standard port group | vSwitch0   | N/A |

3 items

Recent tasks

| Task                | Target                | Initiator | Queued              | Started             | Result                 | Completed           |
|---------------------|-----------------------|-----------|---------------------|---------------------|------------------------|---------------------|
| Auto Start Power On | localhost.localdomain | root      | 08/18/2025 15:56:46 | 08/18/2025 15:56:46 | Completed successfully | 08/18/2025 15:56:46 |

localhost.localdomain - VMware x +

Not secure https://192.168.163.132/ui/#/host/networking/portgroups/HaNetwork-Batch8

### vm ESXi Host Client

root@192.168.163.132 Help Search

Batch8

Edit settings Refresh Actions

**Batch8**

Accessible: Yes  
Virtual machines: 0  
Virtual switch: Networking  
VLAN ID: 100  
Active ports: 0

vSwitch topology

Batch8  
VLAN ID: 100

No physical adapters



Security policy

|                        |    |
|------------------------|----|
| Allow promiscuous mode | No |
| Allow forged transmits | No |
| Allow MAC changes      | No |

NIC teaming policy

Recent tasks

| Task                | Target                | Initiator | Queued              | Started             | Result                 | Completed           |
|---------------------|-----------------------|-----------|---------------------|---------------------|------------------------|---------------------|
| Auto Start Power On | localhost.localdomain | root      | 08/18/2025 15:56:46 | 08/18/2025 15:56:46 | Completed successfully | 08/18/2025 15:56:46 |



We can manage Vm in the Virtual machines like changing network adaptor

The screenshot shows the ESXi Host Client interface. At the top, there's a navigation bar with 'vm ESXi Host Client' and a search bar. Below it, a sidebar contains icons for home, inventory, recent tasks, and settings. The main area displays a table of virtual machines. A red arrow points to the 'ESXi 8 - windows' VM.

| Virtual machine     | Status | Used space | Guest OS                      | Host name | Host CPU | Host memory |
|---------------------|--------|------------|-------------------------------|-----------|----------|-------------|
| ESXi 8 - windows    | Normal | 15 GB      | Microsoft Windows 10 (32-bit) | Unknown   | 0 MHz    | 0 MB        |
| ESXi 8 - winFinance | Normal | 8 GB       | Microsoft Windows 10 (32-bit) | Unknown   | 0 MHz    | 0 MB        |
| ESXi 8 - Linux      | Normal | 8 GB       | CentOS 4/5 (32-bit)           | Unknown   | 0 MHz    | 0 MB        |



Below the VM table, there's a 'Recent tasks' section with a table of tasks.

| Task                   | Target                | Initiator | Queued              | Started             | Result                 | Completed           |
|------------------------|-----------------------|-----------|---------------------|---------------------|------------------------|---------------------|
| Refresh Network System | localhost.localdomain | root      | 08/18/2025 16:04:14 | 08/18/2025 16:04:14 | Completed successfully | 08/18/2025 16:04:14 |
| Update Network Config  | localhost.localdomain | root      | 08/18/2025 16:04:14 | 08/18/2025 16:04:14 | Completed successfully | 08/18/2025 16:04:14 |
| Refresh Network System | localhost.localdomain | root      | 08/18/2025 16:03:23 | 08/18/2025 16:03:23 | Completed successfully | 08/18/2025 16:03:23 |
| Update Network Config  | localhost.localdomain | root      | 08/18/2025 16:03:23 | 08/18/2025 16:03:23 | Completed successfully | 08/18/2025 16:03:23 |
| Auto Start Power On    | localhost.localdomain | root      | 08/18/2025 15:56:46 | 08/18/2025 15:56:46 | Completed successfully | 08/18/2025 15:56:46 |

The screenshot shows the configuration page for the 'ESXi 8 - windows' VM. At the top, there's a warning message: 'VMware Tools is not installed in this virtual machine. VMware Tools allows detailed guest information to be displayed as well as allowing you to perform operations on the guest OS, e.g. graceful shutdown, reboot, etc. You should install VMware Tools.' Below this, there's a 'General Information' section with 'Networking', 'VMware Tools', 'Storage', and 'Notes'. The 'Networking' section shows 'Network adapter 1' set to 'VM Network (Connected)'. A red arrow points to this setting.

Below the configuration section, there's a 'Recent tasks' section with a table of tasks.

| Task                   | Target                | Initiator | Queued              | Started             | Result                 | Completed           |
|------------------------|-----------------------|-----------|---------------------|---------------------|------------------------|---------------------|
| Destroy                | ESXi 8 - winFinance   | root      | 08/18/2025 16:20:54 | 08/18/2025 16:20:54 | Completed successfully | 08/18/2025 16:20:54 |
| Rename                 | ESXi 8 - Linux        | root      | 08/18/2025 16:20:32 | 08/18/2025 16:20:32 | Completed successfully | 08/18/2025 16:20:33 |
| Refresh Network System | localhost.localdomain | root      | 08/18/2025 16:04:14 | 08/18/2025 16:04:14 | Completed successfully | 08/18/2025 16:04:14 |
| Update Network Config  | localhost.localdomain | root      | 08/18/2025 16:04:14 | 08/18/2025 16:04:14 | Completed successfully | 08/18/2025 16:04:14 |
| Refresh Network System | localhost.localdomain | root      | 08/18/2025 16:03:23 | 08/18/2025 16:03:23 | Completed successfully | 08/18/2025 16:03:23 |
| Update Network Config  | localhost.localdomain | root      | 08/18/2025 16:03:23 | 08/18/2025 16:03:23 | Completed successfully | 08/18/2025 16:03:23 |



We have made a settings in firewall by only allow connections from a network that is 192.168.163.0/24

