

**MCQ 1:** Which operator in Java is used to test if two primitive values are equal?

- (a) =
  - (b) ==
  - (c) !=
  - (d) equals
- 

**MCQ 2:** Which relational operator checks if the left operand is greater than the right operand?

- (a) >
  - (b) < (c) >=
  - (d) <=
- 

**MCQ 3:** Which operator is used to check if two operands are not equal in Java?

- (a) <>
  - (b) !=
  - (c) ~=
  - (d) !==
- 

**MCQ 4:** What is the correct operator to check if one value is less than or equal to another?

- (a) <=
  - (b) =< (c) <==
  - (d) =<=
- 

**MCQ 5:** Which relational operator checks if one value is greater than or equal to another?

- (a) >=
  - (b) =>
  - (c) >
  - (d) <
- 

**MCQ 6:** Which unary operator increments a variable's value by one?

- (a) --
  - (b) ++
  - (c) +
  - (d) +=
- 

**MCQ 7:** Which unary operator decrements a variable's value by one?

- (a) - -
  - (b) ++
  - (c) -
  - (d) -=
- 

**MCQ 8:** What is the main difference between the pre-increment (++x) and post-increment (x++) operators?

- (a) Pre-increment increments after the value is used, post-increment increments before.
  - (b) Pre-increment increments before the value is used, post-increment increments after.
  - (c) They both increment at the same time.
  - (d) Only pre-increment is valid in Java.
-

**MCQ 9:** Which unary operator in Java is used to negate a boolean value?

- (a) -
  - (b) !
  - (c) ~
  - (d) not
- 

**MCQ 10:** Which operator returns the original value before performing the increment?

- (a) Pre-increment (++x)
  - (b) Post-increment (x++)
  - (c) Both return the same value
  - (d) Neither; they both return the new value
- 

**MCQ 11:** Which unary operators are not applicable to boolean types in Java?

- (a) ! (b) ++
  - (c) --
  - (d) Both ++ and --
- 

**MCQ 12:** What does the unary minus operator do to a numeric expression?

- (a) Converts a positive number to a negative number
  - (b) Increments the number
  - (c) Decrements the number
  - (d) Leaves the number unchanged
- 

**MCQ 13:** Which of the following is a valid use of a unary operator in Java?

- (a) `int a = -5;`
  - (b) `int a = ++-5;`
  - (c) `int a = !5;`
  - (d) `int a = --+5;`
- 

**MCQ 14:** What does the expression `x++` do in Java?

- (a) Increments `x` and returns the new value
  - (b) Increments `x` but returns the original value
  - (c) Decrements `x` and returns the original value
  - (d) Leaves `x` unchanged
- 

**MCQ 15:** What does the expression `--y` do in Java?

- (a) Returns `y` then decrements it
  - (b) Decrements `y` and returns the new value
  - (c) Increments `y` and returns the new value
  - (d) Returns `y` then increments it
- 

**MCQ 16:** Which operator is used to get the bitwise complement of a number's bits?

- (a) !
  - (b) ~
  - (c) -
  - (d) ++
- 

**MCQ 17:** If `x` is 5, what value does the expression `++x` yield when used in an expression context?

- (a) 5
  - (b) 6
  - (c) 4
  - (d) Undefined
-

**MCQ 18:** If `x` is 5, what value does the expression `x++` yield when used in an expression context?

- (a) 5
  - (b) 6
  - (c) 7
  - (d) 4
- 

**MCQ 19:** Which of the following statements is true regarding operator overloading in Java?

- (a) The '+' operator can be overloaded
  - (b) The '-' operator can be overloaded
  - (c) The '++' operator can be overloaded
  - (d) None of the unary operators can be overloaded
- 

**MCQ 20:** Which of the following is **not** considered a relational operator in Java?

- (a) ==
  - (b) !=
  - (c) ++
  - (d) <=
- 

**MCQ 21:** In the statement `if(a != b)`, what is being tested?

- (a) Whether `a` is equal to `b`
  - (b) Whether `a` is not equal to `b`
  - (c) Whether `a` is greater than `b`
  - (d) Whether `a` is less than `b`
- 

**MCQ 22:** Which relational operator would you use to compare the order of two numeric values?

- (a) =
  - (b) >
  - (c) ==
  - (d) All of the above
- 

**MCQ 23:** What is the result of evaluating the expression `7 < 10` in Java?

- (a) 7
  - (b) 10
  - (c) true
  - (d) false
- 

**MCQ 24:** Among the following, which group of operators has the highest precedence in Java?

- (a) Unary operators (e.g., ++, --, -)
  - (b) Relational operators (e.g., <, >, ==)
  - (c) Logical AND operator
  - (d) Logical OR operator
- 

**MCQ 25:** Which of the following demonstrates the proper use of a unary operator on a boolean variable?

- (a) `boolean flag = true; flag = -flag;`
- (b) `boolean flag = true; flag = !flag;`
- (c) `boolean flag = true; flag = ++flag;`
- (d) `boolean flag = true; flag = --flag;`

---

**MCQ 26:** In the expression `++a + a++`, which of the following statements best describes the order of operations?

- (a) Both increments occur before the addition
- (b) The first increment occurs before addition and the second after
- (c) The first increment occurs after addition and the second before
- (d) Both increments occur after the addition

---

**MCQ 27:** Which unary operator produces the negative of a numeric expression?

- (a) +
- (b) -
- (c) !
- (d) ++

---

**MCQ 28:** If `a` is 10, what does the expression `a--` do?

- (a) Returns 10 then decrements `a` to 9
- (b) Returns 9 then decrements `a` to 8
- (c) Returns 10 then increments `a`
- (d) Returns 9 then increments `a`

---

**MCQ 29:** Which of the following data types cannot be used with the unary increment (`++`) and decrement (`--`) operators in Java?

- (a) float
- (b) int
- (c) char
- (d) boolean

---

**MCQ 30:** Which of the following expressions correctly demonstrates the use of the unary minus operator in Java?

- (a) `int result = -5;`
- (b) `int result = --5;`
- (c) `int result = 5 -;`
- (d) `int result = +5 -;`

## Coding

**MCQ 1:**

```
int x = 10;
int y = x++;
System.out.println(x);
```

What is the output?

- (a) 10
- (b) 11
- (c) 12
- (d) 9

---

**MCQ 2:**

```
int a = 5;
int b = ++a;
System.out.println(b);
```

---

What does this code print?

- (a) 5
  - (b) 6
  - (c) 7
  - (d) Compilation error
- 

**MCQ 3:**

```
int a = 5;  
int b = a++;  
System.out.println(b);
```

What is the output?

- (a) 5
  - (b) 6
  - (c) 7
  - (d) Runtime error
- 

**MCQ 4:**

```
int a = 3;  
System.out.println(-a);
```

What value is printed?

- (a) 3
  - (b) -3
  - (c) 0
  - (d) Compilation error
- 

**MCQ 5:**

```
int x = 4;  
System.out.println(++x + x++);
```

What is the result of this expression?

- (a) 9
  - (b) 10
  - (c) 11
  - (d) 8
- 

**MCQ 6:**

```
int a = 10, b = 10;  
System.out.println(a == b);
```

What does this print?

- (a) true
  - (b) false
  - (c) 0
  - (d) Compilation error
- 

**MCQ 7:**

```
int a = 7, b = 9;  
System.out.println(a != b);
```

What is the output?

- (a) true
  - (b) false
  - (c) 7
  - (d) Compilation error
- 

**MCQ 8:**

```
int x = 8;  
System.out.println(x--);
```

What is printed by this statement?

- (a) 7
  - (b) 8
  - (c) 9
  - (d) Runtime error
- 

**MCQ 9:**

```
int x = 8;  
System.out.println(--x);
```

What value does this print?

- (a) 7
  - (b) 8
  - (c) 9
  - (d) Compilation error
- 

**MCQ 10:**

```
int x = 5;  
int y = x;  
System.out.println(++x == y++);
```

What is the output of this expression?

- (a) true
  - (b) false
  - (c) 5
  - (d) Compilation error
- 

**MCQ 11:**

```
int a = 10;  
int b = 5;  
System.out.println(a >= b);
```

What does the code print?

- (a) true
- (b) false

- (c) 10
- (d) 5

---

**MCQ 12:**

```
int a = 10;
int b = 10;
System.out.println(a <= b);
```

What is the output?

- (a) true
- (b) false
- (c) 10
- (d) 0

---

**MCQ 13:**

```
int a = 15;
System.out.println(a == 15);
```

What does this print?

- (a) true
- (b) false
- (c) 15
- (d) Compilation error

---

**MCQ 14:**

```
int a = -5;
System.out.println(-a);
```

What is the output of this code?

- (a) -5
- (b) 5
- (c) 0
- (d) Runtime error

---

**MCQ 15:**

```
int x = 0;
x++;
System.out.println(x);
```

What value is printed?

- (a) 0
- (b) 1
- (c) 2
- (d) Compilation error

---

**MCQ 16:**

```
int x = 0;
++x;
```

```
System.out.println(x);
```

What is the output?

- (a) 0
  - (b) 1
  - (c) 2
  - (d) Error
- 

**MCQ 17:**

```
int a = 3;  
int b = a++;  
int c = ++a;  
System.out.println(a + b + c);
```

What is the sum printed?

- (a) 11
  - (b) 12
  - (c) 13
  - (d) 14
- 

**MCQ 18:**

```
int x = 7;  
System.out.println(x > 5);
```

What does this code print?

- (a) true
  - (b) false
  - (c) 7
  - (d) Compilation error
- 

**MCQ 19:**

```
int x = 7;  
System.out.println(x < 7);
```

What is the output?

- (a) true
  - (b) false
  - (c) 0
  - (d) Runtime error
- 

**MCQ 20:**

```
int x = 7;  
System.out.println(x == 7);
```

What does this print?

- (a) true
- (b) false
- (c) 7
- (d) Compilation error