1. **What are the poses in Surya Namaskar ?**

```
PREFIX : <http://example.org/suryanamaskar#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>

SELECT ?pose ?asana
WHERE {
  ?pose rdf:type :Pose ;
        :belongsToVariant :BaseSN ;
        :hasAsana ?asana .
}
ORDER BY ?pose
```



2. **How many poses are in Base Surya Namaskar?**

```
PREFIX : <http://example.org/suryanamaskar#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>

SELECT (COUNT(?pose) AS ?numberOfPoses)
WHERE {
  ?pose rdf:type :Pose ;
        :belongsToVariant :BaseSN .
}
```



3. **Which poses are performed standing?**

```
PREFIX : <http://example.org/suryanamaskar#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>

SELECT ?pose ?asana
WHERE {
  ?pose rdf:type :Pose ;
        :belongsToVariant :BaseSN ;
        :hasAsana ?asana ;
        :hasSupportType ?support .

  FILTER(STR(?support) = "StandingTwoFeet")
}
ORDER BY ?pose
```



4. **Which poses are repeated ?**

```
PREFIX : <http://example.org/suryanamaskar#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>

SELECT ?poseNumber ?asanaName ?repeatedPoseNumber
?repeatedAsanaName
WHERE {
  ?pose rdf:type :Pose ;
        :belongsToVariant :BaseSN ;
        :poseNumber ?poseNumber ;
        :hasAsana ?asana ;
        :repeatsPose ?repeatedPose .

  ?asana rdfs:label ?asanaName .

  ?repeatedPose :poseNumber ?repeatedPoseNumber ;
                :hasAsana ?repeatedAsana .

  ?repeatedAsana rdfs:label ?repeatedAsanaName .
}
ORDER BY ?poseNumber
```



5. **Which poses have inverse relationships?**

```
PREFIX : <http://example.org/suryanamaskar#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>

SELECT ?poseNumber ?asanaName ?inversePoseNumber
?inverseAsanaName
WHERE {
  ?pose rdf:type :Pose ;
        :belongsToVariant :BaseSN ;
        :poseNumber ?poseNumber ;
        :hasAsana ?asana ;
        :hasInversePose ?inversePose .

  ?asana rdfs:label ?asanaName .

  ?inversePose :poseNumber ?inversePoseNumber ;
               :hasAsana ?inverseAsana .

  ?inverseAsana rdfs:label ?inverseAsanaName .
}
```

ORDER BY ?poseNumber



6. How many variants exist?

```
PREFIX : <http://example.org/suryanamaskar#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>

SELECT (COUNT(?variant) AS ?numberOfVariants)
WHERE {
  ?variant rdf:type :Variant .
}
```



7. **What are the different variants of Surya Namaskar represented in the ontology?**

```
PREFIX : <http://example.org/suryanamaskar#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>

SELECT ?variant
WHERE {
  ?variant rdf:type :Variant .
}
ORDER BY ?variant
```



8. **Which asanas are shared across multiple variants of Surya Namaskar?**

```
PREFIX : <http://example.org/suryanamaskar#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>

SELECT ?asanaName
WHERE {
  ?pose rdf:type :Pose ;
        :hasAsana ?asana ;
        :belongsToVariant ?variant .
```

```
  ?asana rdfs:label ?asanaName .
}
GROUP BY ?asana ?asanaName
HAVING (COUNT(DISTINCT ?variant) > 1)
ORDER BY ?asanaName
```



9. **What is the sequence order of poses in BaseSN?**

```
PREFIX : <http://example.org/suryanamaskar#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>

SELECT ?poseNumber ?asanaName
WHERE {
  ?pose rdf:type :Pose ;
        :belongsToVariant :BaseSN ;
        :poseNumber ?poseNumber ;
        :hasAsana ?asana .

  ?asana rdfs:label ?asanaName .
}
ORDER BY ?poseNumber
```

Surya Namaskar Ontology (http://example.org/suryanamaskar)

Active ontology × Entities × DL Query × OntoGraf × SPARQL Query ×

SPARQL query:

```
PREFIX : <http://example.org/suryanamaskar#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>

SELECT ?poseNumber ?asanaName
WHERE {
  ?pose rdf:type :Pose ;
        :belongsToVariant :BaseSN ;
        :poseNumber ?poseNumber ;
        :hasAsana ?asana .

  ?asana rdfs:label ?asanaName .
}
ORDER BY ?poseNumber
```

poseNumber	asanaName
"1"^^<http://www.w3.org/2001/XMLSchema#integer>	"Pranamasana"
"2"^^<http://www.w3.org/2001/XMLSchema#integer>	"Hasta Utthanasana"
"3"^^<http://www.w3.org/2001/XMLSchema#integer>	"Padahastasana"
"4"^^<http://www.w3.org/2001/XMLSchema#integer>	"Ashwa Sanchalanasana"
"5"^^<http://www.w3.org/2001/XMLSchema#integer>	"Chaturanga Dandasana"
"6"^^<http://www.w3.org/2001/XMLSchema#integer>	"Ashtanga Namaskara"
"7"^^<http://www.w3.org/2001/XMLSchema#integer>	"Bhujangasana"
"8"^^<http://www.w3.org/2001/XMLSchema#integer>	"Parvatasana"
"9"^^<http://www.w3.org/2001/XMLSchema#integer>	"Ashwa Sanchalanasana"
"10"^^<http://www.w3.org/2001/XMLSchema#integer>	"Padahastasana"
"11"^^<http://www.w3.org/2001/XMLSchema#integer>	"Hasta Utthanasana"
"12"^^<http://www.w3.org/2001/XMLSchema#integer>	"Pranamasana"

Execute

To use the reasoner click Reasoner > Start reasoner ☑ Show Inferences