


Final Project

Day 6 Task : Final Java Project Minikube Deployment

Minikube Output Images:



The screenshot shows a terminal window with the following content:

```
bharath-prabakaran@Dot: ~/.kube$ sudo vi config
[sudo] password for bharath-prabakaran:
bharath-prabakaran@Dot: ~/.kube$ kubectl get node
error: error loading config file "/home/bharath-prabakaran/.kube/config": yaml: line 42: could not find expected ':'
bharath-prabakaran@Dot: ~/.kube$ sudo vi config
bharath-prabakaran@Dot: ~/.kube$ kubectl get node
NAME          STATUS    ROLES    AGE   VERSION
minikube      Ready     control-plane  3d2h  v1.32.0
bharath-prabakaran@Dot: ~/.kube$
```

The terminal window has a title bar with the text "bharath-prabakaran@Dot: ~/.kube". The left sidebar of the terminal window shows various application icons, including a file manager, a web browser, and a terminal icon. The top of the window shows the date and time "Mar 22 14:38".

[illegible]

[illegible]

Mar 22 15:35

localhost:8080/job/java_applicatin/

Jenkins

Dashboard > java_applicatin >

Status ✓ java_applicatin [Add description](#)

Changes

Build Now

Configure

Delete Pipeline

Full Stage View

Stages

Rename

Pipeline Syntax

Builtins Filter

Today

- #4 3:35 PM
- #3 3:03 PM
- #2 2:59 PM
- #1 2:59 PM

Stage View

Average stage times:
(full run time: ~33s)

Stage	Build	Build Docker Image	Push Docker Image	test
Successful	3s	3s	18s	1s
1s	3s	4s	22s	
2s	3s	6s	31s	1s
2s	3s	795ms	204ms	135ms


Permalinks

- Last build (#4), 40 sec ago
- Last stable build (#4), 40 sec ago
- Last successful build (#4), 40 sec ago
- Last failed build (#3), 32 min ago
- Last unsuccessful build (#3), 32 min ago
- Last completed build (#4), 40 sec ago

```

bharath-prabakaran@Dot:~$ sudo nano deploy.yml
bharath-prabakaran@Dot:~$ minikube service my-service
-----|-----|-----|
| NAMESPACE | NAME      | TARGET PORT | URL                               |
|-----|-----|-----|
| default   | my-service | 9000         | http://192.168.49.2:30002       |
|-----|-----|-----|
Opening service default/my-service in default browser...
bharath-prabakaran@Dot:~$ Gtk-Message: 16:39:18.682: Not loading module "atk-bridge": The functionality is provided by GTK natively. Please try to not load it.
^C

```



Deploy.yml

```

apiVersion: apps/v1
kind: Deployment
metadata:
  name: my-deploy
  labels:
    name: my-deploy
spec:
  replicas: 1
  selector:
    matchLabels:
      apptype: web-backend
  strategy:
    type: RollingUpdate
  template:
    metadata:
      labels:
        apptype: web-backend
    spec:
      containers:
        - name: my-app
          image: bharathprabakaran/simplewebapp:latest

```

```
ports:
  - containerPort: 9000
```

```
apiVersion: v1
kind: Service
metadata:
  name: my-service
  labels:
    app: my-service
spec:
  type: NodePort
  ports:
    - port: 9000
      targetPort: 8080
      nodePort: 30002
  selector:
    apptype: web-backend
```