



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 12:02
Patient Name	: anonymous	Age/Sex	: 10 D/F	Acceptance Date : 01-Jan-2023 16:59
Sample Type	: Edta Blood	Lab No.	: 230101CB101	Reporting Date : 10-Jan-2023 16:21
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	14.2	11.5 - 21.5 g/dl
HCT	42.2	33 - 66 %
RBC	3.98	3 - 6.3 x10 ⁶ /μL
MCV	106.0	86 - 126 fL
MCH	35.7	30 - 37 pg
MCHC	33.6	28 - 38 g/dL
Red Cell Distribution Width (RDW CV)	17.1	11.6 - 14.0 %
Total Leukocyte Count(TLC)	11.32	5 - 22 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	23.1	20 - 60 %
Lymphocytes	73.7	31 - 71 %
Monocytes	1.1	2 - 10 %
Eosinophils	1.9	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	2.63	3 - 9 x10 ³ /μL
Absolute Lymphocyte Count	8.34	2 - 16 x10 ³ /μL
Absolute Monocyte Count	0.12	0.1 - 1.2 x10 ³ /μL
Absolute Eosinophil Count	0.21	0.1 - 2 x10 ³ /μL
Absolute Basophil Count	0.02	0.02 - 0.10 x10 ³ /μL
Platelet Count	671	160 - 500 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 12:04
Patient Name	: anonymous	Age/Sex	: 25 Yr/F	Acceptance Date : 01-Jan-2023 17:00
Sample Type	: Edta Blood	Lab No.	: 230101CB107	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	12.2	12 - 15 g/dl
HCT	38.1	36 - 46 %
RBC	5.01	3.8 - 4.8 x10 ⁶ /μL
MCV	76.0	83 - 101 fL
MCH	24.4	27 - 32 pg
MCHC	32.0	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	19.9	11.6 - 14.0 %
Total Leukocyte Count(TLC)	6.39	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	45.2	40 - 80 %
Lymphocytes	36.0	20 - 40 %
Monocytes	12.1	2 - 10 %
Eosinophils	6.1	01 - 06 %
Basophil	0.6	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	2.89	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	2.30	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.77	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.39	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.04	0.02 - 0.10 x10 ³ /μL
Platelet Count	445	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 12:04
Patient Name	: anonymous	Age/Sex	: 25 Yr/F	Acceptance Date : 01-Jan-2023 14:51
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT030	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	11.3	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.2	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 17:01
Patient Name	: anonymous	Age/Sex	: 37 Yr/M	Acceptance Date : 01-Jan-2023 19:49
Sample Type	: Edta Blood	Lab No.	: 230101CB135	Reporting Date : 05-Jan-2023 23:42
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	13.8	13 - 17 g/dl
HCT	42.4	40 - 50 %
RBC	5.14	4.5 - 5.5 x10 ⁶ /μL
MCV	82.5	83 - 101 fL
MCH	26.8	27 - 32 pg
MCHC	32.5	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	12.7	11.6 - 14.0 %
Total Leukocyte Count(TLC)	11.60	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	77.8	40 - 80 %
Lymphocytes	16.6	20 - 40 %
Monocytes	4.3	2 - 10 %
Eosinophils	1.2	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	9.03	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.92	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.50	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.14	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	309	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 11:39
Patient Name	: anonymous	Age/Sex	: 35 Yr/F	Acceptance Date : 01-Jan-2023 14:49
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT027	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	11.4	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.2	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 12:24
Patient Name	: anonymous	Age/Sex	: 18 Yr/M	Acceptance Date : 01-Jan-2023 12:55
Sample Type	: Edta Blood	Lab No.	: 230101CB072	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: OPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.6	13 - 17 g/dl
HCT	30.0	40 - 50 %
RBC	3.82	4.5 - 5.5 x10 ⁶ /μL
MCV	78.5	83 - 101 fL
MCH	25.1	27 - 32 pg
MCHC	32.0	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	13.4	11.6 - 14.0 %
Total Leukocyte Count(TLC)	5.39	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	76.2	40 - 80 %
Lymphocytes	12.1	20 - 40 %
Monocytes	10.6	2 - 10 %
Eosinophils	0.9	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	4.11	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.65	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.57	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.05	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	131	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Transfusion Medicine And Blood Bank

T M B B

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 12:49
Patient Name	: anonymous	Age/Sex	: 69 Yr/M	Acceptance Date : 02-Jan-2023 11:20
Sample Type	: Blood	Lab No.	: 0102BG0003	Reporting Date : 02-Jan-2023 11:52
Referred Doctor	:	Patient Type	: IPD	

Investigation	Result	Unit	Ref. Range
Blood Group	O		
RH Type	Positive		

Note: All Blood Groupings are screening tests only. Blood Transfusion should be done after through Blood group confirmation by cell and serum grouping and cross-matching by AHG to avoid untoward reaction.

Comments:

***** END OF THE REPORT *****

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 17:07
Patient Name	: anonymous	Age/Sex	: 8 Yr/M	Acceptance Date : 01-Jan-2023 23:51
Sample Type	: Edta Blood	Lab No.	: 230101CB146	Reporting Date : 02-Jan-2023 08:46
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.9	11.5 - 15.5 g/dl
HCT	26.5	35 - 45 %
RBC	3.40	4.0 - 5.2 x10 ⁶ /μL
MCV	77.9	77 - 95 fL
MCH	26.2	25 - 33 pg
MCHC	33.6	31 - 37 g/dL
Red Cell Distribution Width (RDW CV)	17.0	11.6 - 14.0 %
Total Leukocyte Count(TLC)	2.65	5 - 13 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	83.0	38 - 68 %
Lymphocytes	13.2	25 - 54 %
Monocytes	3.8	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	2.20	2 - 8 x10 ³ /μL
Absolute Lymphocyte Count	0.35	1 - 5 x10 ³ /μL
Absolute Monocyte Count	0.10	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.00	0.1 - 1 x10 ³ /μL
Absolute Basophil Count	0.00	0.02 - 0.10 x10 ³ /μL
Platelet Count	16	170 - 450 x10 ³ /μL

Comments on PBS : Pancytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 17:34
Patient Name	: anonymous	Age/Sex	: 42 Yr/M	Acceptance Date : 02-Jan-2023 02:17
Sample Type	: Edta Blood	Lab No.	: 230101RT004	Reporting Date : 02-Jan-2023 07:45
Referred Doctor	:	Patient Type	: IPD	

Reticulocyte Count

SPECIMEN: EDTA anticoagulated whole blood

METHOD: Supravital Staining

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Reticulocyte Count	1.08	0.5 - 2.5 %

Note: Corrected Reticulocyte Count :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 17:34
Patient Name	: anonymous	Age/Sex	: 42 Yr/M	Acceptance Date : 02-Jan-2023 02:21
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102AP011	Reporting Date : 02-Jan-2023 07:46
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	29.5	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 11:39
Patient Name	: anonymous	Age/Sex	: 35 Yr/F	Acceptance Date : 01-Jan-2023 13:18
Sample Type	: Edta Blood	Lab No.	: 230101CB094	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.2	12 - 15 g/dl
HCT	29.4	36 - 46 %
RBC	3.60	3.8 - 4.8 x10 ⁶ /μL
MCV	81.7	83 - 101 fL
MCH	25.6	27 - 32 pg
MCHC	31.3	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	19.7	11.6 - 14.0 %
Total Leukocyte Count(TLC)	8.06	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	79.1	40 - 80 %
Lymphocytes	13.6	20 - 40 %
Monocytes	6.5	2 - 10 %
Eosinophils	0.7	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	6.37	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.10	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.52	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.06	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	301	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 16:04
Patient Name	: anonymous	Age/Sex	: 37 Yr/F	Acceptance Date : 01-Jan-2023 19:48
Sample Type	: Edta Blood	Lab No.	: 230101CB126	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	10.5	12 - 15 g/dl
HCT	32.4	36 - 46 %
RBC	3.43	3.8 - 4.8 $\times 10^6$ / μ L
MCV	94.5	83 - 101 fL
MCH	30.6	27 - 32 pg
MCHC	32.4	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	16.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	15.90	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	85.7	40 - 80 %
Lymphocytes	7.7	20 - 40 %
Monocytes	6.5	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	13.62	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.23	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	1.03	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.00	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.02	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	203	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 11:21
Patient Name	: anonymous	Age/Sex	: 55 Yr/M	Acceptance Date : 01-Jan-2023 12:59
Sample Type	: Edta Blood	Lab No.	: 230101CB089	Reporting Date : 10-Jan-2023 16:21
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	6.9	13 - 17 g/dl
HCT	22.2	40 - 50 %
RBC	2.31	4.5 - 5.5 $\times 10^6$ / μ L
MCV	96.1	83 - 101 fL
MCH	29.9	27 - 32 pg
MCHC	31.1	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	2.74	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	60.2	40 - 80 %
Lymphocytes	37.6	20 - 40 %
Monocytes	1.8	2 - 10 %
Eosinophils	0.4	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	1.65	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.03	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.05	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.01	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.00	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	91	150 - 410 $\times 10^3$ / μ L

Comments on PBS : Pancytopenia

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 16:19
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 01-Jan-2023 16:29
Sample Type	: Edta Blood	Lab No.	: 230101CB099	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	12.9	12 - 15 g/dl
HCT	39.9	36 - 46 %
RBC	4.68	3.8 - 4.8 $\times 10^6$ / μ L
MCV	85.3	83 - 101 fL
MCH	27.6	27 - 32 pg
MCHC	32.3	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	16.1	11.6 - 14.0 %
Total Leukocyte Count(TLC)	7.21	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	59.0	40 - 80 %
Lymphocytes	34.7	20 - 40 %
Monocytes	4.6	2 - 10 %
Eosinophils	1.4	01 - 06 %
Basophil	0.3	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	4.26	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	2.50	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.33	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.10	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.02	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	151	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 11:50
Patient Name	: anonymous	Age/Sex	: 19 Yr/F	Acceptance Date : 01-Jan-2023 13:18
Sample Type	: Edta Blood	Lab No.	: 230101CB093	Reporting Date : 05-Jan-2023 23:42
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.0	12 - 15 g/dl
HCT	35.2	36 - 46 %
RBC	4.87	3.8 - 4.8 $\times 10^6$ / μ L
MCV	72.3	83 - 101 fL
MCH	22.6	27 - 32 pg
MCHC	31.3	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	18.2	11.6 - 14.0 %
Total Leukocyte Count(TLC)	6.30	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	61.8	40 - 80 %
Lymphocytes	21.0	20 - 40 %
Monocytes	12.5	2 - 10 %
Eosinophils	4.4	01 - 06 %
Basophil	0.3	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	3.89	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.32	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.79	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.28	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.02	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	586	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 12:04
Patient Name	: anonymous	Age/Sex	: 25 Yr/F	Acceptance Date : 01-Jan-2023 14:51
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP019	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	26.2	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 11:07
Patient Name	: anonymous	Age/Sex	: 67 Yr/M	Acceptance Date : 01-Jan-2023 17:00
Sample Type	: Edta Blood	Lab No.	: 230101CB104	Reporting Date : 05-Jan-2023 23:42
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.6	13 - 17 g/dl
HCT	26.9	40 - 50 %
RBC	2.77	4.5 - 5.5 x10 ⁶ /μL
MCV	97.1	83 - 101 fL
MCH	31.0	27 - 32 pg
MCHC	32.0	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.7	11.6 - 14.0 %
Total Leukocyte Count(TLC)	3.60	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	62.8	40 - 80 %
Lymphocytes	26.9	20 - 40 %
Monocytes	6.7	2 - 10 %
Eosinophils	3.3	01 - 06 %
Basophil	0.3	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	2.26	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.97	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.24	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.12	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	110	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 12:24
Patient Name	: anonymous	Age/Sex	: 18 Yr/M	Acceptance Date : 01-Jan-2023 14:47
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT023	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: OPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	8.7	09.6 - 12.2 sec
International Normalised Ratio (INR)	0.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	54 Yr/F
Sample Type	:	Edta Blood	Lab No.	:	230101CB118
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 17:25
			Acceptance Date	:	01-Jan-2023 19:45
			Reporting Date	:	05-Jan-2023 23:42

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.3	12 - 15 g/dl
HCT	29.5	36 - 46 %
RBC	3.61	3.8 - 4.8 $\times 10^6$ / μ L
MCV	81.7	83 - 101 fL
MCH	25.8	27 - 32 pg
MCHC	31.5	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	13.2	11.6 - 14.0 %
Total Leukocyte Count(TLC)	8.68	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	71.7	40 - 80 %
Lymphocytes	21.8	20 - 40 %
Monocytes	5.2	2 - 10 %
Eosinophils	1.0	01 - 06 %
Basophil	0.3	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	6.22	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.89	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.45	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.09	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.03	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	471	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 16:19
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 01-Jan-2023 19:51
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP024	Reporting Date : 10-Jan-2023 15:48
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	21.8	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 11:16
Patient Name	: anonymous	Age/Sex	: 44 Yr/M	Acceptance Date : 01-Jan-2023 14:50
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP017	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	20.9	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 17:34
Patient Name	: anonymous	Age/Sex	: 42 Yr/M	Acceptance Date : 02-Jan-2023 02:17
Sample Type	: Edta Blood	Lab No.	: 230102CB040	Reporting Date : 02-Jan-2023 08:03
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.2	13 - 17 g/dl
HCT	25.6	40 - 50 %
RBC	2.67	4.5 - 5.5 x10 ⁶ /μL
MCV	95.9	83 - 101 fL
MCH	30.7	27 - 32 pg
MCHC	32.0	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	12.5	11.6 - 14.0 %
Total Leukocyte Count(TLC)	7.48	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	79.3	40 - 80 %
Lymphocytes	18.0	20 - 40 %
Monocytes	2.4	2 - 10 %
Eosinophils	0.3	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.93	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.35	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.18	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.02	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.00	0.02 - 0.10 x10 ³ /μL
Platelet Count	303	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 11:16
Patient Name	: anonymous	Age/Sex	: 44 Yr/M	Acceptance Date : 01-Jan-2023 14:50
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT030	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	9.4	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.0	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 17:34
Patient Name	: anonymous	Age/Sex	: 42 Yr/M	Acceptance Date : 02-Jan-2023 02:21
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102PT007	Reporting Date : 02-Jan-2023 07:46
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	9.6	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.0	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 16:19
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 01-Jan-2023 19:51
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT031	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	9.0	09.6 - 12.2 sec
International Normalised Ratio (INR)	0.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required