



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	19 Yr/F
Sample Type	:	Edta Blood	Lab No.	:	230101CB125
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 12:50
			Acceptance Date	:	01-Jan-2023 19:48
			Reporting Date	:	10-Jan-2023 16:15

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.5	12 - 15 g/dl
HCT	36.5	36 - 46 %
RBC	3.90	3.8 - 4.8 $\times 10^6$ / μ L
MCV	93.6	83 - 101 fL
MCH	29.5	27 - 32 pg
MCHC	31.5	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.8	11.6 - 14.0 %
Total Leukocyte Count(TLC)	14.32	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	85.8	40 - 80 %
Lymphocytes	8.2	20 - 40 %
Monocytes	5.7	2 - 10 %
Eosinophils	0.2	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	12.29	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.17	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.82	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.03	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	231	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 13:03
Patient Name	: anonymous	Age/Sex	: 53 Yr/F	Acceptance Date : 01-Jan-2023 19:47
Sample Type	: Edta Blood	Lab No.	: 230101CB121	Reporting Date : 05-Jan-2023 23:42
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.5	12 - 15 g/dl
HCT	28.6	36 - 46 %
RBC	3.49	3.8 - 4.8 $\times 10^6$ / μ L
MCV	81.9	83 - 101 fL
MCH	27.2	27 - 32 pg
MCHC	33.2	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	17.2	11.6 - 14.0 %
Total Leukocyte Count(TLC)	10.98	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	81.4	40 - 80 %
Lymphocytes	16.4	20 - 40 %
Monocytes	2.0	2 - 10 %
Eosinophils	0.1	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	8.94	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.80	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.22	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.01	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	345	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 13:00
Patient Name	: anonymous	Age/Sex	: 58 Yr/F	Acceptance Date : 01-Jan-2023 17:01
Sample Type	: Edta Blood	Lab No.	: 230101CB110	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.2	12 - 15 g/dl
HCT	26.4	36 - 46 %
RBC	3.39	3.8 - 4.8 x10 ⁶ /μL
MCV	77.9	83 - 101 fL
MCH	24.2	27 - 32 pg
MCHC	31.1	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	16.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	7.47	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	77.7	40 - 80 %
Lymphocytes	14.3	20 - 40 %
Monocytes	7.6	2 - 10 %
Eosinophils	0.4	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.80	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.07	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.57	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.03	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.00	0.02 - 0.10 x10 ³ /μL
Platelet Count	289	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 12:57
Patient Name	: anonymous	Age/Sex	: 39 Yr/F	Acceptance Date : 01-Jan-2023 14:48
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP015	Reporting Date : 02-Jan-2023 15:14
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	> 180	23.2 - 32.4 sec

Test repeated twice. Kindly correlate clinically

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Transfusion Medicine And Blood Bank

T M B B

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 11:17
Patient Name	: anonymous	Age/Sex	: 17 Yr/M	Acceptance Date : 01-Jan-2023 13:58
Sample Type	: Blood	Lab No.	: 0101BG0010	Reporting Date : 06-Jan-2023 09:54
Referred Doctor	:	Patient Type	: IPD	

Investigation	Result	Unit	Ref. Range
Blood Group	B		
RH Type	Positive		

Note: All Blood Groupings are screening tests only. Blood Transfusion should be done after through Blood group confirmation by cell and serum grouping and cross-matching by AHG to avoid untoward reaction.

Comments:

***** END OF THE REPORT *****

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 12:57
Patient Name	: anonymous	Age/Sex	: 39 Yr/F	Acceptance Date : 01-Jan-2023 14:48
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT026	Reporting Date : 02-Jan-2023 16:05
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	11.5	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.2	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required