



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:58
Patient Name	: anonymous	Age/Sex	: 53 Yr/F	Acceptance Date : 02-Jan-2023 02:32
Sample Type	: Serum	Lab No.	: 0026	Reporting Date : 02-Jan-2023 09:51
Referred Doctor	:	Patient Type	: IPD	

Lipid Profile

Investigation	Result	Unit	Biological Reference Interval
Total Cholesterol	195	mg/dl	< 200
HDL	<u>37</u>	mg/dl	40 - 60
LDL	122	mg/dl	100 - 129

Rft

Creatinine	<u>3.03</u>	mg/dl	0.6 - 1.1
Sodium	<u>123</u>	mmol/L	135 - 145
Potassium	4.64	mmol/L	3.5 - 5
Chloride	<u>96</u>	mmol/L	102 - 109

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:35
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 02-Jan-2023 13:02
Sample Type	: Plasma	Lab No.	: 0247, 0245, 0249	Reporting Date : 02-Jan-2023 15:00
Referred Doctor	:	Patient Type	: IPD	

Ogtt

Investigation	Result	Unit	Biological Reference Interval
Fasting Plasma Glucose	91		
Glucose 1 Hr			189
Glucose 2hr			118

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 02:22
Patient Name	: anonymous	Age/Sex	: 34 Yr/M	Acceptance Date : 02-Jan-2023 02:34
Sample Type	: Serum	Lab No.	: 0036	Reporting Date : 02-Jan-2023 09:46
Referred Doctor	:	Patient Type	: OPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	0.45	mg/dl	0.3 - 1.3
Direct Bilirubin	0.15	mg/dl	0.1 - 0.4
Indirect Bilirubin	0.30	mg/dl	0.20 - 0.90
AST	<u>128</u>	U/L	12 - 38
GGT	<u>121</u>	U/L	9 - 58
ALP	<u>296</u>	U/L	50 - 116
Total Protein	<u>5.7</u>	gm/dL	6.7 - 8.6

Rft

Creatinine	1.27	mg/dl	0.9 - 1.3
Sodium	<u>131</u>	mmol/L	135 - 145
Potassium	<u>3.40</u>	mmol/L	3.5 - 5

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 02:22
Patient Name	: anonymous	Age/Sex	: 34 Yr/M	Acceptance Date : 02-Jan-2023 02:34
Sample Type	: Serum	Lab No.	: 0036	Reporting Date : 02-Jan-2023 09:46
Referred Doctor	:	Patient Type	: OPD	

Chloride 101 mmol/L 102 - 109

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:36
Patient Name	: anonymous	Age/Sex	: 55 Yr/M	Acceptance Date : 02-Jan-2023 12:23
Sample Type	: Serum	Lab No.	: 0159	Reporting Date : 02-Jan-2023 14:55
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	0.75		
Sodium		133	
Potassium		4.83	
Chloride		98	

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 09:07
Patient Name	: anonymous	Age/Sex	: 70 Yr/M	Acceptance Date : 01-Jan-2023 14:23
Sample Type	: Serum	Lab No.	: 0121	Reporting Date : 01-Jan-2023 18:25
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	1.94		
Direct Bilirubin			1.38
Indirect Bilirubin			0.56
AST			22
GGT			30
ALP			74
Total Protein			3.8

Rft

Creatinine	5.17
Sodium	141
Potassium	5.64

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 09:07
Patient Name	: anonymous	Age/Sex	: 70 Yr/M	Acceptance Date : 01-Jan-2023 14:23
Sample Type	: Serum	Lab No.	: 0121	Reporting Date : 01-Jan-2023 18:25
Referred Doctor	:	Patient Type	: IPD	

Chloride		112	
Calcium		7.2	
Ionized Calcium		1.11	
Phosphorous	<u>6.7</u>	mg/dL	2.8 - 4.7

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 13:17
Patient Name	: anonymous	Age/Sex	: 62 Yr/M	Acceptance Date : 01-Jan-2023 14:35
Sample Type	: Serum	Lab No.	: 0140	Reporting Date : 04-Jan-2023 15:33
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	1.06	mg/dl	0.9 - 1.3
Sodium	<u>134</u>	mmol/L	135 - 145
Potassium	3.98	mmol/L	3.5 - 5
Chloride	<u>97</u>	mmol/L	102 - 109

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:00
Patient Name	: anonymous	Age/Sex	: 18 Yr/F	Acceptance Date : 02-Jan-2023 00:19
Sample Type	: Serum	Lab No.	: 0008	Reporting Date : 02-Jan-2023 10:03
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	4.3		

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	56 Yr/M
Sample Type	:	Urine	Lab No.	:	0101
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 10:04
			Acceptance Date	:	01-Jan-2023 12:34
			Reporting Date	:	04-Jan-2023 17:42

Investigation	Result	Unit	Biological Reference Interval
urine chloride	<u>61</u>	mmol/l	140 - 250
Urine Protein Random	485.8	mg/dl	- - -
Urine Sodium	<u>66</u>	mmol/L	100 - 260

Comments:

**GIVEN REFERENCE RANGE IS FOR 24-HOUR URINE ELECTROLYTES AND NOT FOR SPOT URINE. KINDLY CORRELATE CLINICALLY.

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 13:24
Patient Name	: anonymous	Age/Sex	: 46 Yr/F	Acceptance Date : 01-Jan-2023 17:32
Sample Type	: Serum	Lab No.	: 0150	Reporting Date : 02-Jan-2023 09:45
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	1.06		
Direct Bilirubin		0.61	
Indirect Bilirubin		0.45	
AST		23	
GGT		37	
ALP		137	
Total Protein		5.8	

Rft

Creatinine	1.71
Sodium	139
Potassium	3.26

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 13:24
Patient Name	: anonymous	Age/Sex	: 46 Yr/F	Acceptance Date : 01-Jan-2023 17:32
Sample Type	: Serum	Lab No.	: 0150	Reporting Date : 02-Jan-2023 09:45
Referred Doctor	:	Patient Type	: IPD	

Chloride

101

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 09:47
Patient Name	: anonymous	Age/Sex	: 11 Mth/M	Acceptance Date : 01-Jan-2023 12:10
Sample Type	: Serum	Lab No.	: 0088	Reporting Date : 04-Jan-2023 15:33
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	0.57		
Sodium		140	
Potassium		<2.8	
Chloride		117	

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:48
Patient Name	: anonymous	Age/Sex	: 46 Yr/M	Acceptance Date : 01-Jan-2023 23:44
Sample Type	: Serum	Lab No.	: 0197	Reporting Date : 02-Jan-2023 10:03
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	<u>1.77</u>	mg/dl	0.9 - 1.3
Sodium	<u>128</u>	mmol/L	135 - 145
Potassium	<u>5.95</u>	mmol/L	3.5 - 5
Chloride	102	mmol/L	102 - 109

Liver Fuction Test (Lft)

Total Bilirubin	<u>10.93</u>	mg/dl	0.3 - 1.3
Direct Bilirubin	<u>5.51</u>	mg/dl	0.1 - 0.4
Indirect Bilirubin	<u>5.42</u>	mg/dl	0.20 - 0.90
AST	<u>54</u>	U/L	12 - 38
GGT	28	U/L	9 - 58
ALP	64	U/L	50 - 116

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:48
Patient Name	: anonymous	Age/Sex	: 46 Yr/M	Acceptance Date : 01-Jan-2023 23:44
Sample Type	: Serum	Lab No.	: 0197	Reporting Date : 02-Jan-2023 10:03
Referred Doctor	:	Patient Type	: IPD	

Total Protein 8.0 gm/dL 6.7 - 8.6

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:41
Patient Name	: anonymous	Age/Sex	: 3 Yr/F	Acceptance Date : 01-Jan-2023 23:27
Sample Type	: Serum	Lab No.	: 0188	Reporting Date : 02-Jan-2023 09:48
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	1.38		
Direct Bilirubin			0.23
Indirect Bilirubin			1.15
AST			11
GGT			29
ALP			80
Total Protein			5.4

Rft

Creatinine	0.25
Sodium	130
Potassium	2.56

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:41
Patient Name	: anonymous	Age/Sex	: 3 Yr/F	Acceptance Date : 01-Jan-2023 23:27
Sample Type	: Serum	Lab No.	: 0188	Reporting Date : 02-Jan-2023 09:48
Referred Doctor	:	Patient Type	: IPD	

Chloride

96

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 09:16
Patient Name	: anonymous	Age/Sex	: 36 Yr/M	Acceptance Date : 01-Jan-2023 10:05
Sample Type	: Serum	Lab No.	: 0057	Reporting Date : 04-Jan-2023 15:33
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	<u>12.09</u>	mg/dl	0.9 - 1.3
Sodium	<u>120</u>	mmol/L	135 - 145
Potassium	3.63	mmol/L	3.5 - 5
Chloride	<u>84</u>	mmol/L	102 - 109

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 13:24
Patient Name	: anonymous	Age/Sex	: 46 Yr/F	Acceptance Date : 01-Jan-2023 17:32
Sample Type	: Serum	Lab No.	: 0150	Reporting Date : 02-Jan-2023 09:51
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	9.6		

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:00
Patient Name	: anonymous	Age/Sex	: 32 Yr/M	Acceptance Date : 02-Jan-2023 00:18
Sample Type	: Serum	Lab No.	: 0007	Reporting Date : 02-Jan-2023 09:48
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	1.26		
Sodium			128
Potassium			4.79
Chloride			97

Liver Fuction Test (Lft)

Total Bilirubin	2.15
Direct Bilirubin	0.57
Indirect Bilirubin	1.58
AST	17
GGT	70
ALP	126

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:00
Patient Name	: anonymous	Age/Sex	: 32 Yr/M	Acceptance Date : 02-Jan-2023 00:18
Sample Type	: Serum	Lab No.	: 0007	Reporting Date : 02-Jan-2023 09:48
Referred Doctor	:	Patient Type	: IPD	

Total Protein

5.3

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 10:00
Patient Name	: anonymous	Age/Sex	: 26 Yr/F	Acceptance Date : 01-Jan-2023 14:21
Sample Type	: Serum	Lab No.	: 0115	Reporting Date : 04-Jan-2023 15:28
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	<u>0.51</u>	mg/dl	0.6 - 1.1
Sodium	138	mmol/L	135 - 145
Potassium	3.92	mmol/L	3.5 - 5
Chloride	105	mmol/L	102 - 109

Liver Fuction Test (Lft)

Total Bilirubin	0.83	mg/dl	0.3 - 1.3
Direct Bilirubin	0.20	mg/dl	0.1 - 0.4
Indirect Bilirubin	0.63	mg/dl	0.20 - 0.90
AST	23	U/L	12 - 38
GGT	9	U/L	9 - 58
ALP	<u>243</u>	U/L	46 - 122

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 10:00
Patient Name	: anonymous	Age/Sex	: 26 Yr/F	Acceptance Date : 01-Jan-2023 14:21
Sample Type	: Serum	Lab No.	: 0115	Reporting Date : 04-Jan-2023 15:28
Referred Doctor	:	Patient Type	: IPD	

Total Protein **6.3** gm/dL 6.7 - 8.6

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 10:00
Patient Name	: anonymous	Age/Sex	: 26 Yr/F	Acceptance Date : 01-Jan-2023 14:21
Sample Type	: Serum	Lab No.	: 0115	Reporting Date : 04-Jan-2023 15:33
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	6.3	mg/dl	2.5 - 6.8

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:51
Patient Name	: anonymous	Age/Sex	: 1 Yr/M	Acceptance Date : 01-Jan-2023 23:43
Sample Type	: Serum	Lab No.	: 0192	Reporting Date : 02-Jan-2023 10:03
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	<u>0.68</u>	mg/dl	0.9 - 1.3
Sodium	<u>150</u>	mmol/L	135 - 145
Potassium	<u>3.14</u>	mmol/L	3.5 - 5
Chloride	<u>120</u>	mmol/L	102 - 109

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:52
Patient Name	: anonymous	Age/Sex	: 17 Yr/M	Acceptance Date : 01-Jan-2023 12:11
Sample Type	: Serum	Lab No.	: 0092	Reporting Date : 04-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	7.1		

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 08:36
Patient Name	: anonymous	Age/Sex	: 57 Yr/F	Acceptance Date : 01-Jan-2023 12:07
Sample Type	: Serum	Lab No.	: 0071	Reporting Date : 04-Jan-2023 15:28
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	0.41		
Direct Bilirubin			0.11
Indirect Bilirubin			0.30
AST			24
GGT			125
ALP			195
Total Protein			6.9

Rft

Creatinine	2.93
Sodium	129
Potassium	4.53

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 08:36
Patient Name	: anonymous	Age/Sex	: 57 Yr/F	Acceptance Date : 01-Jan-2023 12:07
Sample Type	: Serum	Lab No.	: 0071	Reporting Date : 04-Jan-2023 15:28
Referred Doctor	:	Patient Type	: IPD	

Chloride

88

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 09:07
Patient Name	: anonymous	Age/Sex	: 70 Yr/M	Acceptance Date : 01-Jan-2023 14:23
Sample Type	: Serum	Lab No.	: 0121	Reporting Date : 01-Jan-2023 18:26
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	10.5		

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	65 Yr/F
Sample Type	:	Blood	Lab No.	:	0080
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 08:59
			Acceptance Date	:	01-Jan-2023 12:09
			Reporting Date	:	04-Jan-2023 14:51

Investigation

Result

Unit

Biological
Reference
Interval

Amylase

135

u/l

20 - 96

Lipase

387

U/L

3 - 43

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 10:04
Patient Name	: anonymous	Age/Sex	: 56 Yr/M	Acceptance Date : 01-Jan-2023 12:31
Sample Type	: Serum	Lab No.	: 0100	Reporting Date : 04-Jan-2023 15:33
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	<u>11.4</u>	mg/dl	3.6 - 7.7

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:38
Patient Name	: anonymous	Age/Sex	: 38 Yr/M	Acceptance Date : 02-Jan-2023 00:40
Sample Type	: Serum	Lab No.	: 0015	Reporting Date : 02-Jan-2023 09:48
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	<u>0.27</u>	mg/dl	0.3 - 1.3
Direct Bilirubin	<u>0.07</u>	mg/dl	0.1 - 0.4
Indirect Bilirubin	0.20	mg/dl	0.20 - 0.90
AST	28	U/L	12 - 38
GGT	<u>81</u>	U/L	9 - 58
ALP	78	U/L	50 - 116
Total Protein	<u>5.9</u>	gm/dL	6.7 - 8.6

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 09:42
Patient Name	: anonymous	Age/Sex	: 30 Yr/M	Acceptance Date : 01-Jan-2023 14:18
Sample Type	: Serum	Lab No.	: 0108	Reporting Date : 01-Jan-2023 18:26
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	<u>2.5</u>	mg/dl	3.6 - 7.7

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:48
Patient Name	: anonymous	Age/Sex	: 46 Yr/M	Acceptance Date : 01-Jan-2023 23:44
Sample Type	: Serum	Lab No.	: 0197	Reporting Date : 02-Jan-2023 10:03
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	<u>9.8</u>	mg/dl	3.6 - 7.7

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:52
Patient Name	: anonymous	Age/Sex	: 17 Yr/M	Acceptance Date : 01-Jan-2023 12:11
Sample Type	: Serum	Lab No.	: 0092	Reporting Date : 04-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	4.56		
Sodium		140	
Potassium		3.69	
Chloride		96	

Liver Fuction Test (Lft)

Total Bilirubin	7.96
Direct Bilirubin	5.33
Indirect Bilirubin	2.63
AST	49
GGT	58
ALP	102

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:52
Patient Name	: anonymous	Age/Sex	: 17 Yr/M	Acceptance Date : 01-Jan-2023 12:11
Sample Type	: Serum	Lab No.	: 0092	Reporting Date : 04-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Total Protein

5.4

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:36
Patient Name	: anonymous	Age/Sex	: 47 Yr/M	Acceptance Date : 02-Jan-2023 00:40
Sample Type	: Serum	Lab No.	: 0014	Reporting Date : 02-Jan-2023 10:03
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	***		
Sodium			***
Potassium			***
Chloride			***

Comments:

Hemolysed sample kindly send repeat sample

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:41
Patient Name	: anonymous	Age/Sex	: 3 Yr/F	Acceptance Date : 01-Jan-2023 23:27
Sample Type	: Serum	Lab No.	: 0188	Reporting Date : 02-Jan-2023 10:03
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	1.8		

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 09:42
Patient Name	: anonymous	Age/Sex	: 30 Yr/M	Acceptance Date : 01-Jan-2023 14:18
Sample Type	: Serum	Lab No.	: 0108	Reporting Date : 01-Jan-2023 18:26
Referred Doctor	:	Patient Type	: IPD	

Lipid Profile

Investigation	Result	Unit	Biological Reference Interval
Total Cholesterol	118	mg/dl	< 200
HDL	47	mg/dl	40 - 60
LDL	<u>54</u>	mg/dl	100 - 129
Phosphorous	<u>19.2</u>	mg/dL	2.8 - 4.7
Calcium	9.2	mg/dL	08.7 - 10.4
Ionized Calcium	1.21	mmol/L	1.12 - 1.32

Rft

Creatinine	1.07	mg/dl	0.9 - 1.3
Sodium	142	mmol/L	135 - 145
Potassium	<u>5.39</u>	mmol/L	3.5 - 5
Chloride	<u>82</u>	mmol/L	102 - 109

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 09:42
Patient Name	: anonymous	Age/Sex	: 30 Yr/M	Acceptance Date : 01-Jan-2023 14:18
Sample Type	: Serum	Lab No.	: 0108	Reporting Date : 01-Jan-2023 18:26
Referred Doctor	:	Patient Type	: IPD	

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:10
Patient Name	: anonymous	Age/Sex	: 45 Yr/M	Acceptance Date : 05-Jan-2023 11:30
Sample Type	: Serum	Lab No.	: 0146	Reporting Date : 06-Jan-2023 10:55
Referred Doctor	:	Patient Type	: IPD	

Lipid Profile

Investigation	Result	Unit	Biological Reference Interval
Total Cholesterol	138	mg/dl	< 200
HDL	<u>21</u>	mg/dl	40 - 60
LDL	<u>93</u>	mg/dl	100 - 129

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:39
Patient Name	: anonymous	Age/Sex	: 5 D/M	Acceptance Date : 02-Jan-2023 00:49
Sample Type	: Serum	Lab No.	: 0018	Reporting Date : 02-Jan-2023 10:02
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	<u>0.59</u>	mg/dl	0.9 - 1.3
Sodium	<u>124</u>	mmol/L	135 - 145
Potassium	4.53	mmol/L	3.5 - 5
Chloride	<u>95</u>	mmol/L	102 - 109

Liver Fuction Test (Lft)

Total Bilirubin	<u>1.60</u>	mg/dl	0.3 - 1.3
Direct Bilirubin	0.24	mg/dl	0.1 - 0.4
Indirect Bilirubin	<u>1.36</u>	mg/dl	0.20 - 0.90
AST	<u>54</u>	U/L	12 - 38
GGT	<u>90</u>	U/L	9 - 58
ALP	51		-

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:39
Patient Name	: anonymous	Age/Sex	: 5 D/M	Acceptance Date : 02-Jan-2023 00:49
Sample Type	: Serum	Lab No.	: 0018	Reporting Date : 02-Jan-2023 10:02
Referred Doctor	:	Patient Type	: IPD	

Total Protein	4.5	gm/dL	6.7 - 8.6
Calcium	8.5	mg/dL	- - -
Ionized Calcium	1.18	mmol/L	1.12 - 1.32

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 13:18
Patient Name	: anonymous	Age/Sex	: 1 Yr/M	Acceptance Date : 01-Jan-2023 14:35
Sample Type	: Serum	Lab No.	: 0141	Reporting Date : 04-Jan-2023 15:33
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	0.48		
Sodium			137
Potassium			4.57
Chloride			108

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 13:27
Patient Name	: anonymous	Age/Sex	: 8 D/M	Acceptance Date : 01-Jan-2023 14:14
Sample Type	: Serum	Lab No.	: 0103	Reporting Date : 04-Jan-2023 15:33
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	<u>2.2</u>	mg/dl	3.6 - 7.7

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 08:00
Patient Name	: anonymous	Age/Sex	: 53 Yr/M	Acceptance Date : 01-Jan-2023 12:07
Sample Type	: Serum	Lab No.	: 0073	Reporting Date : 04-Jan-2023 15:28
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	0.93	mg/dl	0.3 - 1.3
Direct Bilirubin	0.36	mg/dl	0.1 - 0.4
Indirect Bilirubin	0.57	mg/dl	0.20 - 0.90
AST	21	U/L	12 - 38
GGT	<u>100</u>	U/L	9 - 58
ALP	<u>158</u>	U/L	50 - 116
Total Protein	<u>6.2</u>	gm/dL	6.7 - 8.6

Rft

Creatinine	1.17	mg/dl	0.9 - 1.3
Sodium	<u>134</u>	mmol/L	135 - 145
Potassium	<u>3.16</u>	mmol/L	3.5 - 5

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 08:00
Patient Name	: anonymous	Age/Sex	: 53 Yr/M	Acceptance Date : 01-Jan-2023 12:07
Sample Type	: Serum	Lab No.	: 0073	Reporting Date : 04-Jan-2023 15:28
Referred Doctor	:	Patient Type	: IPD	

Chloride 97 mmol/L 102 - 109

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 02:22
Patient Name	: anonymous	Age/Sex	: 34 Yr/M	Acceptance Date : 02-Jan-2023 02:34
Sample Type	: Serum	Lab No.	: 0036	Reporting Date : 02-Jan-2023 09:54
Referred Doctor	:	Patient Type	: OPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	<u>2.6</u>	mg/dl	3.6 - 7.7

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required