



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 10:59
Patient Name	: anonymous	Age/Sex	: 28 Yr/M	Acceptance Date : 01-Jan-2023 14:25
Sample Type	: Serum	Lab No.	: 0128	Reporting Date : 04-Jan-2023 17:40
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	8.7		

Comments:

** CRITICALLY HIGH SERUM LEVEL OF CHLORIDE HAS BEEN ESTIMATED IN THE SAMPLE. CORRELATE CLINICALLY.

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:26
Patient Name	: anonymous	Age/Sex	: 1 Yr/M	Acceptance Date : 01-Jan-2023 02:35
Sample Type	: Serum	Lab No.	: 0053	Reporting Date : 04-Jan-2023 15:14
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	6.6	mg/dl	3.6 - 7.7

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 23:17
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 02-Jan-2023 16:40
Sample Type	: Serum	Lab No.	: 0554	Reporting Date : 02-Jan-2023 18:35
Referred Doctor	:	Patient Type	: IPD	

Investigation	Result	Unit	Biological Reference Interval
Sodium	134		
Potassium			5.92
Chloride			96

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:35
Patient Name	: anonymous	Age/Sex	: 22 Yr/F	Acceptance Date : 01-Jan-2023 02:18
Sample Type	: Serum	Lab No.	: 0049	Reporting Date : 04-Jan-2023 15:04
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	0.26		
Direct Bilirubin			0.03
Indirect Bilirubin			0.23
AST			17
GGT			12
ALP			66
Total Protein			5.7

Rft

Creatinine	0.52
Sodium	139
Potassium	3.91

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:35
Patient Name	: anonymous	Age/Sex	: 22 Yr/F	Acceptance Date : 01-Jan-2023 02:18
Sample Type	: Serum	Lab No.	: 0049	Reporting Date : 04-Jan-2023 15:04
Referred Doctor	:	Patient Type	: IPD	

Chloride 99

LDH 187

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:20
Patient Name	: anonymous	Age/Sex	: 56 Yr/M	Acceptance Date : 01-Jan-2023 14:29
Sample Type	: Serum	Lab No.	: 0138	Reporting Date : 04-Jan-2023 15:14
Referred Doctor	:	Patient Type	: IPD	

Investigation	Result	Unit	Biological Reference Interval
Sodium	136		
Potassium			4.20
Chloride			100

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:38
Patient Name	: anonymous	Age/Sex	: 34 Yr/F	Acceptance Date : 01-Jan-2023 12:12
Sample Type	: Serum	Lab No.	: 0095	Reporting Date : 01-Jan-2023 14:37
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	0.62		
Direct Bilirubin			0.13
Indirect Bilirubin			0.49
AST			48
GGT			9
ALP			57
Total Protein			6.0

Rft

Creatinine	0.74
Sodium	134
Potassium	4.14

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:38
Patient Name	: anonymous	Age/Sex	: 34 Yr/F	Acceptance Date : 01-Jan-2023 12:12
Sample Type	: Serum	Lab No.	: 0095	Reporting Date : 01-Jan-2023 14:37
Referred Doctor	:	Patient Type	: IPD	

Chloride

101

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:41
Patient Name	: anonymous	Age/Sex	: 74 Yr/M	Acceptance Date : 01-Jan-2023 23:28
Sample Type	: Serum	Lab No.	: 0189	Reporting Date : 02-Jan-2023 10:07
Referred Doctor	:	Patient Type	: IPD	

Investigation

Result

Unit

Biological
Reference
Interval

Sodium

127

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:50
Patient Name	: anonymous	Age/Sex	: 70 Yr/F	Acceptance Date : 01-Jan-2023 23:45
Sample Type	: Serum	Lab No.	: 0199	Reporting Date : 02-Jan-2023 09:48
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	1.06		
Direct Bilirubin			0.32
Indirect Bilirubin			0.74
AST			34
GGT			389
ALP			719
Total Protein			5.3

Rft

Creatinine	2.35
Sodium	128
Potassium	3.68

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:50
Patient Name	: anonymous	Age/Sex	: 70 Yr/F	Acceptance Date : 01-Jan-2023 23:45
Sample Type	: Serum	Lab No.	: 0199	Reporting Date : 02-Jan-2023 09:48
Referred Doctor	:	Patient Type	: IPD	

Chloride

101

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:35
Patient Name	: anonymous	Age/Sex	: 22 Yr/F	Acceptance Date : 01-Jan-2023 02:18
Sample Type	: Serum	Lab No.	: 0049	Reporting Date : 01-Jan-2023 10:49
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	4.6		

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:20
Patient Name	: anonymous	Age/Sex	: 45 Yr/M	Acceptance Date : 01-Jan-2023 17:33
Sample Type	: Serum	Lab No.	: 0153	Reporting Date : 02-Jan-2023 10:06
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	5.8	mg/dl	3.6 - 7.7

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:42
Patient Name	: anonymous	Age/Sex	: 30 Yr/M	Acceptance Date : 02-Jan-2023 12:16
Sample Type	: Serum	Lab No.	: 0137	Reporting Date : 02-Jan-2023 14:55
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	1.22	mg/dl	0.3 - 1.3
Direct Bilirubin	0.28	mg/dl	0.1 - 0.4
Indirect Bilirubin	<u>0.94</u>	mg/dl	0.20 - 0.90
AST	<u>72</u>	U/L	12 - 38
GGT	<u>227</u>	U/L	9 - 58
ALP	<u>125</u>	U/L	50 - 116
Total Protein	<u>5.8</u>	gm/dL	6.7 - 8.6

Rft

Creatinine	<u>0.72</u>	mg/dl	0.9 - 1.3
Sodium	135	mmol/L	135 - 145
Potassium	4.15	mmol/L	3.5 - 5

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:42
Patient Name	: anonymous	Age/Sex	: 30 Yr/M	Acceptance Date : 02-Jan-2023 12:16
Sample Type	: Serum	Lab No.	: 0137	Reporting Date : 02-Jan-2023 14:55
Referred Doctor	:	Patient Type	: IPD	

Chloride 94 mmol/L 102 - 109

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:38
Patient Name	: anonymous	Age/Sex	: 34 Yr/F	Acceptance Date : 01-Jan-2023 12:12
Sample Type	: Serum	Lab No.	: 0095	Reporting Date : 01-Jan-2023 14:37
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	3.4		

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:20
Patient Name	: anonymous	Age/Sex	: 24 Yr/F	Acceptance Date : 01-Jan-2023 17:42
Sample Type	: Serum	Lab No.	: 0158	Reporting Date : 02-Jan-2023 09:46
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	<u>2.83</u>	mg/dl	0.3 - 1.3
Direct Bilirubin	<u>0.69</u>	mg/dl	0.1 - 0.4
Indirect Bilirubin	<u>2.14</u>	mg/dl	0.20 - 0.90
AST	<u>89</u>	U/L	12 - 38
GGT	31	U/L	9 - 58
ALP	82	U/L	46 - 122
Total Protein	<u>6.2</u>	gm/dL	6.7 - 8.6

Rft

Creatinine	0.79	mg/dl	0.6 - 1.1
Sodium	137	mmol/L	135 - 145
Potassium	4.96	mmol/L	3.5 - 5

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:20
Patient Name	: anonymous	Age/Sex	: 24 Yr/F	Acceptance Date : 01-Jan-2023 17:42
Sample Type	: Serum	Lab No.	: 0158	Reporting Date : 02-Jan-2023 09:46
Referred Doctor	:	Patient Type	: IPD	

Chloride	<u>81</u>	mmol/L	102 - 109
Calcium	8.9	mg/dL	08.7 - 10.2
Ionized Calcium	1.19	mmol/L	1.12 - 1.32
Phosphorous	3.8	mg/dL	3.1 - 4.8

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:21
Patient Name	: anonymous	Age/Sex	: 52 Yr/F	Acceptance Date : 01-Jan-2023 18:49
Sample Type	: Serum	Lab No.	: 0168	Reporting Date : 02-Jan-2023 10:06
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	<u>1.9</u>	mg/dl	2.5 - 6.8

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 23:17
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 02-Jan-2023 00:11
Sample Type	: Serum	Lab No.	: 0001	Reporting Date : 02-Jan-2023 09:44
Referred Doctor	:	Patient Type	: IPD	

Investigation	Result	Unit	Biological Reference Interval
Sodium	126		
Potassium			4.88
Chloride			88

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 10:34
Patient Name	: anonymous	Age/Sex	: 48 Yr/F	Acceptance Date : 01-Jan-2023 14:24
Sample Type	: Serum	Lab No.	: 0123	Reporting Date : 04-Jan-2023 15:33
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	5.6		

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:13
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 01-Jan-2023 17:43
Sample Type	: Serum	Lab No.	: 0162	Reporting Date : 02-Jan-2023 10:06
Referred Doctor	:	Patient Type	: IPD	

Investigation	Result	Unit	Biological Reference Interval
Serum Iron	<u>4</u>	microg/dL	41 - 141
TIBC	276	microgm/dL	251 - 406

Rft

Creatinine	0.64
Sodium	125
Potassium	5.87
Chloride	90

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	:	-	ABHA ADDRESS	:	-	
CR No	:	-	Sample No.	:	-	Collection Date : 01-Jan-2023 22:51
Patient Name	:	anonymous	Age/Sex	:	58 Yr/M	Acceptance Date : 02-Jan-2023 12:12
Sample Type	:	Blood	Lab No.	:	0124	Reporting Date : 02-Jan-2023 14:51
Referred Doctor	:		Patient Type	:	IPD	

Investigation

Result

Unit

Biological
Reference
Interval

LDH

412

u/l

230 - 460

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 10:28
Patient Name	: anonymous	Age/Sex	: 76 Yr/M	Acceptance Date : 01-Jan-2023 17:34
Sample Type	: Serum	Lab No.	: 0154	Reporting Date : 02-Jan-2023 09:51
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	3.3		

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 10:14
Patient Name	: anonymous	Age/Sex	: 19 Yr/F	Acceptance Date : 01-Jan-2023 14:22
Sample Type	: Serum	Lab No.	: 0118	Reporting Date : 04-Jan-2023 15:33
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	2.8	mg/dl	2.5 - 6.8

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	:	-	ABHA ADDRESS	:	-	
CR No	:	-	Sample No.	:	-	Collection Date : 01-Jan-2023 15:21
Patient Name	:	anonymous	Age/Sex	:	52 Yr/F	Acceptance Date : 01-Jan-2023 18:49
Sample Type	:	Serum	Lab No.	:	0168	Reporting Date : 02-Jan-2023 10:06
Referred Doctor	:		Patient Type	:	IPD	

Investigation	Result	Unit	Biological Reference Interval
Calcium	9.8	mg/dL	08.7 - 10.2
Ionized Calcium	<u>1.42</u>	mmol/L	1.12 - 1.32
Phosphorous	<u>3.0</u>	mg/dL	3.1 - 4.8

Liver Fuction Test (Lft)

Total Bilirubin	0.53	mg/dl	0.3 - 1.3
Direct Bilirubin	<u>0.08</u>	mg/dl	0.1 - 0.4
Indirect Bilirubin	0.45	mg/dl	0.20 - 0.90
AST	<u>7</u>	U/L	12 - 38
GGT	10	U/L	9 - 58
ALP	<u>150</u>	U/L	46 - 122
Total Protein	<u>6.2</u>	gm/dL	6.7 - 8.6

Rft

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:21
Patient Name	: anonymous	Age/Sex	: 52 Yr/F	Acceptance Date : 01-Jan-2023 18:49
Sample Type	: Serum	Lab No.	: 0168	Reporting Date : 02-Jan-2023 10:06
Referred Doctor	:	Patient Type	: IPD	

Creatinine	<u>0.50</u>	mg/dl	0.6 - 1.1
Sodium	<u>128</u>	mmol/L	135 - 145
Potassium	4.34	mmol/L	3.5 - 5
Chloride	<u>88</u>	mmol/L	102 - 109

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 14:39
Patient Name	: anonymous	Age/Sex	: 50 Yr/F	Acceptance Date : 01-Jan-2023 17:43
Sample Type	: Serum	Lab No.	: 0161	Reporting Date : 02-Jan-2023 09:44
Referred Doctor	:	Patient Type	: IPD	

Investigation	Result	Unit	Biological Reference Interval
Sodium	156		
Potassium		4.77	
Chloride		>120	

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:47
Patient Name	: anonymous	Age/Sex	: 38 Yr/F	Acceptance Date : 01-Jan-2023 23:46
Sample Type	: Serum	Lab No.	: 0202	Reporting Date : 02-Jan-2023 10:02
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	0.64		
Sodium		141	
Potassium		2.98	
Chloride		98	

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 10:05
Patient Name	: anonymous	Age/Sex	: 9 Yr/M	Acceptance Date : 01-Jan-2023 12:10
Sample Type	: Serum	Lab No.	: 0084	Reporting Date : 04-Jan-2023 17:51
Referred Doctor	:	Patient Type	: IPD	

Investigation

Result

Unit

Biological
Reference
Interval

LDH

333

u/l

230 - 460

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 10:14
Patient Name	: anonymous	Age/Sex	: 19 Yr/F	Acceptance Date : 01-Jan-2023 14:22
Sample Type	: Serum	Lab No.	: 0118	Reporting Date : 04-Jan-2023 15:28
Referred Doctor	:	Patient Type	: IPD	

Liver Fuction Test (Lft)

Investigation	Result	Unit	Biological Reference Interval
Total Bilirubin	0.60	mg/dl	0.3 - 1.3
Direct Bilirubin	0.11	mg/dl	0.1 - 0.4
Indirect Bilirubin	0.49	mg/dl	0.20 - 0.90
AST	12	U/L	12 - 38
GGT	20	U/L	9 - 58
ALP	63	U/L	44 - 107
Total Protein	<u>6.3</u>	gm/dL	6.7 - 8.6

Rft

Creatinine	<u>0.50</u>	mg/dl	0.6 - 1.1
Sodium	137	mmol/L	135 - 145
Potassium	<u>3.21</u>	mmol/L	3.5 - 5

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 10:14
Patient Name	: anonymous	Age/Sex	: 19 Yr/F	Acceptance Date : 01-Jan-2023 14:22
Sample Type	: Serum	Lab No.	: 0118	Reporting Date : 04-Jan-2023 15:28
Referred Doctor	:	Patient Type	: IPD	

Chloride 103 mmol/L 102 - 109

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	:	-	ABHA ADDRESS	:	-	
CR No	:	-	Sample No.	:	-	Collection Date : 01-Jan-2023 10:56
Patient Name	:	anonymous	Age/Sex	:	21 Yr/M	Acceptance Date : 01-Jan-2023 12:07
Sample Type	:	Serum	Lab No.	:	0074	Reporting Date : 04-Jan-2023 15:18
Referred Doctor	:		Patient Type	:	IPD	

Investigation	Result	Unit	Biological Reference Interval
Sodium	<u>132</u>	mmol/L	135 - 145
Potassium	3.88	mmol/L	3.5 - 5
Chloride	109	mmol/L	102 - 109

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 23:15
Patient Name	: anonymous	Age/Sex	: 12 Yr/M	Acceptance Date : 01-Jan-2023 23:44
Sample Type	: Serum	Lab No.	: 0195	Reporting Date : 02-Jan-2023 10:02
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	2.5		

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 11:50
Patient Name	: anonymous	Age/Sex	: 19 Yr/F	Acceptance Date : 01-Jan-2023 14:25
Sample Type	: Serum	Lab No.	: 0126	Reporting Date : 04-Jan-2023 17:23
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	0.85	mg/dl	0.6 - 1.1
Sodium	<u>132</u>	mmol/L	135 - 145
Potassium	4.97	mmol/L	3.5 - 5
Chloride	<u>99</u>	mmol/L	102 - 109

Liver Fuction Test (Lft)

Total Bilirubin	0.48	mg/dl	0.3 - 1.3
Direct Bilirubin	0.19	mg/dl	0.1 - 0.4
Indirect Bilirubin	0.29	mg/dl	0.20 - 0.90
AST	16	U/L	12 - 38
GGT	15	U/L	9 - 58
ALP	93	U/L	44 - 107

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 11:50
Patient Name	: anonymous	Age/Sex	: 19 Yr/F	Acceptance Date : 01-Jan-2023 14:25
Sample Type	: Serum	Lab No.	: 0126	Reporting Date : 04-Jan-2023 17:23
Referred Doctor	:	Patient Type	: IPD	

Total Protein 8.0 gm/dL 6.7 - 8.6

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:20
Patient Name	: anonymous	Age/Sex	: 45 Yr/M	Acceptance Date : 01-Jan-2023 17:33
Sample Type	: Serum	Lab No.	: 0153	Reporting Date : 02-Jan-2023 10:07
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Creatinine	0.97	mg/dl	0.9 - 1.3
Sodium	<u>130</u>	mmol/L	135 - 145
Potassium	3.74	mmol/L	3.5 - 5
Chloride	105	mmol/L	102 - 109

Liver Fuction Test (Lft)

Total Bilirubin	<u>3.20</u>	mg/dl	0.3 - 1.3
Direct Bilirubin	<u>0.73</u>	mg/dl	0.1 - 0.4
Indirect Bilirubin	<u>2.47</u>	mg/dl	0.20 - 0.90
AST	34	U/L	12 - 38
GGT	45	U/L	9 - 58
ALP	63	U/L	50 - 116

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics,6th Edition,2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	:	-	ABHA ADDRESS	:	-	
CR No	:	-	Sample No.	:	-	Collection Date : 01-Jan-2023 15:20
Patient Name	:	anonymous	Age/Sex	:	45 Yr/M	Acceptance Date : 01-Jan-2023 17:33
Sample Type	:	Serum	Lab No.	:	0153	Reporting Date : 02-Jan-2023 10:07
Referred Doctor	:		Patient Type	:	IPD	

Total Protein	6.9	gm/dL	6.7 - 8.6
Serum Iron	283	microg/dL	41 - 141
Calcium	9.2	mg/dL	08.7 - 10.4
Ionized Calcium	1.21	mmol/L	1.12 - 1.32
Phosphorous	3.9	mg/dL	2.8 - 4.7
LDH	>1500	u/l	230 - 460

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 14:04
Patient Name	: anonymous	Age/Sex	: 42 Yr/M	Acceptance Date : 01-Jan-2023 15:10
Sample Type	: Ascitic	Lab No.	: 0143	Reporting Date : 04-Jan-2023 17:51
Referred Doctor	:	Patient Type	: IPD	

Investigation

Result

Unit

Biological
Reference
Interval

LDH

48

u/l

230 - 460

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:13
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 01-Jan-2023 17:43
Sample Type	: Serum	Lab No.	: 0162	Reporting Date : 02-Jan-2023 10:06
Referred Doctor	:	Patient Type	: IPD	

Rft

Investigation	Result	Unit	Biological Reference Interval
Uric Acid	2.0		

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Biochemistry

Biochemistry

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	37 Yr/M
Sample Type	:	Serum	Lab No.	:	0148
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 10:27
			Acceptance Date	:	01-Jan-2023 17:31
			Reporting Date	:	02-Jan-2023 09:44

Investigation

Result

Unit

Biological
Reference
Interval

Sodium

134

Potassium

4.23

Chloride

98

Comments:

***** END OF THE REPORT *****

Reference ranges are provided as per kit insert/TIEZ clinical chemistry and molecular diagnostics, 6th Edition, 2019.

All reports need clinical correlation. Kindly discuss if necessary. No part of the report can be reproduced without written permission of the department.

Validated By: anonymous

This is computer generated report. Signature not required