



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 12-Jan-2023 17:09
Patient Name	: anonymous	Age/Sex	: 68 Yr/M	Acceptance Date : 12-Jan-2023 17:10
Sample Type	: Ascitic	Lab No.	: 23EC0062	Reporting Date : 14-Jan-2023 11:36
Referred Doctor	:	Patient Type	: OPD	

Exfoliative Cytology

SPECIMEN:Peritoneal fluid for cytology

CLINICAL DETAILS: CKD, T2DM, Hypertension

GROSS DESCRIPTION: 100ml of pale yellow clear fluid with no clots

MICROSCOPIC DESCRIPTION:Cytocentrifuge smears show occasional lymphocytes against proteinaceous background

IMPRESSION:

Peritoneal fluid for cytology

NEGATIVE FOR MALIGNANT CELLS (INTERNATIONAL SYSTEM OF REPORTING SEROUS FLUID- CATEGORY II)

Note:Cell block is under process, if any additional finding seen, an addendum report will follow.

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 20-Jan-2023 11:49
Patient Name	: anonymous	Age/Sex	: 22 Yr/F	Acceptance Date : 20-Jan-2023 11:51
Sample Type	: Fnac	Lab No.	: 23FN0079	Reporting Date : 25-Jan-2023 16:10
Referred Doctor	:	Patient Type	: OPD	

Fine Needle Aspiration Cytology (FNAC)

SPECIMEN:FNAC from right breast lump

CLINICAL DETAILS: Complaint of welling in right breast since 2 years, gradually increasing in size which was painful occasionally, no history of trauma, fever weight loss, history of lactation present. On examination- Lump was in right upper inner quadrant 3x3cm in size, with well defined margins but was irregular in shape , it was firm, mobile with overlying skin not attached, nipple- lactation, Contralateral breast was normal.

GROSS DESCRIPTION:Aspirate was blood mixed.

MICROSCOPIC DESCRIPTION: FNA smear shows tightly cohesive sheets and clusters of benign ductal epithelial cells with few cells showing apocrine change. Background show bare bipolar nuclei and cyst macropahges. No atypical cells seen.

IMPRESSION:

FNAC from right breast lump

Fibroadenoma with lactational changes.

Note:

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 14:48
Patient Name	: anonymous	Age/Sex	: 47 Yr/F	Acceptance Date : 09-Jan-2023 15:56
Sample Type	: Lbc	Lab No.	: 23LB0109	Reporting Date : 14-Jan-2023 13:25
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of heavy menstrual bleeding., LMP- 18.12.2022

GROSS DESCRIPTION: One prepared slides

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION /RESULT:

Shift in flora suggestive of bacterial vaginosis with acute inflammatory background

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 10:28
Patient Name	: anonymous	Age/Sex	: 61 Yr/M	Acceptance Date : 04-Jan-2023 12:07
Sample Type	: Peritoneal	Lab No.	: 23EC0010	Reporting Date : 17-Jan-2023 11:54
Referred Doctor	:	Patient Type	: IPD	

Exfoliative Cytology

SPECIMEN: Peritoneal fluid for cytology.

CLINICAL DETAILS: Prepyloric perforation of stomach. C/o pain abdomen since 3 days associated with vomiting. Known alcoholic. CT Abdomen 2.1.22 (outside)- free air as well as fluid in peritoneal cavity likely due to intestinal perforation.

GROSS DESCRIPTION: Received 3 ml of pale red, turbid fluid.

IMPRESSION:

PERITONEAL FLUID CYTOLOGY 04-01-23

-Acute purulent exudate only

-Correlate with microbiological evaluation

Note: Issue with CDAC revlitation, hence repeat revalidation done on 17.1.2023 as report couldnt be printed. First time revalidated on 5.1.2023

***** END OF THE REPORT *****

Validated By: anonymous Revalidated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 13-Jan-2023 10:21
Patient Name	: anonymous	Age/Sex	: 35 Yr/F	Acceptance Date : 13-Jan-2023 15:32
Sample Type	: Lbc	Lab No.	: 23LB0191	Reporting Date : 18-Jan-2023 13:35
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Routine screening

GROSS DESCRIPTION: One prepared slides

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION /RESULT:

Inflammatory smear with shift in flora suggestive of bacterial vaginosis.

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 15:33
Patient Name	: anonymous	Age/Sex	: 22 Yr/F	Acceptance Date : 09-Jan-2023 15:58
Sample Type	: Lbc	Lab No.	: 23LB0112	Reporting Date : 14-Jan-2023 13:28
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Routine screening Infertility

GROSS DESCRIPTION: One prepared slides

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION /RESULT:

Shift in flora suggestive of bacterial vaginosis.

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 13:06
Patient Name	: anonymous	Age/Sex	: 53 Yr/F	Acceptance Date : 04-Jan-2023 14:37
Sample Type	: Lbc	Lab No.	: 23LB0046	Reporting Date : 09-Jan-2023 13:18
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Known case of frequent menses Cervix central, little bulky, parous OS, LMP-26.12.22

GROSS DESCRIPTION: one prepared slides

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Inflammatory smear , Reactive cellular changes associated with inflammation.

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	:	-	ABHA ADDRESS	:	-	
CR No	:	-	Sample No.	:	-	Collection Date : 10-Jan-2023 12:56
Patient Name	:	anonymous	Age/Sex	:	37 Yr/F	Acceptance Date : 10-Jan-2023 13:01
Sample Type	:	Fnac	Lab No.	:	23FN0034	Reporting Date : 13-Jan-2023 11:02
Referred Doctor	:		Patient Type	:	OPD	

Fine Needle Aspiration Cytology (FNAC)

SPECIMEN: FNA left breast swelling.

CLINICAL DETAILS: C/o lump in left breast since 1 year. C/o pain in lump since 1 week. No h/o fever, weight loss, nipple discharge. O/e lump in left breast central quadrant, single, measuring 7x6 cm in size, firm in consistency, non tender, irregular surface, irregular margins, overlying skin normal.

GROSS DESCRIPTION: .25ml of staw coloured fluid aspirated

MICROSCOPIC DESCRIPTION:FNA smears from aspirate and cytocentrifuge smears from fluid aspirated are paucicellular with few degenerated cells and amorphous material on a proteinaceous fluid background . No granulomas or atypical cells seen

IMPRESSION:

FNA LEFT BREAST LUMP

Fibrocystic disease of breast- IAC Yokohama System for Reporting Breast Fine-Needle Aspiration
Cytology- Category II- Benign

Note:Correlate with radiological findings

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 13:38
Patient Name	: anonymous	Age/Sex	: 17 Yr/F	Acceptance Date : 04-Jan-2023 15:28
Sample Type	: Csf	Lab No.	: 23EC0013	Reporting Date : 05-Jan-2023 15:15
Referred Doctor	:	Patient Type	: IPD	

Exfoliative Cytology

SPECIMEN: CSF for cytology.

CLINICAL DETAILS: K/c/o T-ALL on HDMTX, consolidative phase.

GROSS DESCRIPTION: Received 1 ml of colourless, clear fluid.

IMPRESSION:

CSF CYTOLOGY 05-01-23

- Acellular
- Non diagnostic

Note:

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous
This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 14:48
Patient Name	: anonymous	Age/Sex	: 53 Yr/F	Acceptance Date : 04-Jan-2023 16:52
Sample Type	: Lbc	Lab No.	: 23LB0058	Reporting Date : 09-Jan-2023 13:31
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of unable to urinate P/S -Cervix central, parous OS

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Inflammatory smear

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 16:10
Patient Name	: anonymous	Age/Sex	: 74 Yr/F	Acceptance Date : 04-Jan-2023 16:12
Sample Type	: Pleural	Lab No.	: 23EC0017	Reporting Date : 05-Jan-2023 15:18
Referred Doctor	:	Patient Type	: OPD	

Exfoliative Cytology

SPECIMEN: Pleural fluid for cytology.

CLINICAL DETAILS: Right sided pleural effusion under evaluation. C/o shortness of breath since 1 month. Chest X-ray- Right sided middle zone, lower zone homogenous opacity with blunting right CP angle. CT- gross right sided pleural effusion and partial collapse of right lung midle and lower lobe.

GROSS DESCRIPTION: Received 5 ml of pale yellow, clear fluid. Clot absent

IMPRESSION:

PLEURAL FLUID CYTOLOGY 05-01-23

- IAC Category 2B- Lymphocytic effusion (mild) , background is proteinaceous.
- No well defined granulomas seen
- Special stain for AFB is non contributory

Note:

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous
This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 14:51
Patient Name	: anonymous	Age/Sex	: 63 Yr/F	Acceptance Date : 04-Jan-2023 16:51
Sample Type	: Lbc	Lab No.	: 23LB0055	Reporting Date : 09-Jan-2023 13:27
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of infrequent burning micturation P/S-Cervix central, parous OS, LMP-20.12.22

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 10:51
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 04-Jan-2023 14:36
Sample Type	: Lbc	Lab No.	: 23LB0044	Reporting Date : 09-Jan-2023 13:16
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: White discharge since, cervix central, parous OS, LMP-27.12.23

GROSS DESCRIPTION: one prepared slides

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 16:14
Patient Name	: anonymous	Age/Sex	: 59 Yr/M	Acceptance Date : 09-Jan-2023 17:05
Sample Type	: Pleural Fluid	Lab No.	: 23EC0041	Reporting Date : 12-Jan-2023 10:15
Referred Doctor	:	Patient Type	: OPD	

Exfoliative Cytology

SPECIMEN: Pleural fluid for cytology.

CLINICAL DETAILS: ?Malignancy. Bilateral pleural effusion with subcentrimetric lymph nodes in paratracheal region with degenerative changes. C/o shortness of breath, fever cough with expectoration since 7 days.

GROSS DESCRIPTION: Received 5ml of pale yellow, hazy fluid. Clot absent

MICROSCOPIC DESCRIPTION: Cyto-centrifuged smears are moderate cellular show clusters of lymphocytes, and reactive mesothelial cells on a haemorrhagic background. No atypical cells seen.

IMPRESSION:

Pleural fluid for cytology.

NEGATIVE FOR MALIGNANT CELLS. (INTERNATIONAL SYSTEM OF REPORTING SEROUS FLUID- CATEGORY II)

Note: Cell block is under process, if any additional finding seen, an addendum report follow.

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous
This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 18:38
Patient Name	: anonymous	Age/Sex	: 58 Yr/F	Acceptance Date : 10-Jan-2023 16:57
Sample Type	: Lbc	Lab No.	: 23LB0122	Reporting Date : 14-Jan-2023 13:51
Referred Doctor	:	Patient Type	: IPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: white discharge present LMP-2021

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Inflammatory smear

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 12:09
Patient Name	: anonymous	Age/Sex	: 35 Yr/F	Acceptance Date : 04-Jan-2023 14:39
Sample Type	: Lbc	Lab No.	: 23LB0050	Reporting Date : 09-Jan-2023 17:31
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN :Liquid based preparation (The 2014 Bethesda System)

CLINICAL DETAILS :Complain of prolapse

GROSS DESCRIPTION : One prepared slide

SPECIMEN ADEQUACY :Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION :
Negative for intraepithelial lesion or malignancy

INTERPRETATION /RESULT :
Acute cervicitis with reactive changes in epithelial cells

Note :There are features of drying and atrophy consistent with clinical findings of grade 3 uterovaginal prolapse.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous
This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 14:50
Patient Name	: anonymous	Age/Sex	: 43 Yr/M	Acceptance Date : 04-Jan-2023 15:33
Sample Type	: Pleural Fluid	Lab No.	: 23EC0015	Reporting Date : 05-Jan-2023 15:15
Referred Doctor	:	Patient Type	: OPD	

Exfoliative Cytology

SPECIMEN :Pleural fluid for cytology.

CLINICAL DETAILS :C/o pain in right hypochondrium since 15 days. Ct (outside)- right mild pleural effusion. X- ray chest- Subdiphragmatic effusion.

GROSS DESCRIPTION: Received 2 ml pale yellow, turbid fluid.

IMPRESSION:

PLEURAL FLUID CYTOLOGY 05-01-23

- Mild lymphocytic effusion
- Fetaures of degeneration noted.
- Negative for malignant cells,
- IAC Category II

Note:

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous
This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 11:47
Patient Name	: anonymous	Age/Sex	: 40 Yr/F	Acceptance Date : 04-Jan-2023 14:36
Sample Type	: Lbc	Lab No.	: 23LB0045	Reporting Date : 09-Jan-2023 13:17
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Compalin of irregular heavy menstrual bleeding P/S-Cervix central bulky, parous OS, LMP-27.11.22

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 19-Jan-2023 13:11
Patient Name	: anonymous	Age/Sex	: 31 Yr/F	Acceptance Date : 19-Jan-2023 16:10
Sample Type	: Lbc	Lab No.	: 23LB0269	Reporting Date : 24-Jan-2023 12:57
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of white discharge P/S- cervix healthy, vagina healthy, mucoid white discharge

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Inflammatory Smear

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 12-Jan-2023 15:03
Patient Name	: anonymous	Age/Sex	: 57 Yr/M	Acceptance Date : 12-Jan-2023 16:43
Sample Type	: Bronchial Wash	Lab No.	: 23EC0061	Reporting Date : 14-Jan-2023 11:35
Referred Doctor	:	Patient Type	: IPD	

Exfoliative Cytology

SPECIMEN: BAL fluid for cytology

CLINICAL DETAILS: Lung mass under evaluation with odynophagia and chest pain.

GROSS DESCRIPTION: 10 ml of reddish turbid fluid with clots present.

MICROSCOPIC DESCRIPTION: Cytocentrifuged smears show only blood and blood elements.
Degenerated cells seen . No atypical cells /granuloma seen.

IMPRESSION:

BAL

Non-Diagnostic.

Note: Cell block is under process, if any additional finding seen, an addendum report will follow.

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 12-Jan-2023 15:53
Patient Name	: anonymous	Age/Sex	: 31 Yr/F	Acceptance Date : 12-Jan-2023 16:07
Sample Type	: Lbc	Lab No.	: 23LB0179	Reporting Date : 18-Jan-2023 13:15
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Abnormal uterine bleeding

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Inflammatory smear

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	37 Yr/M
Sample Type	:	Pleural Fluid	Lab No.	:	23EC0102
Referred Doctor	:		Patient Type	:	OPD
			Collection Date	:	19-Jan-2023 12:09
			Acceptance Date	:	19-Jan-2023 14:10
			Reporting Date	:	24-Jan-2023 09:43

Exfoliative Cytology

SPECIMEN:Pleural fluid for cytology

CLINICAL DETAILS:? Lung malignancy ? Tubercular pleural effusion . History of fever and cough since 1 month with evening rise of fever . History of weight loss. Chest X-ray- Left sided pleural effusion .

GROSS DESCRIPTION:10 ml, reddish, hazy, clot absent .

MICROSCOPIC DESCRIPTION:Cytocentrifuge smears show scattered mature lymphocytes, and macrophages with few reactive mesothelial cells. Few apoptotic bodies noted. No atypical cells seen . Special stain for AFB is negative .

IMPRESSION:

Pleural fluid for cytology

Negative for malignant cells (International system of reporting serous fluid- Category II)

Note:Cell block is under process, if any additional finding seen, an addendum report will follow.

***** END OF THE REPORT *****

Validated By: anonymous Revalidated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

Status :1 Amendment/Addendum Report

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 11:40
Patient Name	: anonymous	Age/Sex	: 72 Yr/M	Acceptance Date : 04-Jan-2023 15:30
Sample Type	: Bronchial Wash	Lab No.	: 23EC0014	Reporting Date : 05-Jan-2023 15:18
Referred Doctor	:	Patient Type	: IPD	Addendum Date : 07-Jan-2023 12:26

Exfoliative Cytology

SPECIMEN: BAL fluid for cytology.

CLINICAL DETAILS: C/o cough with expectoration, fever on and off. ? PTB ?Fungal pneumonia.

GROSS DESCRIPTION: Received 5 ml of whitish, turbid fluid. Clot present

IMPRESSION:

BAL FLUID CYTOLOGY 05-01-23

- Obscured by acute purulent exudate
- Epithelial cell abnormality- squamous
- Interpretation - Suspicious of squamous cell malignancy- features obscured by abundant purulent exudate .
- Also noted is mixed microbial flora- actinomyces, candida, sarcina bacteria with dematiaceous moulds including fruiting bodies.
- Special stain for AFB is non contributory

Note: Correlate with microbiological evaluation

7.1.2023:

7.1.2023: Case discussed with Dr Dibakar. As there is no evidence of endobronchial growth on endoscopy, while there is a peripheral lung nodule, the diagnosis is revised to:
Inflammatory- acute purulent exudate with enmeshed squamous epithelial cells with reactive atypia.
A biopsy of the peripheral lung nodule has been recommended.

Validated By: anonymous **Revalidated By:** anonymous **Result Modified By:** Dr Vandita Y Singh Additional Professor Pathology
This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

Status :1 Amendment/Addendum Report

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 11:40
Patient Name	: anonymous	Age/Sex	: 72 Yr/M	Acceptance Date : 04-Jan-2023 15:30
Sample Type	: Bronchial Wash	Lab No.	: 23EC0014	Reporting Date : 05-Jan-2023 15:18
Referred Doctor	:	Patient Type	: IPD	Addendum Date : 07-Jan-2023 12:26

Addendum:

7.1.2023: Case discussed with Dr Dibakar. As there is no evidence of endobronchial growth on endoscopy, while there is a peripheral lung nodule, the diagnosis is revised to: Inflammatory- acute purulent exudate with enmeshed squamous epithelial cells with reactive atypia. A biopsy of the peripheral lung nodule has been recommended.

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous **Result Modified By:** Dr Vandita Y Singh Additional Professor Pathology
This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 15:34
Patient Name	: anonymous	Age/Sex	: 36 Yr/F	Acceptance Date : 09-Jan-2023 15:59
Sample Type	: Lbc	Lab No.	: 23LB0115	Reporting Date : 14-Jan-2023 13:30
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Pain abdomen , Discharge P\V seen.

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 19-Jan-2023 11:56
Patient Name	: anonymous	Age/Sex	: 26 Yr/F	Acceptance Date : 19-Jan-2023 16:08
Sample Type	: Lbc	Lab No.	: 23LB0265	Reporting Date : 24-Jan-2023 12:54
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of frequent prolonged menses P/S- pinpoint os, bleeding through os present

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 15:34
Patient Name	: anonymous	Age/Sex	: 48 Yr/M	Acceptance Date : 09-Jan-2023 15:58
Sample Type	: Lbc	Lab No.	: 23LB0113	Reporting Date : 14-Jan-2023 13:29
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Post hysterectomy

GROSS DESCRIPTION: one prepared slides

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Reactive cellular changes associated with inflammation in background

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 14:51
Patient Name	: anonymous	Age/Sex	: 37 Yr/F	Acceptance Date : 09-Jan-2023 15:57
Sample Type	: Lbc	Lab No.	: 23LB0110	Reporting Date : 14-Jan-2023 13:25
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Cervix healthy, vagina healthy. No white discharge present, LMP-08.01.2023

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Inflammatory smear

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 12:24
Patient Name	: anonymous	Age/Sex	: 63 Yr/F	Acceptance Date : 04-Jan-2023 14:38
Sample Type	: Lbc	Lab No.	: 23LB0049	Reporting Date : 09-Jan-2023 13:21
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY:Complain of White discharge present, cervix central

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 10-Jan-2023 12:56
Patient Name	: anonymous	Age/Sex	: 40 Yr/F	Acceptance Date : 10-Jan-2023 13:00
Sample Type	: Fnac	Lab No.	: 23FN0033	Reporting Date : 12-Jan-2023 10:18
Referred Doctor	:	Patient Type	: OPD	

Fine Needle Aspiration Cytology (FNAC)

SPECIMEN: FNA right breast swelling.

CLINICAL DETAILS: C/o right breast swelling since 6-7 months. Not associated with pain. No h/o fever/trauma/weight loss. Previous h/o lump excision right breast. O/e right breast swelling in outer quadrant measuring 2.5x2.5 cm, mobile, firm in consistency, overlying skin normal, scar mark from previous excisional surgery present.

GROSS DESCRIPTION: Blood mixed aspirate.

MICROSCOPIC DESCRIPTION: FNA smears are cellular show biphasic population of cells are seen comprising of ductal epithelial cells arranged in sheets. The ductal epithelial cells are round to oval with bland nuclear chromatin and scant cytoplasm. Background show bare bipolar myoepithelial cells with scant fibromyxoid stromal fragments. There is no evidence of atypia or malignancy.

IMPRESSION:

FNA RIGHT BREAST SWELLING - Fibroadenoma -IAC Yokohama category II

Note:

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 14:53
Patient Name	: anonymous	Age/Sex	: 63 Yr/F	Acceptance Date : 09-Jan-2023 15:57
Sample Type	: Lbc	Lab No.	: 23LB0111	Reporting Date : 14-Jan-2023 13:27
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY:Complain of something coming out of vagina ?? prolapse

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 15:36
Patient Name	: anonymous	Age/Sex	: 62 Yr/F	Acceptance Date : 09-Jan-2023 16:01
Sample Type	: Lbc	Lab No.	: 23LB0118	Reporting Date : 14-Jan-2023 13:36
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: F\ùc Of endocervical carcinoma with b\l ovarian involvement

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 15:35
Patient Name	: anonymous	Age/Sex	: 52 Yr/F	Acceptance Date : 09-Jan-2023 16:00
Sample Type	: Lbc	Lab No.	: 23LB0117	Reporting Date : 14-Jan-2023 13:34
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of burning micturation

GROSS DESCRIPTION: one prepared slides

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Reactive cellular changes associated with inflammation with atrophic changes

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 15:15
Patient Name	: anonymous	Age/Sex	: 38 Yr/F	Acceptance Date : 04-Jan-2023 16:50
Sample Type	: Lbc	Lab No.	: 23LB0053	Reporting Date : 09-Jan-2023 13:25
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of burning micturation with per vaginum discharge . P/S- Multiple nabothian cyst, LMP-22.12.22

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Inflammatory smear

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	52 Yr/F
Sample Type	:	Peritoneal	Lab No.	:	23EC0040
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	09-Jan-2023 16:05
			Acceptance Date	:	09-Jan-2023 17:04
			Reporting Date	:	13-Jan-2023 11:04

Exfoliative Cytology

SPECIMEN: 1) Ovarian Cystic fluid 2) Peritoneal fluid, for cytology

CLINICAL DETAILS: Nulligravida/ right ovarian cystadenoma (8x5.5x10), Left ovarian adenocarcinoma. C/o Mass per abdomen since 1 month. Biopsy -H-201/23.? Serous cystadenocarcinoma. MRI (outside): 22/11/2022 cystic neoplasm of left ovary? Mucinous cystadenocarcinoma histopathological correlation is advised

GROSS DESCRIPTION: 1) Ovarian cystic fluid- 10 ml, blood tinged, hazy, clot absent. 2) Peritoneal fluid - 10 ml, reddish, hazy, absent. Clot absent

MICROSCOPIC DESCRIPTION:

1- Cyto-centrifuge smears from ovarian cystic fluid show only scattered RBC against thick proteinaceous fluid. No epithelial cells seen
2- Cyto-centrifuge smears from peritoneal fluid show hemosiderin laden macrophages with mixed inflammatory cells in hemorrhagic background. No epithelial cells seen.

IMPRESSION:

Ovarian cystic fluid-NEGATIVE FOR MALIGNANCY (INTERNATIONAL SYSTEM OF REPORTING SEROUS FLUID- CATEGORY II)

Peritoneal fluid -NEGATIVE FOR MALIGNANCY (INTERNATIONAL SYSTEM OF REPORTING SEROUS FLUID- CATEGORY II)

Note: Cell block from ovarian fluid is insufficient
Cell block from peritoneal fluid show similar findings as of fluid

Validated By: anonymous **Revalidated By:** anonymous
This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 16:05
Patient Name	: anonymous	Age/Sex	: 52 Yr/F	Acceptance Date : 09-Jan-2023 17:04
Sample Type	: Peritoneal	Lab No.	: 23EC0040	Reporting Date : 13-Jan-2023 11:04
Referred Doctor	:	Patient Type	: IPD	

***** END OF THE REPORT *****

Validated By: anonymous Revalidated By: anonymous
This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 16:32
Patient Name	: anonymous	Age/Sex	: 33 Yr/F	Acceptance Date : 04-Jan-2023 16:53
Sample Type	: Lbc	Lab No.	: 23LB0059	Reporting Date : 09-Jan-2023 13:34
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE:Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of irregular menstrual cycle P/S- Cervix anterior, ectropion present, LMP- 20.12.22

GROSS DESCRIPTION: One prepared slide received labeled as ectocervix.

SPECIMEN ADEQUACY:

Unsatisfactory for evaluation; Specimen processed and examined but unsatisfactory for evaluation of epithelial abnormality because of insufficient squamous cellularity.

Note : Repeat if clinically indicated .

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 14:50
Patient Name	: anonymous	Age/Sex	: 47 Yr/F	Acceptance Date : 04-Jan-2023 16:52
Sample Type	: Lbc	Lab No.	: 23LB0056	Reporting Date : 09-Jan-2023 13:28
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Routine check up Cervix central, multiple nabothian cyst, white discharge present, LMP-19.12.22

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 13-Jan-2023 14:27
Patient Name	: anonymous	Age/Sex	: 34 Yr/M	Acceptance Date : 13-Jan-2023 14:32
Sample Type	: Fnac	Lab No.	: 23FN0057	Reporting Date : 17-Jan-2023 10:30
Referred Doctor	:	Patient Type	: OPD	

Fine Needle Aspiration Cytology (FNAC)

SPECIMEN: FNAC, Left neck swelling

CLINICAL DETAILS: Swelling in the posterior triangle of neck since September 2022 which is increasing in size since few weeks. History of tobacco chewing, weight loss, loss of appetite present. No history of fever or Tuberculosis.

O/E- 2x3cm hard, well defined, non mobile swelling in the posterior triangle of neck on left side associated with dragging pain. CT neck (outside, 24th Dec 2022)- Benign cystic lesion ?branchial cyst, ?cystic hygroma, ?Necrotic lymph node.

GROSS DESCRIPTION: Pus like material is yielded.

MICROSCOPIC DESCRIPTION: FNA smears show predominately neutrophils, macrophages with occasional scattered epithelioid cells attempting to form ill defined granulomas and degenerated cells against dirty necrotic background. Special stain for AFB and PAS are negative

IMPRESSION:

FNAC, Left neck swelling
Necrotizing granulomatous lesion.

Adv: Microbiological work up

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous
This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 12:31
Patient Name	: anonymous	Age/Sex	: 45 Yr/F	Acceptance Date : 04-Jan-2023 14:38
Sample Type	: Lbc	Lab No.	: 23LB0048	Reporting Date : 09-Jan-2023 13:20
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of infrequent cycles P/S- Cervix central, nabothian cyst, erosion present, LMP-31.12.22

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 12:02
Patient Name	: anonymous	Age/Sex	: 31 Yr/F	Acceptance Date : 04-Jan-2023 14:39
Sample Type	: Lbc	Lab No.	: 23LB0051	Reporting Date : 09-Jan-2023 13:22
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of missed pregnancy P/S-Cervix dilated to right side, pin point OS, erosion present

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Inflammatory smear

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 15:45
Patient Name	: anonymous	Age/Sex	: 38 Yr/F	Acceptance Date : 09-Jan-2023 16:01
Sample Type	: Lbc	Lab No.	: 23LB0119	Reporting Date : 14-Jan-2023 13:37
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: White discharge present,

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 19-Jan-2023 12:31
Patient Name	: anonymous	Age/Sex	: 35 Yr/F	Acceptance Date : 19-Jan-2023 16:09
Sample Type	: Lbc	Lab No.	: 23LB0267	Reporting Date : 24-Jan-2023 12:55
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of pain in abdomen P/S- cervix healthy, vagina healthy, white discharge present

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Inflammatory Smear

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 15:54
Patient Name	: anonymous	Age/Sex	: 31 Yr/F	Acceptance Date : 09-Jan-2023 17:05
Sample Type	: Lbc	Lab No.	: 23LB0120	Reporting Date : 14-Jan-2023 13:37
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Secondary infertility under evaluation .

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 15:35
Patient Name	: anonymous	Age/Sex	: 35 Yr/F	Acceptance Date : 09-Jan-2023 16:00
Sample Type	: Lbc	Lab No.	: 23LB0116	Reporting Date : 14-Jan-2023 13:32
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of abnormal uterine bleeding

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 12-Jan-2023 15:14
Patient Name	: anonymous	Age/Sex	: 26 Yr/F	Acceptance Date : 12-Jan-2023 15:55
Sample Type	: Lbc	Lab No.	: 23LB0176	Reporting Date : 18-Jan-2023 13:05
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Routine screening P/S- Cervix healthy, vagina healthy.

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Inflammatory smear

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 12-Jan-2023 15:15
Patient Name	: anonymous	Age/Sex	: 26 Yr/F	Acceptance Date : 12-Jan-2023 15:56
Sample Type	: Lbc	Lab No.	: 23LB0177	Reporting Date : 20-Jan-2023 23:30
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY:Complain of infrequent menses.

GROSS DESCRIPTION: One prepared air dried slides

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION /RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 10-Jan-2023 12:28
Patient Name	: anonymous	Age/Sex	: 74 Yr/M	Acceptance Date : 10-Jan-2023 12:53
Sample Type	: Pleural	Lab No.	: 23EC0044	Reporting Date : 12-Jan-2023 10:15
Referred Doctor	:	Patient Type	: OPD	

Exfoliative Cytology

SPECIMEN: Pleural fluid for cytology.

CLINICAL DETAILS: K/c/o Old MDR TB. C/o dyspnea on exertion and at rest, chest pain.

GROSS DESCRIPTION: Received 50 ml of red, hazy fluid. Clot present

MICROSCOPIC DESCRIPTION: Cyto-centrifuged smears are moderately cellular, show small mature lymphocytes, neutrophils, reactive mesothelial cells and benign squamous epithelial cells against hemorrhagic background. No atypical cells or granuloma seen.

IMPRESSION:

PLEURAL FLUID CYTOLOGY
SEE MICROSCOPIC DESCRIPTION

Note:

***** END OF THE REPORT *****

Validated By: anonymous **Revalidated By:** anonymous
This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 19-Jan-2023 12:11
Patient Name	: anonymous	Age/Sex	: 65 Yr/F	Acceptance Date : 19-Jan-2023 16:09
Sample Type	: Lbc	Lab No.	: 23LB0266	Reporting Date : 24-Jan-2023 13:19
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complian of post menopausal bleeding

GROSS DESCRIPTION: One prepared slides

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion/ malignancy

INTERPRETATION /RESULT:

ATROPHIC SMEAR

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 12:00
Patient Name	: anonymous	Age/Sex	: 24 Yr/F	Acceptance Date : 04-Jan-2023 14:40
Sample Type	: Lbc	Lab No.	: 23LB0052	Reporting Date : 09-Jan-2023 13:23
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Complain of whitish discharge P/S- Cervix central, pin point OS, White discharge present,

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 04-Jan-2023 14:49
Patient Name	: anonymous	Age/Sex	: 30 Yr/F	Acceptance Date : 04-Jan-2023 16:52
Sample Type	: Lbc	Lab No.	: 23LB0057	Reporting Date : 09-Jan-2023 13:29
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Routine check up P/S- Cervix central, nabothian cyst present, LMP-22.12.22

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Inflammatory smear

Note :Repeat smear after inflammation subsides.

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Cytology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 09-Jan-2023 15:34
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 09-Jan-2023 15:59
Sample Type	: Lbc	Lab No.	: 23LB0114	Reporting Date : 14-Jan-2023 13:29
Referred Doctor	:	Patient Type	: OPD	

LIQUID BASED CYTOLOGY - GYNAEC CERVICAL CYTOLOGY

SPECIMEN TYPE: Liquid based preparation (The 2014 Bethesda System)

CLINICAL HISTORY: Pain in abdomen , Discharge present

GROSS DESCRIPTION: One prepared slide

SPECIMEN ADEQUACY:

Satisfactory for evaluation; endocervical/transformation zone component present

GENERAL CATEGORISATION:

Negative for intraepithelial lesion or malignancy

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy

Note :

Comments:

1. Cervical cytology is a screening test primarily for squamous cancer and its precursors and has associated false negative and false positive results. Follow up of unexplained clinical signs and symptoms are recommended to minimize false negative result.
2. Liquid Based Cytology is validated for screening for epithelial cell abnormalities of cervix only and not inflammatory lesions.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required