



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	54 Yr/M
Sample Type	:	Edta Blood	Lab No.	:	230102CB029
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 21:56
			Acceptance Date	:	02-Jan-2023 02:15
			Reporting Date	:	02-Jan-2023 08:56

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.0	13 - 17 g/dl
HCT	26.1	40 - 50 %
RBC	3.70	4.5 - 5.5 $\times 10^6$ / μ L
MCV	70.5	83 - 101 fL
MCH	21.6	27 - 32 pg
MCHC	30.7	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	21.0	11.6 - 14.0 %
Total Leukocyte Count(TLC)	225.70	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils		40 - 80 %
Lymphocytes		20 - 40 %
Monocytes		2 - 10 %
Eosinophils		01 - 06 %
Basophil		00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count		2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count		1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count		0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count		0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count		0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	120	150 - 410 $\times 10^3$ / μ L

Comments on PBS : Total count raised with DLC - Blasts 93%, Neutrophils 3%, Lymphocytes 4% Blasts are large, 1-1.5 times size of small lymphocytes with high N/C ratio, irregular nuclear membrane, opened up chromatin and 1-2 prominent nucleoli. Platelets slightly reduced.

Impression : Acute leukemia.

Advise flowcytometry for further categorisation.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:32
Patient Name	: anonymous	Age/Sex	: 6 Mth/F	Acceptance Date : 01-Jan-2023 19:47
Sample Type	: Edta Blood	Lab No.	: 230101CB123	Reporting Date : 10-Jan-2023 16:19
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	10.1	11.1 - 14.1 g/dl
HCT	32.4	30 - 40 %
RBC	4.36	3.9 - 5.3 $\times 10^6$ / μ L
MCV	74.3	68 - 84 fL
MCH	23.2	24 - 30 pg
MCHC	31.2	30 - 36 g/dL
Red Cell Distribution Width (RDW CV)	17.0	30 - 36 %
Total Leukocyte Count(TLC)	12.08	6 - 18 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	29.3	15 - 45 %
Lymphocytes	63.2	47 - 77 %
Monocytes	2.8	2 - 10 %
Eosinophils	4.5	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	3.55	1 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	7.63	3.5 - 11 $\times 10^3$ / μ L
Absolute Monocyte Count	0.34	0.1 - 1.2 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.54	0.1 - 1 $\times 10^3$ / μ L
Absolute Basophil Count	0.02	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	439	200 - 550 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:02
Patient Name	: anonymous	Age/Sex	: 31 Yr/F	Acceptance Date : 02-Jan-2023 02:16
Sample Type	: Edta Blood	Lab No.	: 230102CB035	Reporting Date : 02-Jan-2023 08:46
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.2	12 - 15 g/dl
HCT	30.6	36 - 46 %
RBC	4.05	3.8 - 4.8 $\times 10^6$ / μ L
MCV	75.6	83 - 101 fL
MCH	22.7	27 - 32 pg
MCHC	30.1	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	25.4	11.6 - 14.0 %
Total Leukocyte Count(TLC)	11.75	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	83.7	40 - 80 %
Lymphocytes	8.5	20 - 40 %
Monocytes	7.7	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	9.84	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.00	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.90	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.00	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	59	150 - 410 $\times 10^3$ / μ L

Comments on PBS : Moderate thrombocytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 04:13
Patient Name	: anonymous	Age/Sex	: 44 Yr/F	Acceptance Date : 01-Jan-2023 10:09
Sample Type	: Edta Blood	Lab No.	: 230101CB054	Reporting Date : 10-Jan-2023 16:03
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.6	12 - 15 g/dl
HCT	32.7	36 - 46 %
RBC	4.46	3.8 - 4.8 x10 ⁶ /μL
MCV	73.3	83 - 101 fL
MCH	21.5	27 - 32 pg
MCHC	29.4	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	18.1	11.6 - 14.0 %
Total Leukocyte Count(TLC)	5.44	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	63.4	40 - 80 %
Lymphocytes	24.1	20 - 40 %
Monocytes	11.9	2 - 10 %
Eosinophils	0.6	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	3.45	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.31	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.65	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.03	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.00	0.02 - 0.10 x10 ³ /μL
Platelet Count	420	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 05:55
Patient Name	: anonymous	Age/Sex	: 27 Yr/M	Acceptance Date : 01-Jan-2023 10:07
Sample Type	: Edta Blood	Lab No.	: 230101CB050	Reporting Date : 10-Jan-2023 16:19
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.5	13 - 17 g/dl
HCT	27.5	40 - 50 %
RBC	3.64	4.5 - 5.5 $\times 10^6$ / μ L
MCV	75.5	83 - 101 fL
MCH	23.4	27 - 32 pg
MCHC	30.9	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	17.5	11.6 - 14.0 %
Total Leukocyte Count(TLC)	11.01	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	81.0	40 - 80 %
Lymphocytes	12.1	20 - 40 %
Monocytes	6.8	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	8.92	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.33	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.75	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.00	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	331	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:54
Patient Name	: anonymous	Age/Sex	: 54 Yr/F	Acceptance Date : 02-Jan-2023 02:21
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102PT007	Reporting Date : 02-Jan-2023 07:46
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	9.0	09.6 - 12.2 sec
International Normalised Ratio (INR)	0.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	2 Yr/F
Sample Type	:	Edta Blood	Lab No.	:	230101CB067
Referred Doctor	:		Patient Type	:	OPD
			Collection Date	:	01-Jan-2023 11:35
			Acceptance Date	:	01-Jan-2023 12:54
			Reporting Date	:	10-Jan-2023 16:15

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.7	11 - 14 g/dl
HCT	32.4	34 - 40 %
RBC	4.62	4 - 5.2 x10 ⁶ /μL
MCV	70.1	75 - 87 fL
MCH	21.0	24 - 30 pg
MCHC	29.9	31 - 37 g/dL
Red Cell Distribution Width (RDW CV)	16.9	11.6 - 14.0 %
Total Leukocyte Count(TLC)	10.50	1 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	48.9	40 - 80 %
Lymphocytes	40.2	44 - 74 %
Monocytes	9.5	2 - 10 %
Eosinophils	1.2	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.13	1.5 - 8 x10 ³ /μL
Absolute Lymphocyte Count	4.22	6 - 9 x10 ³ /μL
Absolute Monocyte Count	1.00	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.13	0.1 - 1 x10 ³ /μL
Absolute Basophil Count	0.02	0.02 - 0.10 x10 ³ /μL
Platelet Count	468	200 - 490 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 04:38
Patient Name	: anonymous	Age/Sex	: 15 Yr/M	Acceptance Date : 01-Jan-2023 12:59
Sample Type	: Edta Blood	Lab No.	: 230101CB088	Reporting Date : 10-Jan-2023 16:03
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	12.3	13 - 17 g/dl
HCT	39.1	40 - 50 %
RBC	4.40	4.5 - 5.5 $\times 10^6$ / μ L
MCV	88.9	83 - 101 fL
MCH	28.0	27 - 32 pg
MCHC	31.5	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	17.4	11.6 - 14.0 %
Total Leukocyte Count(TLC)	6.98	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	64.0	40 - 80 %
Lymphocytes	23.6	20 - 40 %
Monocytes	10.0	2 - 10 %
Eosinophils	2.3	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	4.46	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.65	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.70	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.16	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	342	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	34 Yr/M
Sample Type	:	Edta Blood	Lab No.	:	230102CB022
Referred Doctor	:		Patient Type	:	OPD
			Collection Date	:	02-Jan-2023 01:46
			Acceptance Date	:	02-Jan-2023 02:13
			Reporting Date	:	10-Jan-2023 15:37

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	7.4	13 - 17 g/dl
HCT	24.0	40 - 50 %
RBC	3.26	4.5 - 5.5 $\times 10^6$ / μ L
MCV	73.6	83 - 101 fL
MCH	22.7	27 - 32 pg
MCHC	30.8	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	16.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	8.63	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	92.9	40 - 80 %
Lymphocytes	2.3	20 - 40 %
Monocytes	4.3	2 - 10 %
Eosinophils	0.5	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	8.02	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	0.20	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.37	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.04	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.00	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	298	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:03
Patient Name	: anonymous	Age/Sex	: 74 Yr/F	Acceptance Date : 02-Jan-2023 02:15
Sample Type	: Edta Blood	Lab No.	: 230102CB030	Reporting Date : 02-Jan-2023 08:50
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.3	12 - 15 g/dl
HCT	28.3	36 - 46 %
RBC	3.11	3.8 - 4.8 $\times 10^6$ / μ L
MCV	91.0	83 - 101 fL
MCH	26.7	27 - 32 pg
MCHC	29.3	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	26.5	11.6 - 14.0 %
Total Leukocyte Count(TLC)	9.55	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	10.1	40 - 80 %
Lymphocytes	69.7	20 - 40 %
Monocytes	15.3	2 - 10 %
Eosinophils	4.5	01 - 06 %
Basophil	0.4	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	0.96	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	6.66	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	1.46	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.43	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.04	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	90	150 - 410 $\times 10^3$ / μ L

Comments on PBS : Moderate thrombocytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:48
Patient Name	: anonymous	Age/Sex	: 46 Yr/M	Acceptance Date : 02-Jan-2023 13:14
Sample Type	: Edta Blood	Lab No.	: 230102CB165	Reporting Date : 02-Jan-2023 15:48
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	6.8	13 - 17 g/dl
HCT	20.7	40 - 50 %
RBC	2.22	4.5 - 5.5 x10 ⁶ /μL
MCV	93.2	83 - 101 fL
MCH	30.6	27 - 32 pg
MCHC	32.9	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	17.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	12.31	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	94.7	40 - 80 %
Lymphocytes	2.8	20 - 40 %
Monocytes	1.8	2 - 10 %
Eosinophils	0.6	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	11.65	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.35	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.22	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.08	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	164	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	30 Yr/M
Sample Type	:	Edta Blood	Lab No.	:	230101CB087
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 04:42
			Acceptance Date	:	01-Jan-2023 12:59
			Reporting Date	:	10-Jan-2023 16:19

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	10.4	13 - 17 g/dl
HCT	35.2	40 - 50 %
RBC	3.82	4.5 - 5.5 $\times 10^6$ / μ L
MCV	92.1	83 - 101 fL
MCH	27.2	27 - 32 pg
MCHC	29.5	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.9	11.6 - 14.0 %
Total Leukocyte Count(TLC)	10.37	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	72.1	40 - 80 %
Lymphocytes	16.1	20 - 40 %
Monocytes	11.5	2 - 10 %
Eosinophils	0.1	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	7.48	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.67	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	1.19	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.01	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.02	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	500	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:41
Patient Name	: anonymous	Age/Sex	: 3 Yr/F	Acceptance Date : 01-Jan-2023 23:41
Sample Type	: Edta Blood	Lab No.	: 230101CB141	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	14.1	11 - 14 g/dl
HCT	40.4	34 - 40 %
RBC	4.65	4 - 5.2 x10 ⁶ /μL
MCV	86.9	75 - 87 fL
MCH	30.3	24 - 30 pg
MCHC	34.9	31 - 37 g/dL
Red Cell Distribution Width (RDW CV)	15.2	11.6 - 14.0 %
Total Leukocyte Count(TLC)	8.37	1 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	85.4	40 - 80 %
Lymphocytes	9.6	44 - 74 %
Monocytes	4.9	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	7.15	1.5 - 8 x10 ³ /μL
Absolute Lymphocyte Count	0.80	6 - 9 x10 ³ /μL
Absolute Monocyte Count	0.41	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.00	0.1 - 1 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	90	200 - 490 x10 ³ /μL

Comments on PBS : Moderate thrombocytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:46
Patient Name	: anonymous	Age/Sex	: 34 Yr/M	Acceptance Date : 02-Jan-2023 02:18
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102PT004	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: OPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	11.1	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.1	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:46
Patient Name	: anonymous	Age/Sex	: 34 Yr/M	Acceptance Date : 02-Jan-2023 02:18
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102AP003	Reporting Date : 10-Jan-2023 15:48
Referred Doctor	:	Patient Type	: OPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	44.5	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:07
Patient Name	: anonymous	Age/Sex	: 49 Yr/F	Acceptance Date : 01-Jan-2023 10:09
Sample Type	: Edta Blood	Lab No.	: 230101CB052	Reporting Date : 10-Jan-2023 16:19
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.9	12 - 15 g/dl
HCT	31.8	36 - 46 %
RBC	4.38	3.8 - 4.8 x10 ⁶ /μL
MCV	72.6	83 - 101 fL
MCH	22.6	27 - 32 pg
MCHC	31.1	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	23.9	11.6 - 14.0 %
Total Leukocyte Count(TLC)	9.31	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	85.5	40 - 80 %
Lymphocytes	6.2	20 - 40 %
Monocytes	7.0	2 - 10 %
Eosinophils	1.2	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	7.96	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.58	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.65	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.11	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	108	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 04:44
Patient Name	: anonymous	Age/Sex	: 65 Yr/F	Acceptance Date : 02-Jan-2023 12:51
Sample Type	: Edta Blood	Lab No.	: 230102RT002	Reporting Date : 02-Jan-2023 16:07
Referred Doctor	:	Patient Type	: IPD	

Reticulocyte Count

SPECIMEN: EDTA anticoagulated whole blood

METHOD: Supravital Staining

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Reticulocyte Count	1.93	0.5 - 2.5 %

Note: Corrected Reticulocyte Count :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:19
Patient Name	: anonymous	Age/Sex	: 53 Yr/M	Acceptance Date : 02-Jan-2023 07:55
Sample Type	: Edta Blood	Lab No.	: 230102CB041	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.8	13 - 17 g/dl
HCT	29.9	40 - 50 %
RBC	3.51	4.5 - 5.5 x10 ⁶ /μL
MCV	85.2	83 - 101 fL
MCH	27.9	27 - 32 pg
MCHC	32.8	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.0	11.6 - 14.0 %
Total Leukocyte Count(TLC)	5.12	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	64.3	40 - 80 %
Lymphocytes	19.7	20 - 40 %
Monocytes	13.7	2 - 10 %
Eosinophils	2.1	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	3.29	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.01	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.70	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.11	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	229	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 22:51
Patient Name	: anonymous	Age/Sex	: 18 Yr/F	Acceptance Date : 03-Jan-2023 14:58
Sample Type	: Edta Blood	Lab No.	: 230103CB242	Reporting Date : 03-Jan-2023 15:57
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	10.1	12 - 15 g/dl
HCT	32.7	36 - 46 %
RBC	4.28	3.8 - 4.8 x10 ⁶ /μL
MCV	76.4	83 - 101 fL
MCH	23.6	27 - 32 pg
MCHC	30.9	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.1	11.6 - 14.0 %
Total Leukocyte Count(TLC)	11.33	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	81.8	40 - 80 %
Lymphocytes	14.8	20 - 40 %
Monocytes	0.6	2 - 10 %
Eosinophils	2.6	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	9.27	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.68	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.07	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.29	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.02	0.02 - 0.10 x10 ³ /μL
Platelet Count	240	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:56
Patient Name	: anonymous	Age/Sex	: 47 Yr/M	Acceptance Date : 02-Jan-2023 02:15
Sample Type	: Edta Blood	Lab No.	: 230102CB031	Reporting Date : 02-Jan-2023 08:46
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	10.7	13 - 17 g/dl
HCT	32.5	40 - 50 %
RBC	4.05	4.5 - 5.5 x10 ⁶ /μL
MCV	80.2	83 - 101 fL
MCH	26.4	27 - 32 pg
MCHC	32.9	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	1.67	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	26.3	40 - 80 %
Lymphocytes	69.5	20 - 40 %
Monocytes	3.6	2 - 10 %
Eosinophils	0.6	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	0.44	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.16	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.06	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.01	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.00	0.02 - 0.10 x10 ³ /μL
Platelet Count	37	150 - 410 x10 ³ /μL

Comments on PBS : Bicytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:54
Patient Name	: anonymous	Age/Sex	: 54 Yr/F	Acceptance Date : 02-Jan-2023 02:21
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102AP010	Reporting Date : 02-Jan-2023 07:46
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	26.4	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:00
Patient Name	: anonymous	Age/Sex	: 32 Yr/M	Acceptance Date : 02-Jan-2023 02:16
Sample Type	: Edta Blood	Lab No.	: 230102CB034	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	10.3	13 - 17 g/dl
HCT	31.5	40 - 50 %
RBC	3.40	4.5 - 5.5 $\times 10^6$ / μ L
MCV	92.6	83 - 101 fL
MCH	30.3	27 - 32 pg
MCHC	32.7	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	16.9	11.6 - 14.0 %
Total Leukocyte Count(TLC)	2.70	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	81.1	40 - 80 %
Lymphocytes	17.4	20 - 40 %
Monocytes	1.5	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	2.19	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	0.47	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.04	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.00	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.00	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	60	150 - 410 $\times 10^3$ / μ L

Comments on PBS : Bicytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 04:41
Patient Name	: anonymous	Age/Sex	: 68 Yr/M	Acceptance Date : 01-Jan-2023 12:59
Sample Type	: Edta Blood	Lab No.	: 230101CB086	Reporting Date : 10-Jan-2023 16:19
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	7.4	13 - 17 g/dl
HCT	23.2	40 - 50 %
RBC	2.58	4.5 - 5.5 x10 ⁶ /μL
MCV	89.9	83 - 101 fL
MCH	28.7	27 - 32 pg
MCHC	31.9	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	17.1	11.6 - 14.0 %
Total Leukocyte Count(TLC)	13.29	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	75.8	40 - 80 %
Lymphocytes	7.5	20 - 40 %
Monocytes	10.7	2 - 10 %
Eosinophils	5.8	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	10.07	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.00	1 - 3 x10 ³ /μL
Absolute Monocyte Count	1.42	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.77	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.03	0.02 - 0.10 x10 ³ /μL
Platelet Count	228	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 06:36
Patient Name	: anonymous	Age/Sex	: 52 Yr/M	Acceptance Date : 01-Jan-2023 17:00
Sample Type	: Edta Blood	Lab No.	: 230101CB106	Reporting Date : 05-Jan-2023 23:42
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	12.1	13 - 17 g/dl
HCT	40.0	40 - 50 %
RBC	5.31	4.5 - 5.5 $\times 10^6$ / μ L
MCV	75.3	83 - 101 fL
MCH	22.8	27 - 32 pg
MCHC	30.3	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	19.7	11.6 - 14.0 %
Total Leukocyte Count(TLC)	17.16	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	76.5	40 - 80 %
Lymphocytes	12.2	20 - 40 %
Monocytes	11.0	2 - 10 %
Eosinophils	0.1	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	13.14	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	2.09	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	1.88	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.02	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.03	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	123	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 05:51
Patient Name	: anonymous	Age/Sex	: 57 Yr/M	Acceptance Date : 01-Jan-2023 17:00
Sample Type	: Edta Blood	Lab No.	: 230101CB105	Reporting Date : 02-Jan-2023 07:58
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	7.8	13 - 17 g/dl
HCT	26.2	40 - 50 %
RBC	2.90	4.5 - 5.5 x10 ⁶ /μL
MCV	90.3	83 - 101 fL
MCH	26.9	27 - 32 pg
MCHC	29.8	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	17.0	11.6 - 14.0 %
Total Leukocyte Count(TLC)	19.69	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	76.4	40 - 80 %
Lymphocytes	4.5	20 - 40 %
Monocytes	4.4	2 - 10 %
Eosinophils	14.6	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	15.03	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.89	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.87	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	2.88	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.02	0.02 - 0.10 x10 ³ /μL
Platelet Count	164	150 - 410 x10 ³ /μL

Comments on PBS : Moderate eosinophilia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required