



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	35 Yr/M
Sample Type	:	Edta Blood	Lab No.	:	230102CB032
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 22:06
			Acceptance Date	:	02-Jan-2023 02:15
			Reporting Date	:	10-Jan-2023 15:34

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.3	13 - 17 g/dl
HCT	24.3	40 - 50 %
RBC	3.01	4.5 - 5.5 $\times 10^6$ / μ L
MCV	80.7	83 - 101 fL
MCH	27.6	27 - 32 pg
MCHC	34.2	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.4	11.6 - 14.0 %
Total Leukocyte Count(TLC)	2.12	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	71.2	40 - 80 %
Lymphocytes	26.9	20 - 40 %
Monocytes	1.9	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	1.51	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	0.57	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.04	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.00	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.00	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	14	150 - 410 $\times 10^3$ / μ L

Comments on PBS : Pancytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Clinical Pathology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:49
Patient Name	: anonymous	Age/Sex	: 60 Yr/M	Acceptance Date : 01-Jan-2023 02:15
Sample Type	: Csf	Lab No.	: 230101CF001	Reporting Date : 04-Jan-2023 17:02
Referred Doctor	:	Patient Type	: IPD	

CSF Routine and Microscopic Examination

SPECIMEN: CSF

METHOD: Routine and Microscopy

Test	Result	Unit
PHYSICAL EXAMINATION		
Volume	1	ml
Colour	colourless	
Appearance	clear	
Coagulum	absent	
Blood	absent	
Deposit	absent	
MICROSCOPIC EXAMINATION		
Total Leucocyte Count	1	Cells/mm ³
DIFFERENTIAL LEUCOCYTE COUNT		
Neutrophils		%
Lymphocytes	100	%
Eosinophils		%
Monocytes		%
Basophils		%
Degenerated cells		Absent/ Present
Atypical cells		Absent/ Present
Others	RBCs seen	Absent/ Present

Comments:

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Clinical Pathology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:49
Patient Name	: anonymous	Age/Sex	: 60 Yr/M	Acceptance Date : 01-Jan-2023 02:15
Sample Type	: Csf	Lab No.	: 230101CF001	Reporting Date : 04-Jan-2023 17:02
Referred Doctor	:	Patient Type	: IPD	

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:32
Patient Name	: anonymous	Age/Sex	: 6 Mth/F	Acceptance Date : 01-Jan-2023 19:52
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT034	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	11.0	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.1	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:38
Patient Name	: anonymous	Age/Sex	: 34 Yr/F	Acceptance Date : 01-Jan-2023 11:14
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT015	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	10.5	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.1	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:16
Patient Name	: anonymous	Age/Sex	: 29 Yr/F	Acceptance Date : 02-Jan-2023 00:21
Sample Type	: Edta Blood	Lab No.	: 230102CB007	Reporting Date : 02-Jan-2023 02:09
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood

METHOD: Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.7	12 - 15 g/dl
HCT	27.2	36 - 46 %
RBC	3.47	3.8 - 4.8 $\times 10^6$ / μ L
MCV	78.4	83 - 101 fL
MCH	25.1	27 - 32 pg
MCHC	32.0	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	16.6	11.6 - 14.0 %
Total Leukocyte Count(TLC)	12.96	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	85.1	40 - 80 %
Lymphocytes	10.2	20 - 40 %
Monocytes	4.6	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	11.03	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.32	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.60	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.00	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	258	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:06
Patient Name	: anonymous	Age/Sex	: 73 Yr/M	Acceptance Date : 02-Jan-2023 02:14
Sample Type	: Edta Blood	Lab No.	: 230102CB027	Reporting Date : 02-Jan-2023 08:46
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	7.8	13 - 17 g/dl
HCT	23.3	40 - 50 %
RBC	2.56	4.5 - 5.5 x10 ⁶ /μL
MCV	91.0	83 - 101 fL
MCH	30.5	27 - 32 pg
MCHC	33.5	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	16.6	11.6 - 14.0 %
Total Leukocyte Count(TLC)	0.57	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	19.2	40 - 80 %
Lymphocytes	73.7	20 - 40 %
Monocytes	5.3	2 - 10 %
Eosinophils	1.8	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	0.11	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.42	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.03	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.01	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.00	0.02 - 0.10 x10 ³ /μL
Platelet Count	45	150 - 410 x10 ³ /μL

Comments on PBS : Pancytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:39
Patient Name	: anonymous	Age/Sex	: 23 Yr/F	Acceptance Date : 01-Jan-2023 02:38
Sample Type	: Edta Blood	Lab No.	: 230101CB045	Reporting Date : 10-Jan-2023 16:03
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	12.5	12 - 15 g/dl
HCT	39.1	36 - 46 %
RBC	4.25	3.8 - 4.8 $\times 10^6$ / μ L
MCV	92.0	83 - 101 fL
MCH	29.4	27 - 32 pg
MCHC	32.0	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	13.6	11.6 - 14.0 %
Total Leukocyte Count(TLC)	8.05	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	62.8	40 - 80 %
Lymphocytes	28.3	20 - 40 %
Monocytes	8.1	2 - 10 %
Eosinophils	0.6	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.05	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	2.28	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.65	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.05	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.02	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	141	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:38
Patient Name	: anonymous	Age/Sex	: 12 Yr/M	Acceptance Date : 01-Jan-2023 10:10
Sample Type	: Edta Blood	Lab No.	: 230101CB056	Reporting Date : 10-Jan-2023 16:19
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.3	11.5 - 15.5 g/dl
HCT	26.6	35 - 45 %
RBC	3.40	4.0 - 5.2 x10 ⁶ /μL
MCV	78.2	77 - 95 fL
MCH	24.4	25 - 33 pg
MCHC	31.2	31 - 37 g/dL
Red Cell Distribution Width (RDW CV)	18.8	11.6 - 14.0 %
Total Leukocyte Count(TLC)	9.23	5 - 13 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	71.0	38 - 68 %
Lymphocytes	24.4	25 - 54 %
Monocytes	2.9	2 - 10 %
Eosinophils	1.6	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	6.55	2 - 8 x10 ³ /μL
Absolute Lymphocyte Count	2.25	1 - 5 x10 ³ /μL
Absolute Monocyte Count	0.27	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.15	0.1 - 1 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	275	170 - 450 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:10
Patient Name	: anonymous	Age/Sex	: 38 Yr/M	Acceptance Date : 01-Jan-2023 11:14
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT016	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	11.5	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.2	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:35
Patient Name	: anonymous	Age/Sex	: 22 Yr/F	Acceptance Date : 01-Jan-2023 02:38
Sample Type	: Edta Blood	Lab No.	: 230101CB044	Reporting Date : 10-Jan-2023 16:03
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.9	12 - 15 g/dl
HCT	37.1	36 - 46 %
RBC	4.03	3.8 - 4.8 $\times 10^6$ / μ L
MCV	92.1	83 - 101 fL
MCH	29.5	27 - 32 pg
MCHC	32.1	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.6	11.6 - 14.0 %
Total Leukocyte Count (TLC)	8.12	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	64.4	40 - 80 %
Lymphocytes	26.2	20 - 40 %
Monocytes	7.0	2 - 10 %
Eosinophils	2.2	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.22	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	2.13	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.57	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.18	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.02	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	160	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:23
Patient Name	: anonymous	Age/Sex	: 59 Yr/F	Acceptance Date : 02-Jan-2023 00:04
Sample Type	: Edta Blood	Lab No.	: 230102CB002	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	12.6	12 - 15 g/dl
HCT	39.7	36 - 46 %
RBC	4.71	3.8 - 4.8 x10 ⁶ /μL
MCV	84.3	83 - 101 fL
MCH	26.8	27 - 32 pg
MCHC	31.7	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	12.6	11.6 - 14.0 %
Total Leukocyte Count(TLC)	10.94	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	71.7	40 - 80 %
Lymphocytes	17.9	20 - 40 %
Monocytes	9.3	2 - 10 %
Eosinophils	0.7	01 - 06 %
Basophil	0.4	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	7.84	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.96	1 - 3 x10 ³ /μL
Absolute Monocyte Count	1.02	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.08	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.04	0.02 - 0.10 x10 ³ /μL
Platelet Count	320	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:46
Patient Name	: anonymous	Age/Sex	: 46 Yr/M	Acceptance Date : 01-Jan-2023 13:31
Sample Type	: Edta Blood	Lab No.	: 230101CB096	Reporting Date : 10-Jan-2023 16:20
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	13.1	13 - 17 g/dl
HCT	40.8	40 - 50 %
RBC	4.57	4.5 - 5.5 x10 ⁶ /μL
MCV	89.3	83 - 101 fL
MCH	28.7	27 - 32 pg
MCHC	32.1	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	13.7	11.6 - 14.0 %
Total Leukocyte Count(TLC)	8.81	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	67.0	40 - 80 %
Lymphocytes	21.6	20 - 40 %
Monocytes	9.4	2 - 10 %
Eosinophils	1.7	01 - 06 %
Basophil	0.3	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.90	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.90	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.83	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.15	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.03	0.02 - 0.10 x10 ³ /μL
Platelet Count	169	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Clinical Pathology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 14:04
Patient Name	: anonymous	Age/Sex	: 42 Yr/M	Acceptance Date : 01-Jan-2023 14:23
Sample Type	: Ascitic	Lab No.	: 230101BF002	Reporting Date : 01-Jan-2023 20:45
Referred Doctor	:	Patient Type	: IPD	

Body Fluids Routine and Microscopy Examination

SPECIMEN Peritoneal Fluid

METHOD: Routine and Microscopy

<u>Test</u>	<u>Result</u>	<u>Unit</u>
PHYSICAL EXAMINATION		
Volume	03	ml
Colour	Pale yellow	
Appearance	Clear	
Coagulum	Absent	
Blood	Absent	
Deposit	Absent	
TOTAL LEUCOCYTE COUNT		
Total Leucocyte Count	40	Cells/mm ³
DIFFERENTIAL LEUCOCYTE COUNT		
Neutrophils	80	%
Lymphocytes	20	%
Eosinophils	00	%
Monocytes	00	%
Basophils	00	%
Mesothelial cells	Absent	Absent/ Present
Degenerated cells	Absent	Absent/ Present
Atypical cells	Absent	Absent/ Present
Others	RBCs present	Absent/ Present

Comments:

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

Clinical Pathology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 14:04
Patient Name	: anonymous	Age/Sex	: 42 Yr/M	Acceptance Date : 01-Jan-2023 14:23
Sample Type	: Ascitic	Lab No.	: 230101BF002	Reporting Date : 01-Jan-2023 20:45
Referred Doctor	:	Patient Type	: IPD	

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:24
Patient Name	: anonymous	Age/Sex	: 34 Yr/F	Acceptance Date : 01-Jan-2023 11:12
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT012	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	12.6	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.2	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:04
Patient Name	: anonymous	Age/Sex	: 16 Yr/F	Acceptance Date : 02-Jan-2023 02:15
Sample Type	: Edta Blood	Lab No.	: 230102CB028	Reporting Date : 02-Jan-2023 08:46
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.2	12 - 15 g/dl
HCT	27.8	36 - 46 %
RBC	3.25	3.8 - 4.8 $\times 10^6$ / μ L
MCV	85.5	83 - 101 fL
MCH	28.3	27 - 32 pg
MCHC	33.1	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	13.6	11.6 - 14.0 %
Total Leukocyte Count(TLC)	10.93	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	53.3	40 - 80 %
Lymphocytes	22.0	20 - 40 %
Monocytes	24.3	2 - 10 %
Eosinophils	0.1	01 - 06 %
Basophil	0.3	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.82	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	2.41	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	2.66	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.01	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.03	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	71	150 - 410 $\times 10^3$ / μ L

Comments on PBS : Moderate thrombocytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:39
Patient Name	: anonymous	Age/Sex	: 23 Yr/F	Acceptance Date : 01-Jan-2023 02:39
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT009	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	8.5	09.6 - 12.2 sec
International Normalised Ratio (INR)	0.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:35
Patient Name	: anonymous	Age/Sex	: 22 Yr/F	Acceptance Date : 01-Jan-2023 02:39
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT009	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	8.7	09.6 - 12.2 sec
International Normalised Ratio (INR)	0.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 12:23
Patient Name	: anonymous	Age/Sex	: 49 Yr/F	Acceptance Date : 01-Jan-2023 12:55
Sample Type	: Edta Blood	Lab No.	: 230101CB071	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: OPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.5	12 - 15 g/dl
HCT	39.7	36 - 46 %
RBC	5.10	3.8 - 4.8 $\times 10^6$ / μ L
MCV	77.8	83 - 101 fL
MCH	22.5	27 - 32 pg
MCHC	29.0	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.8	11.6 - 14.0 %
Total Leukocyte Count(TLC)	8.67	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	59.1	40 - 80 %
Lymphocytes	30.0	20 - 40 %
Monocytes	8.7	2 - 10 %
Eosinophils	1.7	01 - 06 %
Basophil	0.5	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.13	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	2.60	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.75	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.15	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.04	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	207	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:05
Patient Name	: anonymous	Age/Sex	: 35 Yr/F	Acceptance Date : 02-Jan-2023 02:16
Sample Type	: Edta Blood	Lab No.	: 230102CB033	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	7.4	12 - 15 g/dl
HCT	22.6	36 - 46 %
RBC	2.68	3.8 - 4.8 $\times 10^6$ / μ L
MCV	84.3	83 - 101 fL
MCH	27.6	27 - 32 pg
MCHC	32.7	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	17.1	11.6 - 14.0 %
Total Leukocyte Count(TLC)	3.65	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	53.9	40 - 80 %
Lymphocytes	37.0	20 - 40 %
Monocytes	7.7	2 - 10 %
Eosinophils	1.1	01 - 06 %
Basophil	0.3	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	1.97	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.35	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.28	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.04	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	349	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 07:32
Patient Name	: anonymous	Age/Sex	: 6 Mth/F	Acceptance Date : 01-Jan-2023 19:52
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP027	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	24.3	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:35
Patient Name	: anonymous	Age/Sex	: 22 Yr/F	Acceptance Date : 01-Jan-2023 02:39
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP006	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	21.3	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 18:52
Patient Name	: anonymous	Age/Sex	: 1 D/F	Acceptance Date : 01-Jan-2023 19:50
Sample Type	: Edta Blood	Lab No.	: 230101CB137	Reporting Date : 10-Jan-2023 16:12
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	16.8	14 - 22 g/dl
HCT	48.3	45 - 75 %
RBC	4.44	5 - 7 x10 ⁶ /μL
MCV	108.8	92 - 120 fL
MCH	37.8	31 - 37 pg
MCHC	34.8	30 - 36 g/dL
Red Cell Distribution Width (RDW CV)	16.8	11.6 - 14.0 %
Total Leukocyte Count(TLC)	7.52	10 - 26 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	72.1	41 - 81 %
Lymphocytes	20.9	21 - 41 %
Monocytes	6.8	2 - 10 %
Eosinophils	0.1	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.42	3 - 8 x10 ³ /μL
Absolute Lymphocyte Count	1.57	3 - 8 x10 ³ /μL
Absolute Monocyte Count	0.51	0.5 - 2 x10 ³ /μL
Absolute Eosinophil Count	0.01	0.1 - 1 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	142	100 - 450 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:39
Patient Name	: anonymous	Age/Sex	: 23 Yr/F	Acceptance Date : 01-Jan-2023 02:39
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP007	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	22.0	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 22:11
Patient Name	: anonymous	Age/Sex	: 64 Yr/M	Acceptance Date : 02-Jan-2023 13:09
Sample Type	: Edta Blood	Lab No.	: 230102CB140	Reporting Date : 02-Jan-2023 15:48
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.4	13 - 17 g/dl
HCT	40.0	40 - 50 %
RBC	4.17	4.5 - 5.5 x10 ⁶ /μL
MCV	95.9	83 - 101 fL
MCH	27.3	27 - 32 pg
MCHC	28.5	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.7	11.6 - 14.0 %
Total Leukocyte Count(TLC)	6.61	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	86.6	40 - 80 %
Lymphocytes	10.1	20 - 40 %
Monocytes	3.3	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.72	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.67	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.22	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.00	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.00	0.02 - 0.10 x10 ³ /μL
Platelet Count	146	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:38
Patient Name	: anonymous	Age/Sex	: 34 Yr/F	Acceptance Date : 01-Jan-2023 12:52
Sample Type	: Edta Blood	Lab No.	: 230101CB061	Reporting Date : 10-Jan-2023 16:19
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.9	12 - 15 g/dl
HCT	33.3	36 - 46 %
RBC	4.34	3.8 - 4.8 x10 ⁶ /μL
MCV	76.7	83 - 101 fL
MCH	22.8	27 - 32 pg
MCHC	29.7	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	16.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	13.61	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	75.3	40 - 80 %
Lymphocytes	16.0	20 - 40 %
Monocytes	7.8	2 - 10 %
Eosinophils	0.7	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	10.25	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	2.18	1 - 3 x10 ³ /μL
Absolute Monocyte Count	1.06	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.09	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.03	0.02 - 0.10 x10 ³ /μL
Platelet Count	89	150 - 410 x10 ³ /μL

Comments on PBS : Moderate thrombocytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required