



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:54
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 01-Jan-2023 02:40
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP010	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	22.0	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:54
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 01-Jan-2023 02:40
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT009	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	9.1	09.6 - 12.2 sec
International Normalised Ratio (INR)	0.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 14:46
Patient Name	: anonymous	Age/Sex	: 13 Yr/M	Acceptance Date : 01-Jan-2023 19:46
Sample Type	: Edta Blood	Lab No.	: 230101CB119	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	12.4	13 - 17 g/dl
HCT	40.1	40 - 50 %
RBC	4.02	4.5 - 5.5 x10 ⁶ /μL
MCV	99.8	83 - 101 fL
MCH	30.8	27 - 32 pg
MCHC	30.9	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	9.43	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	76.3	40 - 80 %
Lymphocytes	17.6	20 - 40 %
Monocytes	5.8	2 - 10 %
Eosinophils	0.2	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	7.19	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.66	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.55	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.02	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	207	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 09:38
Patient Name	: anonymous	Age/Sex	: 7 Yr/M	Acceptance Date : 02-Jan-2023 10:39
Sample Type	: Edta Blood	Lab No.	: 230102CB051	Reporting Date : 10-Jan-2023 15:37
Referred Doctor	:	Patient Type	: OPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	10.3	11.5 - 15.5 g/dl
HCT	30.7	35 - 45 %
RBC	2.98	4.0 - 5.2 x10 ⁶ /μL
MCV	103.0	77 - 95 fL
MCH	34.6	25 - 33 pg
MCHC	33.6	31 - 37 g/dL
Red Cell Distribution Width (RDW CV)	13.2	11.6 - 14.0 %
Total Leukocyte Count(TLC)	1.02	5 - 13 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	17.7	38 - 68 %
Lymphocytes	51.0	25 - 54 %
Monocytes	17.6	2 - 10 %
Eosinophils	13.7	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	0.18	2 - 8 x10 ³ /μL
Absolute Lymphocyte Count	0.52	1 - 5 x10 ³ /μL
Absolute Monocyte Count	0.18	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.14	0.1 - 1 x10 ³ /μL
Absolute Basophil Count	0.00	0.02 - 0.10 x10 ³ /μL
Platelet Count	131	170 - 450 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:43
Patient Name	: anonymous	Age/Sex	: 56 Yr/F	Acceptance Date : 02-Jan-2023 02:13
Sample Type	: Edta Blood	Lab No.	: 230102CB018	Reporting Date : 10-Jan-2023 15:37
Referred Doctor	:	Patient Type	: OPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.4	12 - 15 g/dl
HCT	33.8	36 - 46 %
RBC	4.12	3.8 - 4.8 $\times 10^6$ / μ L
MCV	82.0	83 - 101 fL
MCH	27.7	27 - 32 pg
MCHC	33.7	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	11.74	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	68.9	40 - 80 %
Lymphocytes	22.1	20 - 40 %
Monocytes	7.8	2 - 10 %
Eosinophils	0.9	01 - 06 %
Basophil	0.3	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	8.10	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	2.60	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.91	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.10	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.03	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	268	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:23
Patient Name	: anonymous	Age/Sex	: 59 Yr/F	Acceptance Date : 01-Jan-2023 14:49
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT028	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	9.4	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.0	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:18
Patient Name	: anonymous	Age/Sex	: 29 Yr/F	Acceptance Date : 01-Jan-2023 02:40
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP009	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	21.3	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:43
Patient Name	: anonymous	Age/Sex	: 56 Yr/F	Acceptance Date : 02-Jan-2023 02:19
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102AP007	Reporting Date : 10-Jan-2023 15:48
Referred Doctor	:	Patient Type	: OPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	23.2	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 20:45
Patient Name	: anonymous	Age/Sex	: 6 Mth/M	Acceptance Date : 01-Jan-2023 23:51
Sample Type	: Edta Blood	Lab No.	: 230101CB144	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.2	11.1 - 14.1 g/dl
HCT	38.1	30 - 40 %
RBC	4.51	3.9 - 5.3 $\times 10^6$ / μ L
MCV	84.5	68 - 84 fL
MCH	24.8	24 - 30 pg
MCHC	29.4	30 - 36 g/dL
Red Cell Distribution Width (RDW CV)	21.4	30 - 36 %
Total Leukocyte Count(TLC)	8.37	6 - 18 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	87.5	15 - 45 %
Lymphocytes	11.8	47 - 77 %
Monocytes	0.6	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	7.32	1 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	0.99	3.5 - 11 $\times 10^3$ / μ L
Absolute Monocyte Count	0.05	0.1 - 1.2 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.00	0.1 - 1 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	349	200 - 550 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 19:07
Patient Name	: anonymous	Age/Sex	: 35 Yr/F	Acceptance Date : 01-Jan-2023 23:03
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT034	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	9.8	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.0	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:54
Patient Name	: anonymous	Age/Sex	: 1 D/F	Acceptance Date : 01-Jan-2023 01:19
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP005	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	57.9	23.2 - 32.4 sec

Test done twice. Suggested clinical correlation.

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:18
Patient Name	: anonymous	Age/Sex	: 29 Yr/F	Acceptance Date : 01-Jan-2023 02:40
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT009	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	8.7	09.6 - 12.2 sec
International Normalised Ratio (INR)	0.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:42
Patient Name	: anonymous	Age/Sex	: 60 Yr/F	Acceptance Date : 02-Jan-2023 02:20
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102PT005	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: OPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	10.6	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.1	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:23
Patient Name	: anonymous	Age/Sex	: 59 Yr/F	Acceptance Date : 01-Jan-2023 13:31
Sample Type	: Edta Blood	Lab No.	: 230101CB097	Reporting Date : 02-Jan-2023 07:58
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	5.9	12 - 15 g/dl
HCT	19.2	36 - 46 %
RBC	2.07	3.8 - 4.8 $\times 10^6$ / μ L
MCV	92.8	83 - 101 fL
MCH	28.5	27 - 32 pg
MCHC	30.7	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.9	11.6 - 14.0 %
Total Leukocyte Count(TLC)	6.44	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	63.8	40 - 80 %
Lymphocytes	28.4	20 - 40 %
Monocytes	2.8	2 - 10 %
Eosinophils	4.8	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	4.11	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.83	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.18	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.31	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	168	150 - 410 $\times 10^3$ / μ L

Comments on PBS : Sparsely populated normocytic normochromic red cells.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:28
Patient Name	: anonymous	Age/Sex	: 49 Yr/M	Acceptance Date : 01-Jan-2023 10:09
Sample Type	: Edta Blood	Lab No.	: 230101CB055	Reporting Date : 10-Jan-2023 16:03
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.0	13 - 17 g/dl
HCT	27.4	40 - 50 %
RBC	2.95	4.5 - 5.5 x10 ⁶ /μL
MCV	92.9	83 - 101 fL
MCH	30.5	27 - 32 pg
MCHC	32.8	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	11.18	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	74.6	40 - 80 %
Lymphocytes	11.3	20 - 40 %
Monocytes	10.7	2 - 10 %
Eosinophils	3.2	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	8.34	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.26	1 - 3 x10 ³ /μL
Absolute Monocyte Count	1.20	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.36	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.02	0.02 - 0.10 x10 ³ /μL
Platelet Count	338	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:42
Patient Name	: anonymous	Age/Sex	: 60 Yr/F	Acceptance Date : 02-Jan-2023 02:12
Sample Type	: Edta Blood	Lab No.	: 230102CB017	Reporting Date : 10-Jan-2023 15:37
Referred Doctor	:	Patient Type	: OPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	13.4	12 - 15 g/dl
HCT	44.1	36 - 46 %
RBC	5.98	3.8 - 4.8 x10 ⁶ /μL
MCV	73.7	83 - 101 fL
MCH	22.4	27 - 32 pg
MCHC	30.4	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.1	11.6 - 14.0 %
Total Leukocyte Count(TLC)	5.23	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	87.0	40 - 80 %
Lymphocytes	8.2	20 - 40 %
Monocytes	4.8	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	4.55	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.43	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.25	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.00	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.00	0.02 - 0.10 x10 ³ /μL
Platelet Count	160	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 19:07
Patient Name	: anonymous	Age/Sex	: 35 Yr/F	Acceptance Date : 01-Jan-2023 22:57
Sample Type	: Edta Blood	Lab No.	: 230101CB138	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.8	12 - 15 g/dl
HCT	31.0	36 - 46 %
RBC	3.74	3.8 - 4.8 x10 ⁶ /μL
MCV	82.9	83 - 101 fL
MCH	26.2	27 - 32 pg
MCHC	31.6	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.4	11.6 - 14.0 %
Total Leukocyte Count(TLC)	7.60	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	70.0	40 - 80 %
Lymphocytes	19.9	20 - 40 %
Monocytes	7.9	2 - 10 %
Eosinophils	2.1	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.32	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.51	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.60	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.16	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	275	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 14:02
Patient Name	: anonymous	Age/Sex	: 44 Yr/F	Acceptance Date : 01-Jan-2023 17:01
Sample Type	: Edta Blood	Lab No.	: 230101CB113	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	7.5	12 - 15 g/dl
HCT	24.0	36 - 46 %
RBC	2.85	3.8 - 4.8 $\times 10^6$ / μ L
MCV	84.2	83 - 101 fL
MCH	26.3	27 - 32 pg
MCHC	31.3	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.8	11.6 - 14.0 %
Total Leukocyte Count(TLC)	6.68	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	76.2	40 - 80 %
Lymphocytes	17.2	20 - 40 %
Monocytes	4.0	2 - 10 %
Eosinophils	2.5	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.08	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.15	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.27	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.17	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	188	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 19:07
Patient Name	: anonymous	Age/Sex	: 35 Yr/F	Acceptance Date : 01-Jan-2023 23:03
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP029	Reporting Date : 10-Jan-2023 15:48
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	24.0	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 14:24
Patient Name	: anonymous	Age/Sex	: 56 Yr/M	Acceptance Date : 01-Jan-2023 19:49
Sample Type	: Edta Blood	Lab No.	: 230101CB134	Reporting Date : 02-Jan-2023 07:58
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	6.1	13 - 17 g/dl
HCT	19.2	40 - 50 %
RBC	2.27	4.5 - 5.5 x10 ⁶ /μL
MCV	84.6	83 - 101 fL
MCH	26.9	27 - 32 pg
MCHC	31.8	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.1	11.6 - 14.0 %
Total Leukocyte Count(TLC)	2.72	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	72.4	40 - 80 %
Lymphocytes	9.6	20 - 40 %
Monocytes	10.3	2 - 10 %
Eosinophils	7.7	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	1.97	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.26	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.28	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.21	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.00	0.02 - 0.10 x10 ³ /μL
Platelet Count	222	150 - 410 x10 ³ /μL

Comments on PBS : Bicytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:23
Patient Name	: anonymous	Age/Sex	: 59 Yr/F	Acceptance Date : 01-Jan-2023 14:49
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP016	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	20.9	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:54
Patient Name	: anonymous	Age/Sex	: 28 Yr/F	Acceptance Date : 01-Jan-2023 02:38
Sample Type	: Edta Blood	Lab No.	: 230101CB048	Reporting Date : 10-Jan-2023 16:03
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood

METHOD: Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.7	12 - 15 g/dl
HCT	36.0	36 - 46 %
RBC	4.09	3.8 - 4.8 $\times 10^6$ / μ L
MCV	88.0	83 - 101 fL
MCH	28.6	27 - 32 pg
MCHC	32.5	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	13.6	11.6 - 14.0 %
Total Leukocyte Count(TLC)	9.62	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	69.9	40 - 80 %
Lymphocytes	23.1	20 - 40 %
Monocytes	5.7	2 - 10 %
Eosinophils	1.2	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	6.72	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	2.22	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.55	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.12	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	234	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:42
Patient Name	: anonymous	Age/Sex	: 60 Yr/F	Acceptance Date : 02-Jan-2023 02:20
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102AP007	Reporting Date : 10-Jan-2023 15:48
Referred Doctor	:	Patient Type	: OPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	23.3	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:43
Patient Name	: anonymous	Age/Sex	: 56 Yr/F	Acceptance Date : 02-Jan-2023 02:19
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102PT004	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: OPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	9.3	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.0	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:18
Patient Name	: anonymous	Age/Sex	: 29 Yr/F	Acceptance Date : 01-Jan-2023 02:38
Sample Type	: Edta Blood	Lab No.	: 230101CB047	Reporting Date : 10-Jan-2023 16:03
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.5	12 - 15 g/dl
HCT	36.0	36 - 46 %
RBC	4.30	3.8 - 4.8 $\times 10^6$ / μ L
MCV	83.7	83 - 101 fL
MCH	26.7	27 - 32 pg
MCHC	31.9	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	16.2	11.6 - 14.0 %
Total Leukocyte Count(TLC)	9.56	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	63.9	40 - 80 %
Lymphocytes	27.5	20 - 40 %
Monocytes	7.2	2 - 10 %
Eosinophils	1.3	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	6.11	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	2.63	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.69	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.12	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	278	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required