



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 19:35
Patient Name	: anonymous	Age/Sex	: 51 Yr/F	Acceptance Date : 02-Jan-2023 00:23
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102AP002	Reporting Date : 10-Jan-2023 15:48
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	26.5	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:04
Patient Name	: anonymous	Age/Sex	: 17 Yr/F	Acceptance Date : 01-Jan-2023 14:45
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT022	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	10.4	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.1	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	65 Yr/F
Sample Type	:	Edta Blood	Lab No.	:	230101CB064
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 00:59
			Acceptance Date	:	01-Jan-2023 12:53
			Reporting Date	:	10-Jan-2023 16:03

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	10.4	12 - 15 g/dl
HCT	33.9	36 - 46 %
RBC	3.81	3.8 - 4.8 $\times 10^6$ / μ L
MCV	89.0	83 - 101 fL
MCH	27.3	27 - 32 pg
MCHC	30.7	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	18.6	11.6 - 14.0 %
Total Leukocyte Count(TLC)	15.59	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	70.6	40 - 80 %
Lymphocytes	20.5	20 - 40 %
Monocytes	6.5	2 - 10 %
Eosinophils	2.1	01 - 06 %
Basophil	0.3	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	11.02	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	3.19	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	1.01	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.32	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.05	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	242	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:03
Patient Name	: anonymous	Age/Sex	: 23 Yr/M	Acceptance Date : 01-Jan-2023 12:53
Sample Type	: Edta Blood	Lab No.	: 230101CB065	Reporting Date : 10-Jan-2023 16:03
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.2	13 - 17 g/dl
HCT	34.8	40 - 50 %
RBC	4.13	4.5 - 5.5 x10 ⁶ /μL
MCV	84.3	83 - 101 fL
MCH	27.1	27 - 32 pg
MCHC	32.2	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.7	11.6 - 14.0 %
Total Leukocyte Count(TLC)	15.69	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	83.3	40 - 80 %
Lymphocytes	9.1	20 - 40 %
Monocytes	7.4	2 - 10 %
Eosinophils	0.1	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	13.06	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.43	1 - 3 x10 ³ /μL
Absolute Monocyte Count	1.16	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.02	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.02	0.02 - 0.10 x10 ³ /μL
Platelet Count	172	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 19:20
Patient Name	: anonymous	Age/Sex	: 25 Yr/M	Acceptance Date : 02-Jan-2023 00:04
Sample Type	: Edta Blood	Lab No.	: 230102CB003	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	6.9	13 - 17 g/dl
HCT	21.7	40 - 50 %
RBC	1.87	4.5 - 5.5 x10 ⁶ /μL
MCV	116.0	83 - 101 fL
MCH	36.9	27 - 32 pg
MCHC	31.8	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	25.4	11.6 - 14.0 %
Total Leukocyte Count(TLC)	11.07	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	44.8	40 - 80 %
Lymphocytes	45.2	20 - 40 %
Monocytes	9.1	2 - 10 %
Eosinophils	0.7	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	4.96	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	5.00	1 - 3 x10 ³ /μL
Absolute Monocyte Count	1.01	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.08	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.02	0.02 - 0.10 x10 ³ /μL
Platelet Count	96	150 - 410 x10 ³ /μL

Comments on PBS : Nucleated RBC 2/100 WBCs. Bicytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:42
Patient Name	: anonymous	Age/Sex	: 32 Yr/M	Acceptance Date : 01-Jan-2023 02:13
Sample Type	: Edta Blood	Lab No.	: 230101CB038	Reporting Date : 10-Jan-2023 16:03
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.7	13 - 17 g/dl
HCT	31.3	40 - 50 %
RBC	3.96	4.5 - 5.5 x10 ⁶ /μL
MCV	79.0	83 - 101 fL
MCH	24.5	27 - 32 pg
MCHC	31.0	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	20.2	11.6 - 14.0 %
Total Leukocyte Count(TLC)	14.52	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	89.5	40 - 80 %
Lymphocytes	6.2	20 - 40 %
Monocytes	4.1	2 - 10 %
Eosinophils	0.1	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	13.01	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.90	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.59	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.01	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	344	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:45
Patient Name	: anonymous	Age/Sex	: 50 Yr/M	Acceptance Date : 02-Jan-2023 02:13
Sample Type	: Edta Blood	Lab No.	: 230102CB020	Reporting Date : 10-Jan-2023 15:37
Referred Doctor	:	Patient Type	: OPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.7	13 - 17 g/dl
HCT	32.1	40 - 50 %
RBC	5.16	4.5 - 5.5 x10 ⁶ /μL
MCV	62.2	83 - 101 fL
MCH	18.8	27 - 32 pg
MCHC	30.2	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.7	11.6 - 14.0 %
Total Leukocyte Count(TLC)	23.32	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	95.7	40 - 80 %
Lymphocytes	2.6	20 - 40 %
Monocytes	1.6	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	22.32	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.61	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.37	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.00	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.02	0.02 - 0.10 x10 ³ /μL
Platelet Count	383	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:03
Patient Name	: anonymous	Age/Sex	: 23 Yr/M	Acceptance Date : 01-Jan-2023 11:15
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT019	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	11.4	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.2	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:59
Patient Name	: anonymous	Age/Sex	: 65 Yr/F	Acceptance Date : 01-Jan-2023 11:14
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT018	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	18.9	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:33
Patient Name	: anonymous	Age/Sex	: 31 Yr/F	Acceptance Date : 01-Jan-2023 14:46
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT022	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	9.1	09.6 - 12.2 sec
International Normalised Ratio (INR)	0.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	58 Yr/M
Sample Type	:	Edta Blood	Lab No.	:	230102CB008
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 21:07
			Acceptance Date	:	02-Jan-2023 00:21
			Reporting Date	:	10-Jan-2023 15:34

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.3	13 - 17 g/dl
HCT	27.0	40 - 50 %
RBC	3.64	4.5 - 5.5 $\times 10^6$ / μ L
MCV	74.2	83 - 101 fL
MCH	22.8	27 - 32 pg
MCHC	30.7	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	16.6	11.6 - 14.0 %
Total Leukocyte Count(TLC)	9.32	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	77.6	40 - 80 %
Lymphocytes	9.2	20 - 40 %
Monocytes	5.5	2 - 10 %
Eosinophils	7.5	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	7.23	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	0.86	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.51	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.70	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.02	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	173	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:33
Patient Name	: anonymous	Age/Sex	: 31 Yr/F	Acceptance Date : 01-Jan-2023 14:46
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP012	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	29.7	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:04
Patient Name	: anonymous	Age/Sex	: 17 Yr/F	Acceptance Date : 01-Jan-2023 14:45
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP011	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	23.0	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 19:35
Patient Name	: anonymous	Age/Sex	: 51 Yr/F	Acceptance Date : 02-Jan-2023 00:23
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102PT002	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	9.3	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.0	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:55
Patient Name	: anonymous	Age/Sex	: 30 Yr/M	Acceptance Date : 01-Jan-2023 11:14
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT017	Reporting Date : 10-Jan-2023 14:13
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	69.0	09.6 - 12.2 sec
International Normalised Ratio (INR)	7.1	

Comments: Test repeated twice. Kindly correlate clinically. Send repeat sample if clinically indicated.

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.

2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.

3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 19:37
Patient Name	: anonymous	Age/Sex	: 15 Yr/M	Acceptance Date : 01-Jan-2023 23:51
Sample Type	: Edta Blood	Lab No.	: 230101CB145	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.8	13 - 17 g/dl
HCT	30.4	40 - 50 %
RBC	3.97	4.5 - 5.5 x10 ⁶ /μL
MCV	76.6	83 - 101 fL
MCH	24.7	27 - 32 pg
MCHC	32.2	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	21.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	8.45	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	66.2	40 - 80 %
Lymphocytes	19.3	20 - 40 %
Monocytes	13.7	2 - 10 %
Eosinophils	0.7	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.59	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.63	1 - 3 x10 ³ /μL
Absolute Monocyte Count	1.16	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.06	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	681	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	31 Yr/F
Sample Type	:	Edta Blood	Lab No.	:	230101CB053
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 01:33
			Acceptance Date	:	01-Jan-2023 10:09
			Reporting Date	:	10-Jan-2023 16:03

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	7.8	12 - 15 g/dl
HCT	24.5	36 - 46 %
RBC	2.90	3.8 - 4.8 $\times 10^6$ / μ L
MCV	84.5	83 - 101 fL
MCH	26.9	27 - 32 pg
MCHC	31.8	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	17.5	11.6 - 14.0 %
Total Leukocyte Count(TLC)	4.19	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	75.2	40 - 80 %
Lymphocytes	14.8	20 - 40 %
Monocytes	2.4	2 - 10 %
Eosinophils	7.4	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	3.15	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	0.62	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.10	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.31	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	162	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 00:55
Patient Name	: anonymous	Age/Sex	: 30 Yr/M	Acceptance Date : 01-Jan-2023 12:52
Sample Type	: Edta Blood	Lab No.	: 230101CB063	Reporting Date : 10-Jan-2023 14:13
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.1	13 - 17 g/dl
HCT	29.1	40 - 50 %
RBC	3.08	4.5 - 5.5 x10 ⁶ /μL
MCV	94.5	83 - 101 fL
MCH	29.5	27 - 32 pg
MCHC	31.3	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	19.1	11.6 - 14.0 %
Total Leukocyte Count(TLC)	11.32	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	88.1	40 - 80 %
Lymphocytes	4.7	20 - 40 %
Monocytes	5.1	2 - 10 %
Eosinophils	1.8	01 - 06 %
Basophil	0.3	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	9.98	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.53	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.58	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.20	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.03	0.02 - 0.10 x10 ³ /μL
Platelet Count	151	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:07
Patient Name	: anonymous	Age/Sex	: 21 Yr/M	Acceptance Date : 01-Jan-2023 23:41
Sample Type	: Edta Blood	Lab No.	: 230101CB142	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.9	13 - 17 g/dl
HCT	28.6	40 - 50 %
RBC	3.59	4.5 - 5.5 x10 ⁶ /μL
MCV	79.7	83 - 101 fL
MCH	24.8	27 - 32 pg
MCHC	31.1	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	19.1	11.6 - 14.0 %
Total Leukocyte Count(TLC)	16.56	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	81.2	40 - 80 %
Lymphocytes	7.9	20 - 40 %
Monocytes	9.5	2 - 10 %
Eosinophils	1.3	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	13.46	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.30	1 - 3 x10 ³ /μL
Absolute Monocyte Count	1.57	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.21	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.02	0.02 - 0.10 x10 ³ /μL
Platelet Count	294	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 01:31
Patient Name	: anonymous	Age/Sex	: 35 Yr/M	Acceptance Date : 01-Jan-2023 10:10
Sample Type	: Edta Blood	Lab No.	: 230101CB058	Reporting Date : 10-Jan-2023 16:03
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	10.5	13 - 17 g/dl
HCT	33.0	40 - 50 %
RBC	3.68	4.5 - 5.5 x10 ⁶ /μL
MCV	89.7	83 - 101 fL
MCH	28.5	27 - 32 pg
MCHC	31.8	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.0	11.6 - 14.0 %
Total Leukocyte Count(TLC)	12.91	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	94.1	40 - 80 %
Lymphocytes	3.2	20 - 40 %
Monocytes	2.6	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	12.16	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.41	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.33	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.00	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	217	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:45
Patient Name	: anonymous	Age/Sex	: 50 Yr/M	Acceptance Date : 02-Jan-2023 02:19
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102PT004	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: OPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	10.4	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.1	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:45
Patient Name	: anonymous	Age/Sex	: 50 Yr/M	Acceptance Date : 02-Jan-2023 02:19
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102AP005	Reporting Date : 10-Jan-2023 15:48
Referred Doctor	:	Patient Type	: OPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	35.8	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 19:35
Patient Name	: anonymous	Age/Sex	: 51 Yr/F	Acceptance Date : 02-Jan-2023 00:20
Sample Type	: Edta Blood	Lab No.	: 230102CB006	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	7.1	12 - 15 g/dl
HCT	23.6	36 - 46 %
RBC	2.81	3.8 - 4.8 $\times 10^6$ / μ L
MCV	84.0	83 - 101 fL
MCH	25.3	27 - 32 pg
MCHC	30.1	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	15.0	11.6 - 14.0 %
Total Leukocyte Count(TLC)	10.62	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	68.4	40 - 80 %
Lymphocytes	21.8	20 - 40 %
Monocytes	7.9	2 - 10 %
Eosinophils	1.7	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	7.26	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	2.32	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.84	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.18	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.02	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	201	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	44 Yr/M
Sample Type	:	Edta Blood	Lab No.	:	230101CB040
Referred Doctor	:		Patient Type	:	OPD
			Collection Date	:	01-Jan-2023 02:11
			Acceptance Date	:	01-Jan-2023 02:13
			Reporting Date	:	10-Jan-2023 16:03

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.5	13 - 17 g/dl
HCT	33.7	40 - 50 %
RBC	3.34	4.5 - 5.5 $\times 10^6$ / μ L
MCV	100.9	83 - 101 fL
MCH	34.4	27 - 32 pg
MCHC	34.1	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	13.7	11.6 - 14.0 %
Total Leukocyte Count(TLC)	19.38	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	88.5	40 - 80 %
Lymphocytes	4.5	20 - 40 %
Monocytes	6.7	2 - 10 %
Eosinophils	0.2	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	17.16	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	0.88	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	1.30	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.03	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	182	150 - 410 $\times 10^3$ / μ L

Comments on PBS : Neutrophilic leucocytosis

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 02:11
Patient Name	: anonymous	Age/Sex	: 44 Yr/M	Acceptance Date : 01-Jan-2023 02:14
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT008	Reporting Date : 10-Jan-2023 15:49
Referred Doctor	:	Patient Type	: OPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	10.5	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.1	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required