



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:11
Patient Name	: anonymous	Age/Sex	: 34 Yr/F	Acceptance Date : 01-Jan-2023 19:51
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT031	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	8.9	09.6 - 12.2 sec
International Normalised Ratio (INR)	0.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:50
Patient Name	: anonymous	Age/Sex	: 13 Yr/M	Acceptance Date : 01-Jan-2023 19:52
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP027	Reporting Date : 10-Jan-2023 15:48
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	24.3	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:21
Patient Name	: anonymous	Age/Sex	: 52 Yr/F	Acceptance Date : 01-Jan-2023 19:48
Sample Type	: Edta Blood	Lab No.	: 230101CB128	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	9.1	12 - 15 g/dl
HCT	30.5	36 - 46 %
RBC	4.62	3.8 - 4.8 $\times 10^6$ / μ L
MCV	66.0	83 - 101 fL
MCH	19.7	27 - 32 pg
MCHC	29.8	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	17.2	11.6 - 14.0 %
Total Leukocyte Count(TLC)	10.94	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	82.3	40 - 80 %
Lymphocytes	11.7	20 - 40 %
Monocytes	5.8	2 - 10 %
Eosinophils	0.1	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	9.01	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.28	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.63	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.01	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.01	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	350	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:40
Patient Name	: anonymous	Age/Sex	: 27 Yr/M	Acceptance Date : 02-Jan-2023 02:12
Sample Type	: Edta Blood	Lab No.	: 230102CB016	Reporting Date : 10-Jan-2023 15:37
Referred Doctor	:	Patient Type	: OPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	14.6	13 - 17 g/dl
HCT	46.1	40 - 50 %
RBC	4.41	4.5 - 5.5 $\times 10^6$ / μ L
MCV	104.5	83 - 101 fL
MCH	33.1	27 - 32 pg
MCHC	31.7	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.6	11.6 - 14.0 %
Total Leukocyte Count(TLC)	9.65	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	88.5	40 - 80 %
Lymphocytes	6.7	20 - 40 %
Monocytes	4.2	2 - 10 %
Eosinophils	0.4	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	8.53	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	0.65	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.41	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.04	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.02	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	90	150 - 410 $\times 10^3$ / μ L

Comments on PBS : Moderate thrombocytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:11
Patient Name	: anonymous	Age/Sex	: 34 Yr/F	Acceptance Date : 01-Jan-2023 19:51
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP026	Reporting Date : 10-Jan-2023 15:48
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	24.1	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:43
Patient Name	: anonymous	Age/Sex	: 50 Yr/M	Acceptance Date : 01-Jan-2023 17:01
Sample Type	: Edta Blood	Lab No.	: 230101CB111	Reporting Date : 05-Jan-2023 23:42
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	12.8	13 - 17 g/dl
HCT	40.0	40 - 50 %
RBC	4.91	4.5 - 5.5 x10 ⁶ /μL
MCV	81.5	83 - 101 fL
MCH	26.1	27 - 32 pg
MCHC	32.0	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	10.43	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	76.2	40 - 80 %
Lymphocytes	10.6	20 - 40 %
Monocytes	10.7	2 - 10 %
Eosinophils	2.3	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	7.94	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.11	1 - 3 x10 ³ /μL
Absolute Monocyte Count	1.12	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.24	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.02	0.02 - 0.10 x10 ³ /μL
Platelet Count	232	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	50 Yr/M
Sample Type	:	Edta Blood	Lab No.	:	230102CB019
Referred Doctor	:		Patient Type	:	OPD
			Collection Date	:	02-Jan-2023 01:44
			Acceptance Date	:	02-Jan-2023 02:13
			Reporting Date	:	10-Jan-2023 15:37

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood

METHOD: Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	12.7	13 - 17 g/dl
HCT	39.3	40 - 50 %
RBC	4.68	4.5 - 5.5 $\times 10^6$ / μ L
MCV	84.0	83 - 101 fL
MCH	27.1	27 - 32 pg
MCHC	32.3	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	13.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	13.64	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	74.1	40 - 80 %
Lymphocytes	16.1	20 - 40 %
Monocytes	9.6	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	10.10	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	2.20	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	1.31	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.00	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.03	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	376	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:20
Patient Name	: anonymous	Age/Sex	: 45 Yr/M	Acceptance Date : 01-Jan-2023 22:59
Sample Type	: Edta Blood	Lab No.	: 230101CB138	Reporting Date : 02-Jan-2023 08:46
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	3.9	13 - 17 g/dl
HCT	11.9	40 - 50 %
RBC	1.19	4.5 - 5.5 x10 ⁶ /μL
MCV	100.0	83 - 101 fL
MCH	32.8	27 - 32 pg
MCHC	32.8	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	----	11.6 - 14.0 %
Total Leukocyte Count(TLC)	2.54	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	70.1	40 - 80 %
Lymphocytes	26.4	20 - 40 %
Monocytes	3.1	2 - 10 %
Eosinophils	0.4	01 - 06 %
Basophil	0.0	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	1.78	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.67	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.08	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.01	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.00	0.02 - 0.10 x10 ³ /μL
Platelet Count	34	150 - 410 x10 ³ /μL

Comments on PBS : Nucleated RBC 2/100 WBCs. Pancytopenia.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:20
Patient Name	: anonymous	Age/Sex	: 45 Yr/M	Acceptance Date : 01-Jan-2023 22:59
Sample Type	: Edta Blood	Lab No.	: 230101RT003	Reporting Date : 02-Jan-2023 02:04
Referred Doctor	:	Patient Type	: IPD	

Reticulocyte Count

SPECIMEN: EDTA anticoagulated whole blood

METHOD: Supravital Staining

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Reticulocyte Count	2.10	0.5 - 2.5 %

Note: Corrected Reticulocyte Count :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:31
Patient Name	: anonymous	Age/Sex	: 52 Yr/M	Acceptance Date : 01-Jan-2023 23:00
Sample Type	: Edta Blood	Lab No.	: 230101RT004	Reporting Date : 02-Jan-2023 02:04
Referred Doctor	:	Patient Type	: IPD	

Reticulocyte Count

SPECIMEN: EDTA anticoagulated whole blood

METHOD: Supravital Staining

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Reticulocyte Count	1.46	0.5 - 2.5 %

Note: Corrected Reticulocyte Count :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:44
Patient Name	: anonymous	Age/Sex	: 50 Yr/M	Acceptance Date : 02-Jan-2023 02:19
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102PT004	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: OPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	10.2	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.1	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:20
Patient Name	: anonymous	Age/Sex	: 45 Yr/M	Acceptance Date : 01-Jan-2023 19:52
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP027	Reporting Date : 10-Jan-2023 15:48
Referred Doctor	:	Patient Type	: IPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	21.1	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	24 Yr/F
Sample Type	:	Edta Blood	Lab No.	:	230101CB122
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 15:20
			Acceptance Date	:	01-Jan-2023 19:47
			Reporting Date	:	02-Jan-2023 07:58

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	17.5	12 - 15 g/dl
HCT	62.6	36 - 46 %
RBC	7.51	3.8 - 4.8 x10 ⁶ /μL
MCV	83.4	83 - 101 fL
MCH	23.3	27 - 32 pg
MCHC	28.0	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	25.0	11.6 - 14.0 %
Total Leukocyte Count(TLC)	6.46	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	86.2	40 - 80 %
Lymphocytes	0.0	20 - 40 %
Monocytes	13.6	2 - 10 %
Eosinophils	0.0	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.57	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	0.00	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.88	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.00	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	61	150 - 410 x10 ³ /μL

Comments on PBS : Densely populated normocytic normochromic red cells. Nucleated RBc 16/100 WBCs. Moderate thrombocytopenia with occasional giant forms.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:20
Patient Name	: anonymous	Age/Sex	: 45 Yr/M	Acceptance Date : 02-Jan-2023 12:53
Sample Type	: Edta Blood	Lab No.	: 230102SK001	Reporting Date : 03-Jan-2023 12:43
Referred Doctor	:	Patient Type	: IPD	

Sickling Test

SPECIMEN: EDTA whole blood

METHOD: Slide/ solubility method

<u>Test</u>	<u>Result</u>	<u>Ref. Range</u>	<u>Unit</u>
Sickling Test	Negative	Negative	NA

Note: 1) A Negative test does not exclude the presence of low percentage of hemoglobin S
2) Test results may be confirmed by further testing with Hb electrophoresis / Hb HPLC

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 11:03
Patient Name	: anonymous	Age/Sex	: 45 Yr/F	Acceptance Date : 01-Jan-2023 12:55
Sample Type	: Edta Blood	Lab No.	: 230101CB073	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	8.9	12 - 15 g/dl
HCT	27.3	36 - 46 %
RBC	3.51	3.8 - 4.8 $\times 10^6$ / μ L
MCV	77.8	83 - 101 fL
MCH	25.4	27 - 32 pg
MCHC	32.6	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	18.3	11.6 - 14.0 %
Total Leukocyte Count(TLC)	15.17	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	82.8	40 - 80 %
Lymphocytes	12.5	20 - 40 %
Monocytes	4.4	2 - 10 %
Eosinophils	0.1	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	12.57	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	1.89	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.66	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.02	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.03	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	259	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:20
Patient Name	: anonymous	Age/Sex	: 45 Yr/M	Acceptance Date : 01-Jan-2023 19:52
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT032	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	9.2	09.6 - 12.2 sec
International Normalised Ratio (INR)	0.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:50
Patient Name	: anonymous	Age/Sex	: 13 Yr/M	Acceptance Date : 01-Jan-2023 19:52
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101PT033	Reporting Date : 10-Jan-2023 15:50
Referred Doctor	:	Patient Type	: IPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	11.4	09.6 - 12.2 sec
International Normalised Ratio (INR)	1.2	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	:	-	ABHA ADDRESS	:	-
CR No	:	-	Sample No.	:	-
Patient Name	:	anonymous	Age/Sex	:	24 Yr/M
Sample Type	:	Edta Blood	Lab No.	:	230101CB081
Referred Doctor	:		Patient Type	:	IPD
			Collection Date	:	01-Jan-2023 11:02
			Acceptance Date	:	01-Jan-2023 12:57
			Reporting Date	:	10-Jan-2023 16:15

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	12.3	13 - 17 g/dl
HCT	41.3	40 - 50 %
RBC	5.23	4.5 - 5.5 x10 ⁶ /μL
MCV	79.0	83 - 101 fL
MCH	23.5	27 - 32 pg
MCHC	29.8	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.0	11.6 - 14.0 %
Total Leukocyte Count(TLC)	7.39	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	72.6	40 - 80 %
Lymphocytes	20.2	20 - 40 %
Monocytes	4.7	2 - 10 %
Eosinophils	2.4	01 - 06 %
Basophil	0.1	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	5.36	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.49	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.35	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.18	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.01	0.02 - 0.10 x10 ³ /μL
Platelet Count	224	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:40
Patient Name	: anonymous	Age/Sex	: 27 Yr/M	Acceptance Date : 02-Jan-2023 02:20
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102AP008	Reporting Date : 02-Jan-2023 15:09
Referred Doctor	:	Patient Type	: OPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	38.7	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:44
Patient Name	: anonymous	Age/Sex	: 50 Yr/M	Acceptance Date : 02-Jan-2023 02:19
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102AP006	Reporting Date : 10-Jan-2023 15:48
Referred Doctor	:	Patient Type	: OPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	23.0	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:11
Patient Name	: anonymous	Age/Sex	: 34 Yr/F	Acceptance Date : 01-Jan-2023 17:02
Sample Type	: Edta Blood	Lab No.	: 230101CB115	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	11.7	12 - 15 g/dl
HCT	36.6	36 - 46 %
RBC	3.89	3.8 - 4.8 x10 ⁶ /μL
MCV	94.1	83 - 101 fL
MCH	30.1	27 - 32 pg
MCHC	32.0	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.0	11.6 - 14.0 %
Total Leukocyte Count(TLC)	11.33	4 - 10 x10 ³ /μL
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	71.3	40 - 80 %
Lymphocytes	17.1	20 - 40 %
Monocytes	7.8	2 - 10 %
Eosinophils	3.4	01 - 06 %
Basophil	0.4	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	8.08	2 - 7 x10 ³ /μL
Absolute Lymphocyte Count	1.94	1 - 3 x10 ³ /μL
Absolute Monocyte Count	0.88	0.2 - 1.0 x10 ³ /μL
Absolute Eosinophil Count	0.38	0.02 - 0.5 x10 ³ /μL
Absolute Basophil Count	0.05	0.02 - 0.10 x10 ³ /μL
Platelet Count	248	150 - 410 x10 ³ /μL

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 15:24
Patient Name	: anonymous	Age/Sex	: 68 Yr/F	Acceptance Date : 01-Jan-2023 19:48
Sample Type	: Edta Blood	Lab No.	: 230101CB127	Reporting Date : 10-Jan-2023 16:15
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	14.2	12 - 15 g/dl
HCT	45.0	36 - 46 %
RBC	4.68	3.8 - 4.8 $\times 10^6$ / μ L
MCV	96.2	83 - 101 fL
MCH	30.3	27 - 32 pg
MCHC	31.6	31.5 - 34.5 g/dL
Red Cell Distribution Width (RDW CV)	14.6	11.6 - 14.0 %
Total Leukocyte Count(TLC)	10.36	4 - 10 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	86.1	40 - 80 %
Lymphocytes	7.1	20 - 40 %
Monocytes	5.7	2 - 10 %
Eosinophils	0.9	01 - 06 %
Basophil	0.2	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	8.92	2 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	0.74	1 - 3 $\times 10^3$ / μ L
Absolute Monocyte Count	0.59	0.2 - 1.0 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.09	0.02 - 0.5 $\times 10^3$ / μ L
Absolute Basophil Count	0.02	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	365	150 - 410 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 21:06
Patient Name	: anonymous	Age/Sex	: 1 Yr/M	Acceptance Date : 02-Jan-2023 00:21
Sample Type	: Edta Blood	Lab No.	: 230102CB009	Reporting Date : 10-Jan-2023 15:34
Referred Doctor	:	Patient Type	: IPD	

Complete Blood Count (CBC)/ Hemogram

SPECIMEN: EDTA anticoagulated whole blood **METHOD:** Electrical impedance and flow cytometry

Test	Result	Ref. Range and Unit
Hemoglobin	10.0	11.1 - 14.1 g/dL
HCT	33.3	30 - 40 %
RBC	4.88	3.9 - 5.3 $\times 10^6$ / μ L
MCV	68.2	68 - 84 fL
MCH	20.5	24 - 30 pg
MCHC	30.0	30 - 36 g/dL
Red Cell Distribution Width (RDW CV)	15.8	30 - 36 %
Total Leukocyte Count(TLC)	10.70	6 - 18 $\times 10^3$ / μ L
DIFFERENTIAL LEUKOCYTE COUNT (DLC)		
Neutrophils	29.9	15 - 45 %
Lymphocytes	52.5	47 - 77 %
Monocytes	14.5	2 - 10 %
Eosinophils	2.7	01 - 06 %
Basophil	0.4	00 - 01 %
ABSOLUTE LEUKOCYTE COUNT		
Absolute Neutrophil Count	3.20	1 - 7 $\times 10^3$ / μ L
Absolute Lymphocyte Count	5.62	3.5 - 11 $\times 10^3$ / μ L
Absolute Monocyte Count	1.55	0.1 - 1.2 $\times 10^3$ / μ L
Absolute Eosinophil Count	0.29	0.1 - 1 $\times 10^3$ / μ L
Absolute Basophil Count	0.04	0.02 - 0.10 $\times 10^3$ / μ L
Platelet Count	489	200 - 550 $\times 10^3$ / μ L

Comments on PBS :

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 02-Jan-2023 01:40
Patient Name	: anonymous	Age/Sex	: 27 Yr/M	Acceptance Date : 02-Jan-2023 02:20
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230102PT005	Reporting Date : 02-Jan-2023 16:05
Referred Doctor	:	Patient Type	: OPD	

Prothrombin Time (PT-INR)

SPECIMEN: 3.2 % citrated plasma

METHOD: Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Prothrombin time (PT)	30.4	09.6 - 12.2 sec
International Normalised Ratio (INR)	2.9	

Comments:

1. Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
2. Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
3. APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required



C-DAC: Centre for Development of Advanced Computing
C-56/1, Sector-62, Noida - 201307, Uttar Pradesh,
91-0120-3063311-13.



Department of Pathology And Lab Medicine

General Hematology

ABHA NO	: -	ABHA ADDRESS	: -	
CR No	: -	Sample No.	: -	Collection Date : 01-Jan-2023 12:24
Patient Name	: anonymous	Age/Sex	: 18 Yr/M	Acceptance Date : 01-Jan-2023 14:47
Sample Type	: 3.2 Citrated Plasma	Lab No.	: 230101AP015	Reporting Date : 10-Jan-2023 15:47
Referred Doctor	:	Patient Type	: OPD	

Activated Partial Thromboplastin Time (APTT)

SPECIMEN: 3.2 % citrated plasma **METHOD:** Coagulation, optical detection method

CLINICAL DETAILS:

<u>Test</u>	<u>Result</u>	<u>Ref. Range and Unit</u>
Activated Partial Thromboplastin Time (APTT)	21.6	23.2 - 32.4 sec

Comments:

- 1.Prothrombin time is measure of the integrity of the extrinsic and common pathways of the coagulation cascade. PT is used for monitoring oral anticoagulation therapy, evaluation of liver function and coagulation disorders especially involving extrinsic pathway.
- 2.Recommended therapeutic range: **INR 2.0-3.0** - treatment of venous thrombosis and pulmonary embolism, prevention of systemic embolism, hypercoagulable state, atrial fibrillation, etc. **INR 2.5-3.5** - mechanical prosthetic valves, systemic recurrent emboli etc.
- 3.APTT is measure of the intrinsic coagulation pathway as well as common pathway. APTT is widely used for monitoring unfractionated heparin therapy, however it is affected by number of variables not related to heparin.

***** END OF THE REPORT *****

Validated By: anonymous

This is computer generated report. Signature not required