



INTERLAYER FOUNDATION

InterLayer

Core Protocol Specification
& Technical Architecture

Author: Bharath B R · @bharathcoorg7

Organisation: Interlayer Foundation · **Date:** August 2026

EVM

SVM

PolkaVM

Move VM

CosmWasm

TECHNICAL ARCHITECTURE

Abstract

This document presents the core protocol specification and technical architecture blueprint for **InterLayer (Gravity Testnet)**, a zero-trust, multi-virtual machine Layer-1/Interlayer state transition platform built on Substrate. InterLayer introduces the **Multi-VM Execution Layer (MEL)**, enabling heterogeneous, atomic contract execution across five major Virtual Machine standards—Ethereum Virtual Machine (EVM), Solana Virtual Machine (SVM), PolkaVM (RISC-V), Move VM, and CosmWasm—within a single unified state machine kernel.

Rather than relying on traditional wrapped-asset bridge contracts that lock assets on Chain A to mint synthetic tokens on Chain B, InterLayer introduces a native **LiteVerse DePIN Watcher Mesh** paired with **Threshold Multi-Party Computation (MPC TSS)**. Users receive unique per-user, per-chain deposit addresses across Bitcoin, Ethereum, Solana, and external networks; deposits are verified directly into a single unified native balance usable seamlessly across all five internal VM execution environments.

This specification establishes the core architectural design of the global state trie, the atomic transaction execution engine, the state rollback engine, the universal gas calibration model, the canonical unified address resolution system, the 3-Chain HotStuff BFT consensus protocol, the off-chain threshold MPC key generation and signing protocols, the non-inflationary real-yield fee distribution engine, and exhaustive technical specifications for 36 core active Substrate runtime pallets.

Document Scope & Conventions

This is a **protocol architecture specification** describing the target system design of InterLayer (Gravity Testnet). It serves as the authoritative reference for protocol designers, validators, and developers building on InterLayer.

Conventions used in this document: - **Rust code blocks** represent either actual production code extracted from the repository or design-target pseudocode illustrating intended data structures and algorithms. When a code block is sourced directly from a specific file, the source is noted in the surrounding text. - **Tables and parameter values** (gas costs, fee percentages, confirmation depths, staking parameters) reflect the current testnet configuration. All governance-configurable parameters are noted as such. - Features not yet implemented are described as part of the target architecture and will be delivered in subsequent releases.

Implementation Status

Component	Status	Details
Substrate Runtime	✓ Implemented	173 KB monolithic runtime (runtime/src/lib.rs)
Runtime Pallets	✓ 38 pallets implemented	All 38 have <code>#[pallet::call]</code> , <code>#[pallet::storage]</code> , <code>#[pallet::event]</code> ; 14/38 have unit tests
HotStuff BFT Consensus	✓ Implemented	17 Rust source files, 4,235 lines (consensus/hotstuff/)
VM Adapters (EVM, SVM, PolkaVM, Move, CosmWasm)	✓ Integrated	Compiled inline within the monolithic runtime (not separate crate directories)
RPC Handlers	✓ Implemented	10 handler files, 4,381 total lines across 18 namespaces
MPC Threshold Signer	✓ Executor implemented	mpc-executor/ : 9 Rust source files; mpc-nodes/ and mpc-recovery/ are Docker orchestration configurations
Portal Dashboard	✳ Standalone Utility	External Web3 dApp interface (portal/) for testnet interaction (not a runtime pallet)

Component	Status	Details
Block Explorer	 Standalone Utility	Standalone block and state explorer (explorer/) interacting via JSON-RPC
Bridge Pallet	 Optional	915 lines implemented but excluded from core spec (future activation via governance)
DEX Pallet	 Optional	218 lines implemented but excluded from core spec (future activation via governance)
LiteVerse Watcher Nodes	 Implemented	Mobile Watcher Node (Android/iOS), Browser Node (WASM), and LiteVerse Dashboard are developed and active (Tier 0 & Tier 1)

Table of Contents

1. [Chapter 1: System Overview & Protocol Architecture](#)
2. [Chapter 2: State Machine Architecture & Global Storage Layout](#)
3. [Chapter 3: Multi-VM Execution Layer \(MEL\) Engine Architecture](#)
4. [Chapter 4: Canonical Unified Address Space & Asset Accounting](#)
5. [Chapter 5: LiteVerse DePIN Watcher Mesh & Liquidity Orchestration](#)
6. [Chapter 6: Pipelined 3-Chain HotStuff BFT Consensus Protocol](#)
7. [Chapter 7: Deep-Dive Virtual Machine Execution Adapters](#)
8. [Chapter 8: Off-Chain Threshold MPC Signer Infrastructure \(TSS\)](#)
9. [Chapter 9: Cryptographic Foundations & Quantum Signature Engine](#)
10. [Chapter 10: Real-Yield Economic Model & Fee Routing Engine](#)
11. [Chapter 11: Comprehensive Substrate Runtime Pallet Architecture \(36 Core Active Runtime Pallets\)](#)
12. [Chapter 12: Wire-Format & Binary Serialization Specifications \(SCALE, RLP, Borsh, BCS, Wasm\)](#)
13. [Chapter 13: Exhaustive JSON-RPC Interface & API Specification \(Core, MEL, LiteVerse, MPC\)](#)
14. [Chapter 14: Multi-VM Smart Contract & Cross-VM Developer Integration Guide](#)
15. [Chapter 15: System Invariants & Protocol Guarantees](#)

Appendices

- [Appendix A: Testnet Deployment Configuration](#)
- [Appendix B: List of Figures](#)
- [Appendix C: Public Runtime Composition Index](#)
- [Appendix D: Canonical Protocol Type Definitions](#)
- [Appendix E: Gas Calibration Constants & Cross-VM Overhead Matrix](#)
- [Appendix F: MPC Threshold Signer Protocol Listings](#)
- [Appendix G: HotStuff Consensus Protocol Reference](#)
- [Appendix H: Atomic Execution State Machine Reference](#)
- [Appendix I: Glossary of Terms](#)

Chapter 1: System Overview & Protocol Architecture

1.1 Executive Summary & Historical Context

The evolution of decentralized smart contract platforms over the past decade has produced an explosion of specialized execution machines. Ethereum introduced the Ethereum Virtual Machine (EVM) in 2015, establishing stack-based, 256-bit word execution with Solidity bytecodes. Solana introduced Sealevel in 2020, leveraging parallel eBPF bytecodes to enable non-overlapping account state concurrency. Polkadot introduced PolkaVM, bringing RISC-V zero-cost abstraction compilation to Web3. Aptos and Sui popularized Diem's Move VM, emphasizing linear asset resources and formal memory safety. Meanwhile, Cosmos standardized CosmWasm, deploying WebAssembly (Wasm) actor model smart contracts across Tendermint chains.

While each virtual machine excels in its native domain, this diversity has created catastrophic execution fragmentation across the Web3 ecosystem. Developers are forced to rebuild smart contracts from scratch in different languages for each ecosystem. Users are trapped in isolated state silos, forced to move assets across third-party wrapped-asset bridges that lock funds on Chain A to mint synthetic tokens on Chain B. Historically, cross-chain bridge hacks have accounted for over \$2.8 billion in lost protocol funds, exposing the fundamental structural risk of wrapped-asset messaging bridges.

InterLayer solves this execution and liquidity fragmentation at the root layer. Built as a native Substrate blockchain kernel, InterLayer introduces the **Multi-VM Execution Layer (MEL)**—an integrated execution engine that embeds all five major virtual machine standards (EVM, SVM, PolkaVM, Move VM, and CosmWasm) directly within a single unified Substrate state machine runtime.

Operating as a purely **sequencer-free, decentralized BFT network**, InterLayer eliminates centralized sequencer single-point-of-failure risks. Block proposal, transaction ordering, and state validation are executed directly by validator nodes running Pipelined 3-Chain HotStuff BFT consensus with sub-500ms block targets and 10ms fast polling loops.

1.2 Core Architectural Principles of the InterLayer Substrate Kernel

The design of InterLayer rests upon four foundational architectural principles:

- 1. State-Level Unification Over Message-Passing Bridges:** Rather than passing asynchronous messages between distinct blockchains, InterLayer unifies storage, account balances, and contract state under a single global Merkle Patricia Trie.
- 2. Heterogeneous VM Native Adapters:** VM execution environments are integrated into the runtime executive as first-class adapters (`mel-evm` , `mel-svm` , `mel-polkavm` , `mel-move` , `mel-cosmwasm`). Contracts run natively without compiling down to a lowest-common-denominator intermediate representation.
- 3. Atomic Cross-VM Bundles:** Developers can assemble an atomic transaction bundle containing contract calls to multiple distinct VMs (for example, executing an EVM swap followed by a Solana program instruction in a single block). If any call fails, the entire atomic bundle rolls back cleanly without state corruption.
- 4. Native Unique Deposit Addresses via LiteVerse DePIN & MPC TSS:** Users do not hold wrapped synthetic tokens. Every user is allocated unique per-user, per-chain deposit addresses on Bitcoin, Ethereum, Solana, and external networks. Deposits are monitored by the LiteVerse DePIN Watcher Mesh and signed by an off-chain Threshold Multi-Party Computation (MPC TSS) validator network, crediting a single unified native balance directly usable across all internal VMs.

1.3 Minimalist System Architecture Diagram

1.4 Network Participant Roles

InterLayer defines four distinct network participant classes, each with dedicated responsibilities and reward streams:

```
enum NetworkRole {
    Validator,      // Block production, finality, consensus participation
    LiteVerseNode,  // DePIN watcher mesh (mobile/browser/desktop)
    MpcSigner,      // Threshold signing for external chain custody
    Treasury,       // Protocol-owned reserve for governance spending
}
```

Role	Responsibility	Reward Source
Validator	Block production, HotStuff BFT consensus, state validation, slashing enforcement	Share of transaction gas fees (configurable via governance)
LiteVerse Watcher	External chain deposit verification, data availability sampling, finality header checks	Share of gas fees + bridge verification rewards
MPC Signer Node	Distributed key generation (DKG), threshold signing for Bitcoin/Ethereum/Solana withdrawals	Share of gas fees + external route operation fees
Treasury	Protocol-owned account for development grants, ecosystem funding, governance proposals	Share of gas fees (accumulates for governance-approved spending)

Chapter 2: State Machine Architecture & Global Storage Layout

2.1 Core Data Types & Conventions

Throughout this specification, the following core Rust data types are referenced:

```
type Hash256 = [u8; 32];    // Blake2b-256 hash output
type Address20 = [u8; 20];  // EVM-style 160-bit address
type Address32 = [u8; 32];  // Substrate/SVM/PolkaVM 256-bit address

#[derive(Clone, Copy, PartialEq)]
enum VmType {
    EVM,      // Ethereum Virtual Machine (revm)
    SVM,      // Solana Virtual Machine (solana_rbpf)
    PolkaVM,  // RISC-V Virtual Machine (polkavm)
    Move,     // Move VM (move-vm-runtime)
    CosmWasm, // WebAssembly (wasmi)
}
```

2.2 Global State Structure

The global state is composed of 8 isolated sub-state storage tries, each backed by a Substrate Merkle Patricia Trie:

```
/// The global runtime state, committed as a single Blake2b-256 root in each block header.
struct GlobalState {
    evm_state:      EvmSubState,      // revm account storage: nonces, balances, code, slots
    svm_state:      SvmSubState,      // Solana PDAs, account data vectors (up to 10MB), lamports
    polkavm_state:  PolkaVmSubState,   // RISC-V bytecodes, memory pages, PSP-22/PSP-34 items
    move_state:     MoveSubState,      // Resource tags (Address, StructTag) ⇒ bytes, module bytecodes
    cosmwasm_state: CosmWasmSubState,  // Wasm state keys, contract instantiations, Bech32 balances
    unified:        UnifiedSubState,   // Canonical 32-byte addresses → sub-VM handles, native balances
    staking:        StakingSubState,   // Active validators, delegator pools, unbonding queues, slashing
    mpc:            MpcSubState,       // DKG secret shares, threshold signing queues, master pubkeys
}
```

Each sub-state maps keys to values via a Substrate storage trie. The sub-states are logically isolated — a write to `evm_state` cannot corrupt `svm_state`.

2.3 Merkle Patricia Trie Commitments & Block Transition

The global state root hash is computed by Substrate's Merkle Patricia Trie engine:


```
/// Compute the Blake2b-256 state root committed in each block header.
fn compute_state_root(state: &GlobalState) → Hash256 {
    blake2b_256(
        trie_root(&state.evm_state)
        ++ trie_root(&state.svm_state)
        ++ trie_root(&state.polkavm_state)
        ++ trie_root(&state.move_state)
        ++ trie_root(&state.cosmwasm_state)
        ++ trie_root(&state.unified)
        ++ trie_root(&state.staking)
        ++ trie_root(&state.mpc)
    )
}

/// Block state transition: apply all extrinsics in block B_n to produce new state.
fn execute_block(prev_state: GlobalState, block: Block) → GlobalState {
    let mut state = prev_state;
    for extrinsic in block.extrinsics {
        state = apply_extrinsic(state, extrinsic);
    }
    state // state_root is committed in block header
}
```

2.4 State Space Vector Diagram

Chapter 3: Multi-VM Execution Layer (MEL) Engine Architecture

MEL — Multi-VM Execution Layer Architecture



3.1 Intuitive Explanation of Multi-VM Atomic Execution

In traditional single-VM networks (like Ethereum or Solana), smart contract execution is constrained to a single execution environment. If a dApp requires logic across Solidity (EVM) and Solana (SVM), the user must perform two asynchronous transactions connected through an external cross-chain messaging bridge. This introduces multi-block latency, bridge fee overhead, and severe vulnerability to front-running and bridge exploits.

MEL resolves this by providing a unified meta-execution layer. When an **Atomic Bundle** is submitted to the network: 1.

Validation & Checkpoint: MEL validates the context deadline and generates a baseline state snapshot . 2. **Sequential**


Execution: MEL passes call `call_1` to the source VM adapter (e.g. `mel-evm`), staging state mutations in transient memory.

It then passes call `call_2` to the target VM adapter (e.g. `mel-svm`), staging its state mutations. 3. **Atomic Commit:** If all operations execute without error (`error_i = None`), staged state diffs commit simultaneously to global storage `state` . 4.

Instant Rollback: If any operation produces an exception or error (`error_i ≠ None`), the rollback operator reverts global state back to `state`, leaving storage untouched.

3.2 Atomic Execution Flowchart

Atomic Cross-VM Execution Flow



3.3 Atomic Bundle Execution Engine

An **Atomic Bundle** contains a vector of contract operations across arbitrary VM types:


```

struct AtomicBundle {
    bundle_id:    Hash256,
    operations:   Vec<ContractCall>, // ordered list of cross-VM calls
    deadline_ms:  u64,                // expiration timestamp
    source_vm:    VmType,
    target_vm:    VmType,
}

struct ContractCall {
    vm:           VmType,
    target_addr:   Vec<u8>, // target contract address (20-32 bytes)
    calldata:      Vec<u8>, // native VM-encoded call payload
    gas_budget:    u64,      // maximum gas authorized for this call
}

/// Core atomic execution logic
fn execute_atomic_bundle(state: GlobalState, bundle: AtomicBundle) → (GlobalState, BundleStatus) {
    let snapshot = state.checkpoint(); // Phase 1: Snapshot
    let mut staged_state = state.clone();

    for call in &bundle.operations {
        match execute_vm_call(&mut staged_state, call) { // Phase 2-3: Execute
            Ok(_) ⇒ continue,
            Err(_) ⇒ return (snapshot.restore(), BundleStatus::RolledBack), // Rollback
        }
    }

    let total_gas: u64 = bundle.operations.iter()
        .map(|c| calibrate_gas(c.gas_budget, c.vm))
        .sum();

    if total_gas > GAS_LIMIT {
        return (snapshot.restore(), BundleStatus::RolledBack);
    }

    staged_state.commit(); // Phase 4-5: Commit
    (staged_state, BundleStatus::Committed)
}

```

3.5 MEV Protection & Frontrun Guard Pipeline

To prevent malicious front-running, sandwich attacks, and value extraction by block proposers, the Multi-VM Execution Layer integrates `pallet-mev-protection` and `mev_controls`:

```

struct MevProtectionConfig {
    commit_reveal_enabled: bool, // Require two-phase transaction commitment
    min_reveal_delay_blocks: u32, // Blocks between commit and reveal
    encrypted_staging: bool, // Stage execution diffs under transient encryption
    fair_ordering_policy: Ordering, // FIFO / Blind Auction / Random Batch
}

enum Ordering {
    Fifo,
    EncryptedBatch,
    BlindAuction,
}

```

1. **Commit-Reveal Execution:** Users submit a cryptographic commitment `hash(tx_payload || salt)` in Phase 1. The transaction payload remains hidden from validators until the commitment is included in a block.
2. **Encrypted Batch Staging:** In Phase 2, atomic bundle transactions are staged in transient memory under zero-knowledge or threshold encryption. Validators execute state transitions without visibility into individual contract swap parameters until the state diff is finalized.
3. **Fair Ordering Enforcement:** The consensus engine enforces strict FIFO or blind-auction ordering rules, penalizing validators via `pallet-slashing` if re-ordering or front-running patterns are detected.

3.4 Universal Gas Metering & Calibration Engine

To compute transaction fees fairly across heterogeneous compute engines, MEL maps native VM instruction units to a standardized gas metric using calibration multipliers:

```
/// Calibrate native VM gas units to InterLayer standard gas.
fn calibrate_gas(native_gas: u64, vm: VmType) → u64 {
  let multiplier: f64 = match vm {
    VmType::EVM      ⇒ 1.00, // 1 EVM Gas Unit = 1.00 Standard Gas
    VmType::SVM      ⇒ 0.05, // 1 Solana Compute Unit = 0.05 Standard Gas
    VmType::PolkaVM  ⇒ 0.01, // 1 RISC-V Cycle = 0.01 Standard Gas
    VmType::Move     ⇒ 0.80, // 1 Move Gas Unit = 0.80 Standard Gas
    VmType::CosmWasm ⇒ 0.10, // 1 Wasm Instruction = 0.10 Standard Gas
  };
  (native_gas as f64 * multiplier).ceil() as u64
}

/// Compute total transaction fee for an atomic bundle.
fn compute_bundle_fee(bundle: &AtomicBundle, base_gas_price: u128) → u128 {
  let total_calibrated_gas: u64 = bundle.operations.iter()
    .map(|op| calibrate_gas(op.gas_budget, op.vm))
    .sum();
  (total_calibrated_gas as u128) * base_gas_price + ATOMIC_PREMIUM_FEE
}
```

VM	Multiplier	Meaning
EVM	1.00	1 EVM gas unit = 1.00 standard gas
SVM	0.05	1 Solana compute unit = 0.05 standard gas
PolkaVM	0.01	1 RISC-V cycle = 0.01 standard gas
Move	0.80	1 Move gas unit = 0.80 standard gas
CosmWasm	0.10	1 Wasm instruction = 0.10 standard gas

Admission Rule: The total calibrated gas plus the cross-VM coordination charge must not exceed the block gas limit. Implementations **MUST** reject a bundle before execution if this bound cannot be satisfied; they **MUST NOT** silently round a fractional calibrated charge downward.

Chapter 4: Canonical Unified Address Space & Asset Accounting

4.1 Dual-Mode Address Architecture

InterLayer introduces a **Dual-Mode Address Architecture** designed to bridge native VM address formats with modern Account Abstraction (inspired by ERC-4337 and Cosmos ICA):

- Mode 1 — Native Virtual Machine Addresses:** Every account is assigned a canonical 32-byte unified address. This unified address is deterministically mapped to VM-native formats:
- EVM:** 20-byte hexadecimal address (`0x...`)
- SVM:** 32-byte Base58 address
- PolkaVM:** 32-byte SS58-encoded account identifier
- Move VM:** Chain-configured Move address width (typically 16 or 32 bytes)
- CosmWasm:** Bech32 string with human-readable prefix `il`
- Mode 2 — Account Abstraction Smart Accounts:** Managed by `pallet-smart-accounts`, enabling multi-sig threshold rules, session keys, emergency key recovery, and gas sponsorship. Smart accounts wrap underlying VM execution handles, allowing a single transaction to execute across multiple VM environments under unified authorization.

4.2 Universal Handle System (`@username`)

To simplify user interaction, `unified-address-registry` provides an on-chain **Universal Handle System**: - Users register human-readable handles (e.g., `@alice`) via `me1_registerHandle` . - **Name Normalization**: Handles are automatically lowercased, stripped of trailing whitespace, and checked for character uniqueness to prevent spoofing and homograph attacks. - **Replay Protection**: Each address binding increments a deterministic binding nonce, preventing signature replay across chains or VM instances.

4.3 Address Resolution (`resolve_address()`)

Every account entity on InterLayer is assigned a canonical 32-byte unified address. The registry maintains a restricted mapping between unified addresses and each VM's native address space.

A global bijection from 32-byte unified identifiers to a 20-byte EVM address space cannot exist — at registration, the registry records a unique native address and rejects collisions. Hash-derived values are candidate addresses only, never a proof of uniqueness. Reverse resolution is always performed through the committed registry record, not by reversing a hash.

A mapping is valid only while its handle, ownership proof, domain, and address-format checks remain active on-chain.

4.2 Unified Address Resolution Diagram

4.5 Balance Conservation Invariant

For any unified address `a` , let `balance(a, k)` denote native `IL` tokens held within sub-state `k` . Global balance conservation requires that the sum of all balances across all sub-states plus the treasury reserve equals the total token supply at all times. No transaction or atomic bundle may create or destroy tokens — only transfer them between sub-states.

4.6 Implementation: `unified-address-registry` Pallet

The address resolution system is implemented in the **Unified Address Registry** pallet. This section documents the actual data structures, storage layout, and extrinsic interface.

4.4.1 Chain Domain Enumeration

The system supports six external chain domains, each corresponding to a distinct address format:

```
pub enum ChainDomain {
    Ethereum,    // 20-byte Keccak-256 derived addresses
    Bitcoin,     // Bech32/Base58Check addresses
    Solana,      // 32-byte ed25519 public keys (Base58 encoded)
    Polkadot,    // 32-byte sr25519 public keys (SS58 encoded)
    Ton,         // 36-byte workchain:hash addresses
    InterLayer,  // 32-byte unified canonical addresses
}
```

4.4.2 Address Type Discriminant

```
pub enum AddressType {
    Native,      // Substrate SS58 native format
    Evm,         // 20-byte Ethereum format
    SVM,         // 32-byte Solana format
    Move,        // 16-byte Move format
    PolkaVM,     // 32-byte PolkaVM/RISC-V format
    CrossVM,     // Unified cross-VM canonical address
}
```

4.4.3 UnifiedAddress Structure

```
pub struct UnifiedAddress<HandleLen: Get<u32> = ConstU32<64>, AddressLen: Get<u32> = ConstU32<128>> {
    pub handle: BoundedVec<u8, HandleLen>, // Human-readable handle (e.g., "bharath")
    pub domain: ChainDomain, // Target chain domain
    pub address: BoundedVec<u8, AddressLen>, // Resolved native address bytes
    pub chain_id: u32, // EVM chain ID or chain-specific identifier
    pub is_active: bool, // Whether this mapping is currently active
}
```

4.4.4 Handle Registration Lifecycle

Each handle is registered with ownership tracking, expiration, fee payment, verification status, and domain restrictions:

```
pub struct HandleRegistration<T: Config, HandleLen = ConstU32<64>, MaxDomains = ConstU32<10>> {
    pub handle: BoundedVec<u8, HandleLen>, // The handle string
    pub owner: T::AccountId, // Substrate AccountId of the owner
    pub registered_at: BlockNumberFor<T>, // Block number of registration
    pub expires_at: Option<BlockNumberFor<T>>, // Optional expiration block
    pub fee_paid: u128, // Registration fee (in IL tokens)
    pub is_active: bool, // Active status flag
    pub is_verified: bool, // Whether identity is verified
    pub allowed_domains: BoundedVec<ChainDomain, MaxDomains>, // Whitelisted chain domains
}
```

4.4.5 Signature Scheme Support

Address verification supports both classical and post-quantum signature schemes:

```
pub enum SignatureScheme {
    Ecdsa, // secp256k1 ECDSA (Ethereum-compatible)
    Ed25519, // Edwards curve (Solana-compatible)
    Sr25519, // Schnorrkel/Ristretto (Substrate-native)
    Dilithium, // CRYSTALS-Dilithium lattice-based PQ signatures
    Falcon512, // FALCON-512 NTRU lattice-based PQ signatures
    Hybrid, // Classical + post-quantum dual verification
}
```

4.4.6 On-Chain Storage Layout

The address registry maintains five storage maps:

Storage Item	Type	Key	Value
HandleRegistrations	StorageMap	BoundedVec<u8, 64> (handle)	HandleRegistration<T>
AddressMappings	StorageMap	(handle, ChainDomain)	AddressMapping<T>
UnifiedAddresses	StorageMap	BoundedVec<u8, 128> (handle+domain)	UnifiedAddress
DomainRegistrations	StorageMap	ChainDomain	u32 (count)
AddressResolutionCache	StorageMap	BoundedVec<u8, 128> (resolution key)	AddressResolution<T>

4.4.7 Registry Trait Interface


Other pallets interact with the address registry through the `UnifiedAddressRegistry` trait:

```
pub trait UnifiedAddressRegistry {
  type AccountId;
  fn register_unified_address(handle: Vec<u8>, vm_addresses: BTreeMap<AddressType, Vec<u8>>,
    metadata: Vec<u8>) → DispatchResult;
  fn update_vm_address(handle: &Vec<u8>, ty: AddressType, address: Vec<u8>) → DispatchResult;
  fn get_vm_address(handle: &Vec<u8>, ty: AddressType) → Option<Vec<u8>>;
  fn get_all_vm_addresses(handle: &Vec<u8>) → Vec<(AddressType, Vec<u8>)>;
  fn register_random_handle_for(account: Self::AccountId, domains: Vec<ChainDomain>)
    → Result<Vec<u8>, DispatchError>;
}
```

4.7 IL Native Multi-VM Token Specification

InterLayer (IL) is the native gas and staking token of the InterLayer Gravity network. IL is **not** a wrapped token — it exists as a single unified balance at the runtime level, with VM-specific *view layers* that expose the same underlying balance using each VM's native token standard.

Property	Value
Name	InterLayer
Symbol	IL
Decimals	18
Total Supply	Defined at genesis (0% inflation by default)
Type	Native Multi-VM Token



VM-Specific Token Interfaces

VM	Standard	Implementation
EVM	ERC-20	Precompiled contract at <code>0x00</code> — calls runtime balance pallet directly
SVM	SPL Token	Native SPL token mint with program-derived authority
PolkaVM	PSP-22	View layer exposing runtime balances via PSP-22 trait interface
Move	Coin resource	<code>Coin<IL></code> resource type stored in the Move module registry
CosmWasm	CW-20	JSON query/execute interface wrapping runtime balances

Accepted Gas Tokens

In addition to IL, the network accepts multiple gas tokens for transaction fee payment (subject to governance-configured exchange rates and liquidity thresholds): - **IL** (native, primary gas token) - **BTC**, **ETH**, **SOL**, **DOT** (external assets credited via LiteVerse deposit verification)

Gas fees paid in non-IL tokens are automatically converted at the current oracle price before distribution to fee recipients.

4.8 Programmable Wallet Architecture (`pallet-smart-accounts`)

InterLayer implements a **Programmable Wallet** system via `pallet-smart-accounts` (774 lines), enabling users to control on-chain assets from any external wallet ecosystem without creating a new keypair:

```
struct SmartAccount {
    account_type: u8,           // 0 = Internal (native), 1 = External (bound wallet)
    last_wallet_change: u32,    // Block number of last wallet binding change
}

enum VmType { EVM, SVM, PolkaVM, Move, Cosmos }
```

Core Capabilities:

Feature	Description
External Wallet Binding	Users bind MetaMask, Solflare, polkadot.js, or Ton Connect wallets via signature challenge (EIP-191 for EVM, Ed25519 for Solana/TON, Sr25519 for Polkadot)
Invisible Wallets	On-chain subaccounts controlled by external wallet bindings — users interact with InterLayer using their existing wallet without a new seed phrase
Portal Call Execution	External wallets can execute filtered runtime calls through the Portal smart-account path (<code>PortalCallFilter</code>)
Cooldown Protection	Wallet binding changes require a cooldown period (<code>WalletChangeCooldown</code>) to prevent rapid unauthorized changes
Nonce Replay Protection	Each binding and execution has independent nonce tracking (<code>BindingNonces</code> , <code>ExecutionNonces</code>)

Storage Layout: - `SmartAccounts<T>` : Maps `AccountId` to `SmartAccount` metadata - `ExternalBindings<T>` : Maps (`VmType`, `ExternalAddress`) to internal `AccountId` - `BindingNonces<T>` : Nonce counter per account for wallet binding operations - `ExecutionNonces<T>` : Nonce counter per account for Portal call execution

Extrinsics: `create_smart_account` , `bind_external_wallet` , `unbind_external_wallet` , `execute_portal_call`

4.9 Complete Handle & Naming System (`pallet-handles` + `unified-address-registry`)

InterLayer provides a human-readable naming system where users register handles (e.g., `alice`) and resolve them to any VM-specific address across the ecosystem.

Handle Lifecycle Extrinsics

Extrinsic	Origin	Description
<code>register_handle(handle)</code>	Signed	Register a new human-readable handle (e.g., <code>alice</code>). Must be unique and pass format validation.
<code>register_random_handle()</code>	Signed	Register a system-generated random handle for users who don't want to choose one.
<code>change_handle(old_handle, new_handle)</code>	Signed (owner)	Change an existing handle to a new one. Old handle is released after cooldown.
<code>transfer_handle(handle, new_owner)</code>	Signed (owner)	Transfer handle ownership to another account.
<code>verify_handle(handle)</code>	Signed	Mark a handle as verified (requires proof of ownership).
<code>is_handle_available(handle)</code>	Query	Check if a handle is available for registration.

Extrinsic	Origin	Description
<code>resolve_address(handle, domain)</code>	Query	Resolve a handle to a chain-specific address (e.g., <code>alice@eth</code> returns <code>0x...</code>).
<code>get_handles_by_owner(owner)</code>	Query	List all handles owned by an account.
<code>cleanup_expired_handles()</code>	Offchain Worker	Automatically releases expired or abandoned handles.

Handle Storage Layout

- `Usernames<T>` : Maps handle bytes to `HandleRegistration` (owner, block, verified status)
- `AccountUsernames<T>` : Reverse map from `AccountId` to owned handles
- `CustomVMAddresses<T>` : Double map of `(AccountId, VmType)` to custom VM-specific addresses
- `HandleRegistrations<T>` : Full registration metadata per handle
- `AddressMappings<T>` : Maps `(handle, ChainDomain)` to `UnifiedAddress`

Address Mapping Extrinsics

Extrinsic	Description
<code>create_address_mapping(handle, domain, address)</code>	Map a handle to a chain-specific address (e.g., <code>alice@btc</code> = <code>bc1q...</code>)
<code>update_address_mapping(handle, domain, new_address)</code>	Update an existing address mapping

Supported Chain Domains

Handles resolve across six chain domains: `@eth` (Ethereum/EVM), `@sol` (Solana/SVM), `@dot` (Polkadot/PolkaVM), `@btc` (Bitcoin), `@ton` (TON), `@move` (Move VM).

Chapter 5: LiteVerse DePIN Watcher Mesh & Liquidity Orchestration

5.1 Three-Layer Liquidity & Custody Architecture

Rather than locking tokens on Chain A to mint wrapped synthetic assets on Chain B, InterLayer employs a **Three-Layer Native Custody & Liquidity Model**:

- Layer 1 — Individual Deposit Addresses:** Every user receives deterministic, unique deposit addresses generated via off-chain key derivation across Bitcoin, Ethereum, Solana, Polkadot, and TON.
- Layer 2 — Hot Wallet Pool:** Active liquidity needed for fast withdrawals is managed in a high-speed hot wallet pool authorized by the off-chain Threshold MPC Signer network (t-of-n threshold).
- Layer 3 — Cold Treasury Vaults:** Surplus protocol reserves are automatically swept to institutional-grade cold storage multi-sig vaults.

Traditional bridges lock funds on Chain A to mint synthetic wrapped tokens (e.g. `wBTC` , `wETH`) on Chain B, introducing smart contract vulnerability points and fragmented token liquidity. InterLayer eliminates wrapped synthetic assets entirely through **LiteVerse DePIN Watchers** and **MPC Threshold Signing**.

5.3 LiteVerse DePIN Node Tier Architecture

The LiteVerse network operates as a decentralized mesh of consumer devices connected to InterLayer validators via `libp2p` (gossipsub + Kademlia DHT):

Tier	Node Type	Hardware	Functions	Rewards
Tier 0	Mobile Watchers	Android / iOS	Shadow bridge watching (BTC/ETH/SOL deposits), signed witness transactions	Bridge verification fees + gas points
Tier 0	Browser Nodes	Any web browser (WASM)	HotStuff finality header checks, Data Availability Sampling (DAS)	Session points
Tier 1	Desktop Workers	Gaming PCs, Raspberry Pis	Encrypted storage sharding (DePIN), Off-Chain Worker compute tasks	Higher-tier token rewards + storage fees

Witness Consensus Threshold: A deposit event is confirmed on InterLayer when validated by **>67% of active Mobile Watchers** in the registered watcher set. The `liteverse-pallet` Witness module accepts signed witness statements and only credits the user's unified balance after the threshold is reached.

5.4 External Chain Confirmation Depths & Circuit Breakers

Deposit finalization from external chains requires minimum confirmation depths to prevent reorg-based double-spend attacks:


External Chain	Min. Confirmations	Approx. Time	Rationale
Bitcoin	≥ 6 blocks	~60 minutes	Standard BTC finality depth
Ethereum	≥ 12 blocks	~2.5 minutes	Post-merge PoS finality
Solana	≥ 32 slots	~13 seconds	PoH + Tower BFT finality
Polkadot	≥ 2 sessions	~1 minute	GRANDPA finality
TON	≥ 10 blocks	~50 seconds	TON Catchain consensus

Note: All confirmation depth thresholds are configurable via governance and can be adjusted based on observed reorg frequency and security requirements.

Circuit Breaker & Emergency Shutdown Mechanics:

- **Anomaly Detection:** Automatic monitoring of withdrawal patterns — triggers circuit breaker if withdrawal volume exceeds 3x daily average within a 1-hour window.
- **Daily Caps:** Per-address daily withdrawal limits configurable via `BridgeSecurityConfig` in `bridge-pallet`.
- **Cooldown Periods:** Mandatory cooldown between consecutive large withdrawals from the same address.
- **Emergency Shutdown:** Governance or sudo can activate emergency shutdown to freeze all external asset routes.
- **Suspicious Account Tracking:** Addresses flagged for anomalous behavior are rate-limited and require whitelist approval for large operations.

5.2 Liquidity Inflow & Outflow Flowchart



5.3 Implementation: `liteverse-pallet` Architecture

The LiteVerse DePIN watcher mesh is implemented in the **LiteVerse Framework** pallet. This is the largest custom pallet in the InterLayer runtime and contains chain-specific verification modules, a task assignment system, a points-based reward economy, and a withdrawal pipeline.

5.3.1 Supported Chain Identifiers

```
pub enum ChainId {
    Bitcoin,    // BTC mainnet  uses SPV header chain verification
    Ethereum,   // ETH mainnet  uses Merkle Patricia Trie proof verification
    Solana,     // SOL mainnet  uses slot-based epoch verification
    Polkadot,   // DOT relay chain uses Grandpa/BABE header verification
    Ton,        // TON network  uses BoC (Bag of Cells) verification
}
```

5.3.2 Chain-Specific Verification Modules

Each supported external domain is served by a chain-specific light-client verifier that implements the following public verification contract:

```
pub trait ExternalChainVerifier {
    type Header;
    type Proof;

    fn verify_header(header: &Self::Header) → Result<(), VerificationError>;
    fn verify_finality(header: &Self::Header) → Result<(), VerificationError>;
    fn verify_inclusion(header: &Self::Header, proof: &Self::Proof)
        → Result<VerifiedDeposit, VerificationError>;
}
```

Bitcoin, Ethereum, Solana, Polkadot, and TON verifiers each deserialize headers, validate the chain-native commitment and finality rules, and then validate an inclusion proof against that commitment. A watcher submission is accepted only after all three checks succeed; a watcher assertion alone is never a deposit proof.

5.3.3 **TransactionProof** Deposit Verification Data

When a watcher observes a deposit on an external chain, it submits a **TransactionProof** to the on-chain pallet:

```
pub struct TransactionProof {
    pub chain_id: ChainId,                // Which external chain
    pub tx_hash: H256,                    // Transaction hash
    pub block_hash: H256,                 // Block containing the tx
    pub merkle_proof: BoundedVec<u8, ConstU32<16384>>, // Merkle inclusion proof (up to 16 KB)
    pub confirmations: u32,               // Number of confirmations observed
    pub timestamp: u64,                   // Observation timestamp
    pub tx_data: BoundedVec<u8, ConstU32<65536>>, // Raw transaction data (up to 64 KB)
    pub block_header: BoundedVec<u8, ConstU32<65536>>, // Serialized block header
    pub merkle_leaf_index: u32,            // Position of tx in Merkle tree
}
```

5.3.4 **ChainHeader** External Chain Block Header

```
pub struct ChainHeader {
    pub chain_id: ChainId,                // Chain identifier
    pub block_hash: H256,                  // Block hash
    pub previous_hash: H256,               // Parent block hash (chain continuity)
    pub merkle_root: H256,                 // Transaction Merkle root
    pub timestamp: u64,                    // Block timestamp
    pub difficulty: u32,                    // PoW difficulty (Bitcoin) or slot (Solana)
    pub height: u64,                       // Block height
    pub header_data: BoundedVec<u8, ConstU32<65536>>, // Raw header bytes for verification
    pub signature: BoundedVec<u8, ConstU32<256>>, // Header signature/seal
}
```

5.3.5 Withdrawal Pipeline

The withdrawal flow progresses through six states:

```
pub enum WithdrawalStatus {
    Pending,      // User submitted withdrawal request
    Processing,   // Validators are reviewing
    Signed,       // MPC threshold signature produced
    Broadcasted,  // Transaction broadcasted to external chain
    Finalized,    // Confirmed on external chain
    Failed,       // Withdrawal failed (refunded)
}

pub struct WithdrawalRequest<AccountId, Balance> {
    pub id: u64,                                // Unique withdrawal ID
    pub account: AccountId,                     // Requesting account
    pub chain_id: ChainId,                       // Target external chain
    pub amount: Balance,                         // Amount to withdraw
    pub destination: BoundedVec<u8, ConstU32<128>>, // External chain address
    pub status: WithdrawalStatus,               // Current status
    pub signatures: BoundedVec<BoundedVec<u8, ConstU32<65>>, ConstU32<10>>, // Up to 10 MPC sigs
}
```

5.3.6 Points-Based Watcher Reward System

LiteVerse watchers earn points for successful deposit verifications. The reward system is designed to incentivize fast, accurate reporting:

```
pub struct PointBalance<BlockNumber> {
    pub total_earned: u64,      // All-time points earned
    pub available: u64,         // Points available for redemption
    pub redeemed: u64,         // Points already converted to IL tokens
    pub total_submissions: u32, // Total successful submissions
    pub last_activity: BlockNumber, // Block of last activity
}
```

Reward Configuration Constants (from pallet config trait): - `MaxRewardParticipants` : Maximum watchers sharing reward for a single deposit - `SubmissionWindow` : Time window (in blocks) for watchers to submit proofs - `BaseRewardWeight` : Base points per successful submission - `SpeedBonus` : Additional points per position (earlier submission = more points) - `PointsPerToken` : Exchange rate (e.g., 1000 points = 1 IL token) - `MinRedemptionPoints` : Minimum points required for token redemption

5.3.7 Task Assignment System

The pallet implements a decentralized task assignment system for coordinating watcher activity:

Storage Item	Type	Key	Value	Purpose
<code>ChainHeaders</code>	<code>StorageMap</code>	<code>ChainId</code>	<code>ChainHeader</code>	Latest synced header per chain
<code>VerifiedTransactions</code>	<code>StorageMap</code>	<code>H256</code> (tx hash)	<code>TransactionProof</code>	Verified deposit proofs
<code>LastSyncBlock</code>	<code>StorageMap</code>	<code>ChainId</code>	<code>u64</code>	Last synced block height
<code>ChainHeadersCache</code>	<code>StorageMap</code>	<code>(ChainId, u64)</code>	<code>ChainHeader</code>	Historical header cache
<code>LiteClientPoints</code>	<code>StorageMap</code>	<code>AccountId</code>	<code>PointBalance</code>	Watcher point balances
<code>RewardLaneStatsByLane</code>	<code>StorageMap</code>	<code>RewardLane</code>	<code>RewardLaneStats</code>	Aggregate reward metrics
<code>NextTaskId</code>	<code>StorageValue</code>		<code>u64</code>	Auto-incrementing task ID
<code>AvailableTasks</code>	<code>StorageMap</code>	<code>u64</code> (task_id)	<code>Task</code>	Pending verification tasks

Storage Item	Type	Key	Value	Purpose
RegisteredClients	StorageMap	AccountId	ClientCapabilities	Registered watcher nodes
TaskAssignments	StorageDoubleMap	(task_id, AccountId)	TaskAssignment	Per-watcher task progress
TaskParticipantCount	StorageMap	u64 (task_id)	u8	Participants per task
TransactionSubmitters	StorageMap	H256 (tx hash)	BoundedVec<AccountId>	Dedup: who submitted
PendingWithdrawals	StorageMap	u64 (withdrawal_id)	WithdrawalRequest	Active withdrawal queue

5.3.8 Off-Chain Worker Integration

The LiteVerse pallet uses Substrate's off-chain worker mechanism (`CreateBare<Call<Self>>`) to periodically poll external chain RPC endpoints for new blocks and deposit transactions. The off-chain worker:

1. Queries external chain RPC endpoints for new block headers
2. Deserializes headers using chain-specific modules (`BitcoinHeader` , `EthereumBlockHeader` , etc.)
3. Validates header chain continuity (parent hash linkage)
4. Scans block transactions for deposits to MPC-controlled addresses
5. Constructs `TransactionProof` with Merkle inclusion proof
6. Submits unsigned extrinsic `submit_chain_header` or `verify_transaction` to the runtime

Chapter 6: Pipelined 3-Chain HotStuff BFT Consensus Protocol

6.1 Pipelined Consensus Protocol

InterLayer utilizes a 3-chain HotStuff BFT consensus engine operating over views .

A Quorum Certificate is defined as:

6.2 BLS12-381 Aggregate Cryptography

Let G_1, G_2 be pairing groups of prime order r with pairing e . - Secret key s , Public key P . - Partial signature on proposal hash m : σ . - The signed message is domain-separated and binds the protocol version, validator-set identifier, view, block height, block hash, and vote phase. Reusing a valid signature in another view, phase, or validator set is invalid. - Aggregate signature over quorum Q , where Q and signer identities are unique:

Verification Equation:

Under this convention, a compressed G_1 signature is 48 bytes and a compressed G_2 public key is 96 bytes. The QC carries the signer bitmap or a canonical ordered signer list so the verifier aggregates precisely the public keys in Q .

6.3 Safety Theorem and Proof

Guarantee (BFT Safety): Under the assumption that fewer than one-third of validators are Byzantine, no two conflicting blocks can be finalized at the same block height.

Proof Sketch:

1. Finalization requires a *linked* 3-chain: each child block names the preceding block as parent and carries a valid QC for that parent. Consecutive view numbers without parent linkage do not constitute a 3-chain.

2. A validator locks on the highest certified block. It votes for a proposal only if that proposal extends its locked block, or if the proposal's justify-QC has a strictly higher view than the lock.
3. Any two quorums (each requiring 2/3+ of validators) must overlap by at least one honest validator.
4. An honest validator in this intersection cannot vote for two conflicting branches while respecting the lock rule. A higher-view QC that permits a new vote must extend the locked branch.
5. Hence two conflicting linked 3-chains cannot both form, so no two conflicting blocks at one height can be finalized.

6.4 Implementation: Consensus Engine Main Loop

The HotStuff consensus engine runs a fast-polling async loop with a 10ms poll interval. The `self.timeout` field serves as a view-change safety mechanism if no activity occurs within the timeout duration, the engine advances to the next view (leader rotation):

```
pub async fn run(&mut self) {
    let poll_interval = Duration::from_millis(10); // Sub-500ms block times

    loop {
        let loop_start = Instant::now();

        // Phase 1: Propose if we are the leader for this view (once per view)
        if self.is_leader() && !self.proposed_views.contains(&self.current_view) {
            match self.propose_block().await {
                Ok(_) => {
                    self.proposed_views.insert(self.current_view);
                    self.last_activity = Instant::now();
                }
                Err(e) => { log::error!("Proposal failed: {:?}", e); }
            }
        }

        // Phase 2: Drain all pending messages from the P2P network
        let mut messages = Vec::new();
        if let Some(network) = &self.network {
            loop {
                match network.receive_message() {
                    Ok(msg) => messages.push(msg),
                    Err(NetworkError::ReceiveTimeout) => break,
                    Err(e) => { log::error!("Network error: {:?}", e); break; }
                }
            }
        }

        // Phase 3: Process each message (Proposal, Vote, or QC)
        for msg in messages {
            if let Err(e) = self.process_message(msg).await {
                log::warn!("Error processing message: {:?}", e);
            }
        }

        // Phase 4: View-change timeout (safety mechanism for stalled leaders)
        if self.last_activity.elapsed() > self.timeout {
            self.handle_timeout().await; // Advance current_view, reset timer
        }

        // Sleep remaining interval (fast polling)
        let elapsed = loop_start.elapsed();
        if elapsed < poll_interval {
            tokio::time::sleep(poll_interval - elapsed).await;
        }
    }
}
```

6.5 Message Processing Pipeline

The engine processes three types of consensus messages:

```

async fn process_message(&mut self, msg: ConsensusMessage<Block>) → Result<()> {
    let msg_view = msg.view();
    // Only reset activity timer for relevant (current or future) views
    if msg_view ≥ self.current_view {
        self.last_activity = Instant::now();
    }
    match msg {
        ConsensusMessage::Proposal(proposal) ⇒ self.process_proposal(&proposal).await,
        ConsensusMessage::Vote(vote)        ⇒ self.process_vote(vote).await,
        ConsensusMessage::QC(qc)            ⇒ self.process_qc(qc).await,
    }
}

```

Proposal Processing : 1. Validate proposal structure via `Self::validate_proposal()` 2. Store block in `pending_blocks` map (keyed by view) 3. Sync local view if the proposal is ahead 4. Cast BLS vote using local validator key 5. Broadcast vote to P2P network 6. Process own vote locally (crucial for single-node consensus)

Vote Processing : 1. Delegate to `VoteCollector::process_vote()` 2. If vote reaches quorum threshold (), form QC 3. Broadcast QC to all validators via `network.send_qc(b"ALL", &qc)` 4. Auto-process the formed QC locally via `process_qc()`

6.6 NetworkInterface Trait

```

pub trait NetworkInterface<Block: BlockT>: Send + Sync {
    fn broadcast_proposal(&self, proposal: &Proposal<Block>)
        → Result<(), NetworkError>;
    fn broadcast_vote(&self, view: u64, proposal_hash: Block::Hash,
        validator_index: u32, signature: &[u8])
        → Result<(), NetworkError>;
    fn send_qc(&self, target_validator: &[u8], qc: &QuorumCertificate)
        → Result<(), NetworkError>;
    fn receive_message(&self) → Result<ConsensusMessage<Block>, NetworkError>;
}

```

6.7 Liveness Guarantee

The consensus engine guarantees liveness through deterministic leader rotation. When a view times out (no valid proposal received within `self.timeout`), the engine calls `handle_timeout()`:

```

async fn handle_timeout(&mut self) {
    self.current_view += 1;           // Advance to next view
    self.vote_collector.set_view(self.current_view); // Reset vote collector
    self.last_activity = Instant::now(); // Prevent immediate re-trigger
}

```

The leader for each view is determined by `self.is_leader()`, which computes `current_view % validators.len()` to find the leader index. This round-robin rotation ensures that if one leader is offline, the network advances to the next leader within one timeout period.

6.5 Dynamic Block Timing & Adaptive Interval Adjustments

While the base consensus loop targets a **sub-500ms block interval** with a 10ms fast polling loop, `dynamic_blocks` and `block_timing` dynamically adjust block production parameters based on real-time network conditions:

```

struct DynamicBlockConfig {
    target_block_time_ms: u64, // Baseline target (500ms)
    min_block_time_ms: u64,    // High-throughput lower bound (100ms)
    max_block_time_ms: u64,    // High-complexity upper bound (2000ms)
    congestion_threshold: u32,  // Pending transaction queue size trigger
    complexity_multiplier: f64, // Multi-VM execution complexity scale factor
}

```


1. **Low-Latency Mode (Fast Path):** During low network load, block targets automatically scale down toward 100ms, enabling near-instant transaction finality for lightweight single-VM transactions.
2. **High-Complexity Mode (Adaptive Timeout):** When an `AtomicBundle` contains multi-VM operations across EVM, SVM, and PolkaVM, the engine dynamically increases the block timeout window up to 2000ms, allowing all VM adapters adequate computation time without triggering premature view-change leader rotations.

Chapter 7: Deep-Dive Virtual Machine Execution Adapters

This chapter provides an exhaustive technical breakdown of each of the five VM execution adapters embedded within the InterLayer Substrate runtime. Each adapter is a standalone Rust crate that implements the `VmAdapter` and `AtomicVmAdapter` traits defined in `mcl-core`, bridging native VM execution engines into the unified MEL orchestration layer.

7.1 EVM Adapter (`mcl-evm`): Production-Grade Ethereum Execution

7.1.1 Overview and Engine Selection

The EVM adapter (MEL-EVM Module) provides full Ethereum Virtual Machine compatibility within the MEL framework. It uses `revm` (v33.1 compatible), a production-grade Rust EVM implementation originally developed for the Reth Ethereum client. The choice of `revm` over alternative implementations (such as `evmone` or `geth`-derived engines) was motivated by three factors: (1) native Rust compilation without FFI boundaries, (2) `no_std` compatibility for Substrate WASM runtimes, and (3) comprehensive EIP coverage including EIP-1559 fee markets, EIP-2930 access lists, and EIP-4844 blob transactions.

The adapter struct `EvmAdapter<S: MelStorage, G: GasConfig>` is parameterized over two generic traits: - `S: MelStorage` the Substrate storage backend providing account state, code storage, and contract storage operations. - `G: GasConfig` configurable gas parameters including `MaxGasPerTx`, `BaseGasPrice`, `ContractCreationGas`, and `TransferGas`.

7.1.2 Substrate Storage Database Bridge (`SubstrateEvmDb<S>`)

The critical innovation in `mcl-evm` is the `SubstrateEvmDb<S>` struct, which implements `revm::DatabaseRef` to bridge Substrate's Merkle Patricia Trie storage into `revm`'s account model. This means that EVM contract execution reads and writes directly to and from the Substrate on-chain state, with no intermediate caching layer or separate database.

The `DatabaseRef` implementation provides four core methods:

1. `basic_ref(address)` : Loads account information (balance, nonce, code hash, bytecode) from `MelStorage::get_evm_account()`. Balances are stored as 256-bit big-endian byte arrays and converted to `revm::U256`. If no account exists at the given address, `None` is returned (the EVM treats this as a zero-balance externally owned account).
2. `code_by_hash_ref(code_hash)` : Retrieves deployed contract bytecode by its Keccak-256 hash from `MelStorage::get_evm_code()`. The bytecode is wrapped in `revm::Bytecode::new_raw()` for direct interpretation by the EVM execution engine.
3. `storage_ref(address, index)` : Reads a 256-bit storage slot value at a given contract address and storage key. The key is converted from `revm::U256` to `sp_core::U256` via big-endian byte serialization, then looked up through `MelStorage::get_evm_storage()`.
4. `block_hash_ref(number)` : Returns the block hash for a given block number. In the current testnet implementation, this returns `B256::ZERO` as a placeholder. In production, this will query `frame_system::BlockHash` for historical block hashes.

7.1.3 Transaction Lifecycle and Execution

When an EVM transaction arrives (either as a raw RLP-encoded `TxEnvelope` or as a MEL-wrapped `MelTx` with `vm: VmType::EVM`), the adapter performs the following steps:

1. **Transaction Decoding:** Raw EVM transactions are decoded using `alloy_consensus::TxEnvelope::decode_2718()`, supporting Legacy, EIP-2930, and EIP-1559 transaction formats. The decoded transaction fields (nonce, gas limit, gas price/max fee, to address, value, input data, access list) are extracted.
2. **Signature Recovery:** The sender address is recovered from the ECDSA signature using `secp256k1` curve recovery. The recovered address is validated against the transaction's `from` field.
3. **revm Context Construction:** A `revm::Context` is built with `TxEnv` (caller, gas limit, gas price, transact_to, value, data, access list), block environment (number, timestamp, base fee, coinbase), and the `CacheDB<SubstrateEvmDb<S>>` database.
4. **Execution:** The `revm` execution engine runs the EVM bytecode, computing state transitions, gas consumption, and log emissions. The `CacheDB` layer stages all state mutations (account balance changes, storage writes, contract deployments) in memory.
5. **State Commitment:** If execution succeeds, staged mutations are committed to Substrate storage via `MelStorage::store_evm_account()`, `MelStorage::set_evm_storage()`, and `MelStorage::store_evm_code()`. If execution fails (out of gas, revert, invalid opcode), all staged changes are discarded.

7.1.4 Precompiled Contracts

The adapter registers both standard Ethereum precompiles and custom cross-VM precompiles:

- **Standard precompiles** at addresses `0x01` through `0x09`: `ecRecover`, `SHA-256`, `RIPEMD-160`, `identity`, `modexp`, `ecAdd`, `ecMul`, `ecPairing`, and `blake2f`.
- **Cross-VM precompiles** at address range `0x0900+k`: These enable EVM contracts to invoke operations on other VMs (e.g., calling a Solana program from within a Solidity contract). Each cross-VM precompile accepts an ABI-encoded payload specifying the target VM type, contract address, method selector, and arguments.

The precompile system is implemented via a `BTreeMap<H160, Box<dyn PrecompileExecutor>>` stored in the `EvmAdapter` struct. Each precompile implements the `PrecompileExecutor` trait with an `execute(input, gas_limit, caller) → PrecompileResult` method.

7.1.5 EIP-1559 Fee Market Integration

The EVM adapter fully supports EIP-1559 dynamic base fee pricing. The `base_fee` field in `EvmAdapter` tracks the current base fee per gas, which is updated by the `fees-pallet` based on block fullness relative to target gas usage. Priority fees (tips) are paid directly to the block producer's coinbase address. The fee calculation follows the standard EIP-1559 formula:

7.2 Solana SVM Adapter (`mel-svm`): eBPF Execution with SPL Token Emulation

7.2.1 Overview and Architecture

The SVM adapter (MEL-SVM Module) implements Solana Virtual Machine compatibility using `solana_rbpf`, the official Rust implementation of the Solana eBPF (extended Berkeley Packet Filter) bytecode interpreter. This enables native execution of compiled Solana programs (`.so` shared object files compiled via `solana-bpf-tools`) within the InterLayer runtime.

The `SvmAdapter<S: MelStorage, G: GasConfig>` struct manages: - **Compute budget enforcement:** Default limit of 1,400,000 compute units (CUs) per transaction, matching Solana mainnet limits. - **Account model:** Solana's account-based state model where each account has an owner program, lamport balance, data vector (up to 10MB), and executable flag. - **SPL Token emulation:** Full implementation of the SPL Token program, SPL Token-2022 (token extensions), and Associated Token Account (ATA) program through the `ILTokenSplProgram` module.

7.2.2 Memory Layout and eBPF Execution

When executing a Solana program, the adapter constructs an `AlignedMemory` region with 8-byte alignment (matching the eBPF specification's `BPF_ALIGN`) containing:

Region	Size	Purpose
Program Binary	Variable	Compiled eBPF <code>.so</code> bytecode
Stack	64 KB	Program call stack
Heap	32 KB	Dynamic memory allocation
Input Data	Variable	Serialized account parameters, instruction data

The memory mapping is constructed using `solana_rbpf::memory_region::MemoryMapping` with separate `MemoryRegion` entries for each segment. The eBPF interpreter is instantiated via `solana_rbpf::program::BuiltinProgram` with a `FunctionRegistry` that registers syscall handlers.

7.2.3 Syscall Implementation

The `syscalls` module provides custom Rust implementations of Solana's system calls, enabling programs to interact with the InterLayer runtime:

- `sol_log` : Logs UTF-8 messages to the Substrate runtime logger for debugging.
- `sol_sha256` , `sol_keccak256` : Cryptographic hash functions computed via `sp_io::hashing` .
- `sol_create_program_address` : Derives Solana Program Derived Addresses (PDAs) using SHA-256 hashing with bump seeds.
- `sol_invoke_signed` : Cross-Program Invocation (CPI) allowing programs to call other programs with signed authority.

7.2.4 SPL Token-2022 Extensions (TLV Encoding)

The SVM adapter implements the full SPL Token-2022 extension system using Type-Length-Value (TLV) encoding. Extension data is appended after the base 165-byte SPL token account layout:

- **Offset 165:** Account type byte (`1` = Mint, `2` = Account)
- **Offset 166+:** TLV entries, each consisting of: 2-byte extension type (little-endian), 2-byte data length (little-endian), followed by the extension data payload.

Supported extensions include: - `TransferFeeConfig` (type 1): Configurable transfer fees with authority and basis point settings. - `TransferFeeAmount` (type 2): Per-account accumulated transfer fee amounts. - `InterestBearingConfig` (type 10): Interest rate configuration for yield-bearing tokens. - `PermanentDelegate` (type 12): Permanent delegate authority for token accounts. - `TransferHook` (type 14): External program hooks invoked on token transfers. - `MetadataPointer` (type 18): Pointer to on-chain token metadata. - `TokenMetadata` (type 19): Embedded token metadata (name, symbol, URI, additional fields).

The adapter provides helper methods `read_tlv_entries()` , `write_tlv_entries()` , `upsert_tlv_entry()` , and `get_tlv_entry()` for safe TLV manipulation with bounds checking.

7.3 PolkaVM Adapter (`mel-polkvmm`): RISC-V Native Execution

7.3.1 Architecture

The PolkaVM adapter (MEL-PolkaVM Module) executes compiled RISC-V binaries using the official `polkvmm` engine, bringing Polkadot's next-generation smart contract execution to InterLayer. PolkaVM programs are compiled from Rust (or any language targeting RISC-V) using `polkvmm-linker` into position-independent `.polkvmm` blobs.

The adapter struct `PolkaVMAdapter<S: MelStorage, G: GasConfig>` manages contract deployments, instance lifecycles, and host function dispatch.

7.3.2 Host Function Linking

The adapter registers Substrate host functions into the PolkaVM instance through a host linker. These host functions allow RISC-V programs to interact with Substrate storage and runtime services:

- `dispatch_psp22(selector, args)` : Dispatches PSP-22 (fungible token standard) operations `transfer` , `approve` , `total_supply` , `balance_of` , `allowance` .
- `dispatch_psp34(selector, args)` : Dispatches PSP-34 (non-fungible token standard) operations `owner_of` , `transfer` , `approve` , `collection_id` .
- `storage_read(key) → value` : Reads a value from the contract's dedicated storage partition in the Substrate trie via `MelStorage::get_polkavm_storage()` .
- `storage_write(key, value)` : Writes a value to contract storage via `MelStorage::set_polkavm_storage()` .
- `caller() → address` : Returns the calling account's 32-byte address.
- `value_transferred() → u128` : Returns the native `IL` tokens transferred with the call.
- `emit_event(topics, data)` : Emits a contract event recorded in the block's event log.

7.3.3 Gas Metering

PolkaVM uses instruction-level gas metering where each RISC-V instruction consumes a configurable number of gas units. The gas calibration multiplier means that 1 RISC-V cycle costs 0.01 standard gas units, reflecting the high computational efficiency of the RISC-V instruction set compared to EVM's stack-based architecture.

7.4 Move VM Adapter (`mel-move`): Linear Resource Execution

7.4.1 Architecture and Dual-Mode Operation

The Move adapter (MEL-Move Module) executes Diem Move bytecode using `move-vm-runtime` , supporting Move's unique linear resource type system. The adapter operates in dual mode:

- **std mode** (native node binary): Full Move VM execution with bytecode verification, module publishing, script execution, and resource manipulation.
- **no_std mode** (WASM runtime): Lightweight verification shim that validates Move transaction signatures and basic format checks, deferring actual execution to the native host via host function calls.

7.4.2 Resource Storage Model

Move's storage model is fundamentally different from other VMs. Instead of key-value slot mappings (like EVM), Move organizes state as typed resources owned by accounts:

- **Module Storage:** `MoveModules<T>` A `StorageDoubleMap` indexed by `(address_bytes, module_name_bytes) → bytecode_bytes` . When a Move module is published, its bytecode is stored under the publisher's address and module name.
- **Resource Storage:** `MoveResources<T>` A `StorageDoubleMap` indexed by `(address_bytes, struct_tag_bytes) → serialized_resource_data` . Resources are identified by their struct tag (module address + module name + struct name + type parameters), serialized using BCS (Binary Canonical Serialization).

The Move VM's `DataStore` trait is implemented over `MelStorage` , translating `get_resource(address, struct_tag)` and `publish_module(address, module_name, bytecode)` calls into Substrate storage operations.

7.4.3 Bytecode Verification

Before any Move module can be executed, its bytecode undergoes verification through Move's built-in bytecode verifier, which checks: - **Type safety**: All operations are well-typed according to Move's type system. - **Resource safety**: Linear resources cannot be copied or implicitly dropped they must be explicitly moved or destroyed. - **Reference safety**: Mutable and immutable references follow strict borrowing rules. - **Linking**: All module dependencies exist and have compatible interfaces.

7.5 CosmWasm Adapter (`mel-cosmwasm`): WebAssembly Actor Model

7.5.1 Architecture

The CosmWasm adapter (MEL-CosmWasm Module) executes WebAssembly smart contracts using `wasmi`, a stack-based Wasm interpreter optimized for deterministic execution in blockchain contexts. Unlike `wasmtime` (which uses JIT compilation), `wasmi` provides fully deterministic instruction-by-instruction interpretation, ensuring identical execution across all validator nodes.

7.5.2 JSON Envelope Processing

CosmWasm contracts communicate through JSON message envelopes. The adapter's JSON envelope parser translates between Substrate extrinsic payloads and CosmWasm's three standard entry points:

1. `instantiate(msg)` : Called once when a contract is first deployed. The `msg` JSON payload contains initialization parameters. The adapter deserializes the JSON, creates a new contract instance in storage, and invokes the Wasm `instantiate` export.
2. `execute(msg)` : Called for state-mutating operations. The `msg` JSON payload contains the action to perform and its parameters. The adapter routes the deserialized message to the Wasm `execute` export.
3. `query(msg)` : Called for read-only state queries. The `msg` JSON payload specifies what data to retrieve. The adapter invokes the Wasm `query` export and returns the JSON response without committing any state changes.

7.5.3 Address Format and Bech32 Decoding


CosmWasm contracts use Bech32-encoded addresses with the `"il"` human-readable prefix. The adapter's Bech32 decoder converts between canonical 32-byte unified addresses and Bech32 string representations:

7.5.4 Host Import Implementations

The Wasm runtime environment provides host imports that CosmWasm contracts can call: - `db_read(key) → value` : Read from contract-scoped storage. - `db_write(key, value)` : Write to contract-scoped storage. - `addr_validate(addr) → bool` : Validate a Bech32 address string. - `secp256k1_verify(hash, signature, pubkey) → bool` : ECDSA signature verification. - `ed25519_verify(message, signature, pubkey) → bool` : EdDSA signature verification.

Chapter 8: Off-Chain Threshold MPC Signer Infrastructure (TSS)

MPC Threshold Signing Protocol (FROST)



This chapter details the off-chain Multi-Party Computation (MPC) threshold signing infrastructure implemented in the [mpc-executor](#) crate. The MPC signer network enables InterLayer to authorize cross-chain transactions (withdrawals, bridge operations) without any single entity holding a complete private key.

8.1 Cryptographic Foundation: secp256k1 Schnorr Signatures

The MPC signer uses **secp256k1 Schnorr signatures** implemented via the [k256](#) Rust crate. The choice of Schnorr over ECDSA for threshold signing was motivated by Schnorr's native support for linear signature aggregation partial signatures can be summed directly without complex multi-round protocols.

Key cryptographic parameters: - **Curve**: secp256k1 (prime field $p = 2^{256} - 2^{32} - 977$) - **Generator**: Standard secp256k1 base point G - **Group Order**: q (the order of the generator point)

8.2 Distributed Key Generation (DKG) Ceremony

The system uses a (t, n) threshold scheme — t participants out of n total must cooperate to produce a valid signature.

DKG Protocol Steps: 1. Each participant j generates a random degree- $(t-1)$ polynomial and distributes secret shares $f_j(i)$ to every other participant i . 2. Participants verify received shares against public commitments. 3. Each participant i computes their private key share x_i and publishes their public key share $Y_i = x_i * G$.

8.3 Threshold Signing Protocol (FROST-style)

Given a message m and a signing subset T of t participants:

1. **Commitment Round:** Each signer i generates random nonce pairs (d_i, e_i) and broadcasts commitments $(D_i = d_iG, E_i = e_iG)$.
2. **Aggregation:** The coordinator combines nonce commitments into a group nonce R and computes the challenge using the message m and R .
3. **Partial Signature Round:** Each signer i in T computes their partial signature using their private share x_i , the challenge, and Lagrange interpolation coefficients.
4. **Signature Assembly:** The coordinator aggregates partial signatures into a single (R, s) Schnorr signature.

8.4 Signature Verification

The final threshold signature (R, s) is verified against the group public key Y using standard Schnorr verification: $sG == R + challengeY$.

8.5 (t, n) Threshold Key Generation via Polynomial Shamir Secret Sharing

The protocol uses a dealerless Feldman-style Distributed Key Generation (DKG) ceremony. No participant creates, reconstructs, or exports a master secret.

For every participant j , sample a degree- $(t-1)$ polynomial

and broadcast commitments D_j . Participant j sends $f_j(i)$ to participant i only over an authenticated confidential channel. Recipient i verifies each received share by checking

After complaint resolution, each participant holds x_i , its public verification share is $Y_i = x_iG$, and the group public key is Y . The transcript commits to the participant set, threshold, epoch, commitments, complaints, and resolutions. The DKG output is rejected unless exactly one verified transcript is agreed for the epoch.

8.3 Threshold Signing Protocol (Schnorr)

Signing follows a two-round FROST-compatible threshold Schnorr flow. For a request digest m and a canonical signing subset T (t):

1. Each signer samples two secret nonces (d_i, e_i) exactly once and publishes commitments $(D_i = d_iG, E_i = e_iG)$. Nonce material is erased after use, whether signing succeeds or fails.
2. The coordinator derives an ordered commitment list C , a binding factor b , and the group commitment R . It rejects the identity point and any duplicate signer or commitment.
3. With the Lagrange coefficient L_i , each signer computes s_i , where $s_i = L_i x_i + e_i$. The coordinator verifies every share before aggregation.
4. The aggregate is s , yielding the signature (R, s) . The public verification equation is $sG == R + mY$.

The coordinator is not trusted: it cannot substitute a signer set, commitment list, request digest, epoch, destination, amount, or derivation path because each is included in m and in the binding transcript. A one-round scheme that uses one signer's R while summing all signers' scalars is not a valid threshold Schnorr signature and is expressly outside this specification.

8.4 Lagrange Interpolation Coefficients

The Lagrange coefficient for participant i within signing subset T is computed as:

This coefficient reconstructs the group secret *in the exponent* without reconstructing it in any process: and $Y=xG$. It is evaluated only over a canonical, duplicate-free signer set T .

8.5 Signature Verification

The verifier checks the fully encoded R point, scalar range, even- Y convention where BIP-340 encoding is used, the epoch public key, and standard Schnorr verification:

where R is the aggregate nonce point, s is the aggregate scalar, and Y is the group public key. The challenge and binding hashes use distinct tagged domain separators; raw SHA-256 concatenation without framing is not sufficient.

8.6 BIP-32/44 Hierarchical Deterministic Key Derivation

For deposit-address allocation, the protocol derives child *public* keys from an epoch key without reconstructing a private key. For a non-hardened index i , let c_i . The child public key is

and the chain code is $c_{i+1}=L(R)$. Each signer derives the corresponding additive share locally, so no process learns the group scalar. Invalid tweaks and the point at infinity are rejected. Hardened derivation is permitted only through an explicit distributed derivation protocol; it MUST NOT be implemented by collecting key shares at a coordinator.

The allocated path binds the environment, external chain, account, and user index. The testnet profile reserves the BIP-44 coin-type path `m/44'/2021'/chain'/account'/0/i`; the exact `chain` and `account` components are recorded with the deposit-address allocation and signed into the withdrawal request.

8.3 CEX-Style MPC Address Derivation (`hd_wallet`)

InterLayer's MPC infrastructure provides **CEX-style deterministic address derivation**, generating unique per-user deposit addresses on every supported external chain — similar to how centralized exchanges (Binance, Coinbase) assign deposit addresses, but fully decentralized via threshold MPC:

```
enum AddressType {
    Bitcoin,    // BIP-44 secp256k1 → Bech32 (bc1...)
    Ethereum,   // secp256k1 → Keccak-256 → 0x...
    Solana,     // Ed25519 → Base58 address
    Polkadot,   // Ed25519 → SS58 address
}

struct DerivedAddress {
    address: String,    // Chain-native address string
    derived_pubkey: Vec<u8>, // Verification key material
}

fn derive_address(
    key_share: &KeyShare,    // MPC participant's key share
    address_type: AddressType,
    index: u32,              // Per-user unique index
) → Result<String>;
```

How It Works:

- Distributed Key Generation (DKG):** MPC nodes collectively generate a group public key without any single node holding the full private key.
- Per-User Derivation:** For each user and each external chain, `derive_address(key_share, chain, user_index)` produces a unique deposit address using HD-wallet-style key derivation (HMAC-SHA512 with chain-specific domain separators: `b"btc"`, `b"eth"`, `b"sol"`, `b"dot"`).
- Chain-Specific Encoding:** Bitcoin addresses use `secp256k1 → RIPEMD-160(SHA-256(pubkey)) → Bech32`; Ethereum uses `secp256k1 → Keccak-256 → 0x` prefix; Solana uses `Ed25519 → Base58`; Polkadot uses `Ed25519 → SS58`.
- Verification:** The runtime validates the derived address against the verification key material before accepting it as an active custody endpoint.

External Chain Interaction Flow:

Action	Flow
Deposit	User sends BTC/ETH/SOL to their unique MPC-derived address → LiteVerse watchers detect and verify → Runtime credits unified IL balance
Withdrawal	User requests withdrawal → Validators approve → MPC nodes threshold-sign the external chain transaction → <code>mpc-executor</code> broadcasts to chain RPC (<code>rpc.sepolia.org</code> , <code>api.devnet.solana.com</code> , <code>bitcoin-testnet.drpc.org</code>)
Cross-Chain Control	InterLayer can initiate transactions on any external chain by constructing and threshold-signing native transactions — no bridge contracts or wrapped tokens needed

This architecture gives InterLayer **full programmatic control over external chain assets** — the protocol can send, receive, and manage BTC, ETH, SOL, and DOT natively, exactly like a centralized exchange, but with decentralized custody via threshold MPC.

Chapter 9: Cryptographic Foundations & Quantum Signature Engine

9.1 Classical Cryptographic Primitive Suite

InterLayer employs a comprehensive suite of classical cryptographic primitives, each selected for its specific use case within the protocol:

9.1.1 secp256k1 (ECDSA & Schnorr)

- **Usage:** EVM transaction signatures, Bitcoin-compatible TSS signing, Substrate ECDSA key pairs.
- **Implementation:** `k256` crate (pure Rust, constant-time operations).
- **Key size:** 256-bit private keys, 33-byte compressed public keys.
- **Signature format:** 64-byte `(r, s)` for ECDSA; 64-byte `(R_x, s)` for Schnorr.

9.1.2 ed25519 (EdDSA)

- **Usage:** Solana SVM transaction signatures, Tendermint/CosmWasm validator signatures.
- **Implementation:** `ed25519-dalek` crate.
- **Key size:** 32-byte private seed, 32-byte public key.
- **Signature format:** 64-byte `(R, s)` encoding.

9.1.3 sr25519 (Schnorrkel/Ristretto)

- **Usage:** Substrate native account keys, validator session keys.
- **Implementation:** `schnorrkel` crate over Ristretto255.
- **Features:** VRF (Verifiable Random Function) support for leader selection.

9.1.4 BLS12-381 (Boneh-Lynn-Shacham)

- **Usage:** HotStuff consensus aggregate quorum certificates.
- **Implementation:** `w3f-bls` crate (W3F's BLS implementation with `TinyBLS381` mode).
- **Key size:** 48-byte public keys in G₂, 96-byte signatures in G₁.
- **Aggregation:** Linear signature aggregation n individual signatures compress to a single 96-byte aggregate, verified via a single pairing check.

9.2 Hash Functions

Algorithm	Usage	Output Size
Blake2b-256	Substrate state root hashing, block header hashing	32 bytes
Keccak-256	EVM address derivation, contract storage keys, Solidity ABI encoding	32 bytes
SHA-256	Schnorr challenge computation, MPC nonce commitments, Solana PDA derivation	32 bytes
SHA3-256	Move VM address derivation	32 bytes
RIPEMD-160	Bitcoin address hashing (combined with SHA-256)	20 bytes

9.3 Post-Quantum Signature Engine

To prepare for the eventual threat of quantum computers breaking classical elliptic curve cryptography, InterLayer includes two post-quantum signature pallets:

9.3.1 CRYSTALS-Dilithium (Lattice-Based)

- **Security Level:** Level 3 (equivalent to AES-192) and Level 5 (equivalent to AES-256).
- **Basis:** Module-LWE (Module Learning with Errors) problem over polynomial rings.
- **Public key size:** 1,952 bytes (Level 3), 2,592 bytes (Level 5).
- **Signature size:** 3,293 bytes (Level 3), 4,595 bytes (Level 5).
- **Verification:**

9.3.2 SPHINCS+ (Hash-Based)

- **Security Level:** Level 3 and Level 5 (stateless hash-based signatures).
- **Basis:** Hash function security (SHA-256 or SHAKE-256 instantiation).
- **Public key size:** 48 bytes (f-variant) or 64 bytes (s-variant).
- **Signature size:** 16,224 bytes (128f) or 35,664 bytes (256f).
- **Use case:** Emergency fallback authority keys that remain secure even if lattice-based assumptions are broken.

Chapter 10: Real-Yield Economic Model & Fee Routing Engine

10.1 Economic Design Philosophy: Non-Inflationary Fee-Driven Yield

InterLayer's economic model fundamentally differs from most Proof-of-Stake networks. Traditional PoS chains (Ethereum, Cosmos, Polkadot) issue new tokens as staking rewards, creating perpetual inflation that dilutes non-staking token holders. InterLayer takes the opposite approach: **all validator, DA provider, and treasury rewards are generated strictly from transaction execution fees**, with zero token inflation outside explicit governance-approved supply changes.

This "real-yield" model means that staking rewards directly correlate with network usage and economic activity, rather than being an artificial subsidy. As transaction volume grows, fee revenue grows, and validator yields increase proportionally creating a sustainable economic flywheel.

10.2 Fee Composition

Every transaction on InterLayer incurs fees composed of three components:

- **Base Fee:** The minimum fee determined by the current base gas price and the transaction's gas consumption. Follows EIP-1559 dynamics where the base fee adjusts up/down based on block fullness relative to a 75% target.
- **Priority Tip:** An optional tip paid by the user to incentivize faster inclusion. This tip goes directly to the block producer.

- **Atomic Premium:** An additional surcharge applied to cross-VM atomic bundles, reflecting the increased computational overhead of snapshot creation, multi-VM coordination, and potential rollback costs.

10.3 Block Fee Distribution Formulas

Total fees collected across all transactions in a block are separated into a producer tip and a distributable fee pool. The block producer receives the priority tips directly. The fee-distribution pallet routes the remaining distributable pool using the fixed testnet policy vector:

The fee distribution policy is **configurable via on-chain governance**. The following table shows two reference configurations:

Recipient	Testnet Default	Alternative (Plans)	Purpose
Validators	30%	40%	Staking rewards for active validators and delegators
Treasury	30%	20%	Community treasury for governance-approved spending
Burn	25%	0%	Deflationary token burn (permanently removed from supply)
LiteVerse Watchers	15%	20%	Rewards for DePIN watcher mesh operators
MPC Nodes	(included in Treasury)	20%	Threshold signing and custody infrastructure

Note: The active fee distribution vector is stored on-chain in [pallet-fee-distribution](#) and can be modified through a governance proposal without a runtime upgrade. The testnet launches with the 30/30/25/15 default.

Total supply `S` remains constant except for the burn allocation and any explicitly authorized governance supply change. Integer rounding is deterministic: each block computes three floor allocations, assigns the residual to the burn balance, and emits the four amounts in the `FeeDistributed` event.

10.4 Validator Reward Distribution

Within the validator pool, rewards are distributed proportionally to stake weight:

where `stake_i` is the total stake (self-bond + delegated) of validator `i`, distributed across the active validator set.

Each validator's reward is further split between the operator (validator node runner) and delegators based on the validator's commission rate `commission_i`: - **Operator reward** = `validator_reward_i * commission_i` - **Delegator pool** = `validator_reward_i * (1 - commission_i)`

Delegator rewards within a validator's pool are distributed proportionally to each delegator's share of the total delegated stake.

10.5 Slashing Penalties

Validators that exhibit Byzantine behavior face stake slashing: - **Double-signing** (signing two conflicting blocks at the same view): 10% of total stake slashed. - **Prolonged downtime** (missing of blocks in an epoch): 1% of total stake slashed. - **Invalid proposal** (proposing a block with invalid state transitions): 5% of total stake slashed.

Slashed funds are sent to the community treasury rather than burned, ensuring that total supply is unaffected by slashing events.

10.6 Dynamic Gas Pricing Engine

The gas calibration engine (`GasCalibrationConfig`) implements a sophisticated multi-dimensional pricing model:

- **Base gas costs** per VM: EVM = 21,000; PolkaVM = 25,000; SVM = 30,000; Move = 35,000; CosmWasm = 32,000.
- **Operation multipliers:** Transfer = 1x; ContractCall = 2x; ContractCreate = 3x; StorageRead = 1x; StorageWrite = 2x; CrossVmCall = 5x; AtomicOperation = 10x.

- **VM instruction weights:** Fine-grained per-instruction-class weights (arithmetic, comparison, memory, control flow, cryptographic, storage, network, system, cross-VM) that are independently configurable per VM.
- **Cross-VM overhead factors:** A full 5×5 matrix of overhead percentages for every VM-to-VM pair (e.g., EVM→SVM = 150%, EVM→Move = 180%, PolkaVM→EVM = 110%).
- **Dynamic adjustment:** Network performance metrics (congestion level, average TPS, per-VM error rates, storage latency, bandwidth utilization) feed into a [DynamicGasCalibrationEngine](#) that recalculates calibration factors every 50 blocks.

10.9 Unified Multi-VM Governance Framework

InterLayer governance operates through a multi-layer decision-making structure implemented via [governance-pallet](#) and [multi-vm-governance](#) :

Governance Bodies

Body	Composition	Scope
IL Token Voting	All IL token holders	Chain-wide proposals (economic parameters, fee distribution, asset registry)
Multi-VM Council	Representatives from EVM, SVM, PolkaVM ecosystems	VM-specific parameter changes (gas limits, compute units, deployment policies)
Technical Committee	Core developers and security experts	Runtime upgrades, emergency actions, security patches
Treasury Council	Elected members	Treasury spending proposals, grant allocation

Proposal Types & Thresholds

Proposal Type	Required Threshold	Enactment Delay
Runtime Upgrades	2/3 supermajority + Technical Committee approval	7 days
Economic Changes (fee rates, reward distribution)	Simple majority (>50%)	7 days
Emergency Actions (chain halt, security patch)	5/7 Technical Committee multi-sig	Immediate
VM Additions/Removals	2/3 supermajority + security audit proof	14 days
Asset Registry Changes	Multi-VM Council approval	3 days
Treasury Spending	Tiered: <10K IL (Council), <100K IL (majority), >100K IL (supermajority)	3-14 days

VM-Specific Governance Scopes

- **EVM Governance:** Gas limits, precompile additions, EIP implementation toggles
- **SVM Governance:** Program deployment policies, compute unit limits, SPL token registry
- **PolkaVM Governance:** Runtime pallet configurations, RISC-V instruction whitelists

Cross-VM Governance

Changes affecting the unified transaction envelope, cross-VM message bus protocols, asset interoperability rules, or the unified addressing system require approval from **all three VM-specific governance bodies** plus a chain-wide token vote.

10.7 Payment Channels & Off-Chain Micro-Transactions

For high-frequency micro-payments (game loop actions, IoT telemetry, streaming payments), `payment_channels_pallet` provides off-chain state channel infrastructure:

```
struct PaymentChannel {
    channel_id: Hash256,
    participant_a: AccountId,
    participant_b: AccountId,
    balance_a: u128,
    balance_b: u128,
    nonce: u64,
    challenge_period_blocks: u32, // Dispute window
}
```

- **Channel Open:** Participants lock native `IL` tokens in a channel storage vault on-chain.
- **Off-Chain Transfers:** State updates are signed bilaterally off-chain with zero gas fees and sub-millisecond latency.
- **Settlement & Dispute Resolution:** Either party can submit the latest state sequence on-chain. A challenge period allows the counterparty to submit a higher nonce state if fraudulent closure is attempted.

10.8 Gas Sponsorship Engine & Sponsored Transactions

To onboard non-crypto-native users, `gas_sponsorship_pallet` enables third-party dApps or protocols to sponsor transaction gas fees:

```
struct GasSponsorPool {
    sponsor_id: AccountId,
    pool_balance: u128,
    allowlist: Vec<AccountId>, // Authorized user addresses
    per_tx_cap: u128, // Maximum gas sponsored per transaction
    daily_user_limit: u128, // Maximum daily sponsored allowance per user
}
```

DApp developers deposit `IL` tokens into a sponsor pool (`mel_createGasSponsor`). When an authorized user executes a contract transaction, fees are debited directly from the sponsor pool (`mel_executeGasLessTransaction`) without requiring the user to hold native gas tokens.

10.10 Staking Parameters & Delegation Rules

Parameter	Value	Governance Configurable
Minimum Validator Bond	1,000 IL	Yes
Minimum Delegation	100 IL	Yes
Unbonding Period	21 days (approx. 181,440 blocks at 10s/block)	Yes
Validator Commission Range	5% - 20%	Yes (min/max bounds)
Maximum Validators	100 (testnet: 4)	Yes
Maximum Nominators per Validator	256	Yes
Reward Payout Frequency	Per block (automatic)	No
Slashing Grace Period	1 epoch	Yes

10.11 Supported Wallet Integrations

InterLayer supports native connectivity with major Web3 wallet ecosystems:

Wallet	VM Ecosystem	Connection Protocol	Signing Scheme
MetaMask	EVM	<code>window.ethereum</code> / EIP-1193	ECDSA secp256k1
Solflare	SVM	Solana Wallet Adapter	Ed25519
polkadot.js	PolkaVM / Substrate	<code>@polkadot/extension-dapp</code>	Sr25519
Ton Connect	TON	Ton Connect v2 SDK	Ed25519
Petra / Martian	Move	Aptos Wallet Adapter	Ed25519

External wallet binding uses signature challenges: EIP-191 for EVM wallets, Ed25519 for Solana/TON, and Sr25519 for Polkadot. Bindings are stored in `unified-address-registry` with handle resolution (`name@eth` , `name@sol` , `name@dot` , `name@ton`).

10.12 VM Feature Adoption Pipeline & Canary Upgrade Gates

To maintain security while adopting upstream VM improvements (EVM, SVM, PolkaVM, Move VM, CosmWasm), InterLayer implements an offchain worker-driven feature adoption pipeline:

- 1. Upstream Release Monitoring:** An automated Substrate off-chain worker polls upstream repositories for VM runtime updates, security patches, and compiler enhancements.
- 2. Autonomous Governance Drafting:** Upon detecting a validated release, the offchain worker constructs an automated governance proposal containing changelogs, risk metrics, and integration test plans.
- 3. Canary Environment & Feature Gates:** Upstream upgrades are deployed behind runtime feature gates (`#cfg(feature = "canary-vm")`) in a canary environment prior to mainnet/testnet enactment.
- 4. Emergency Overrides:** Per-VM governance parameters allow the Technical Committee to instantly toggle feature gates or trigger emergency rollbacks if an upstream VM vulnerability is detected.

Chapter 11: Comprehensive Substrate Runtime Pallet Architecture (36 Core Active Runtime Pallets)

This chapter is the public testnet dispatch profile for 35 core active Substrate runtime pallets composing the InterLayer Gravity Testnet runtime. Every pallet specification details its functional responsibility, storage layout with explicit hashers (`Blake2_128Concat` , `Twox64Concat`), call-indexed extrinsics (`#[pallet::call_index(N)]`), parameter types, required dispatch origins (`Signed` , `Root`), events, and error variants. A `StorageValue` has no key hasher; every keyed `StorageMap` and `StorageDoubleMap` declares one. Where `ValidateUnsigned` is named, it denotes an unsigned submission governed by explicit transaction validation rather than a dispatch origin.

Call indices are part of the testnet compatibility surface. A runtime upgrade may add a new call only at an unused index and must publish the corresponding metadata change; it MUST NOT repurpose an existing index.

11.1 Pallet `atomic-execution`

Functional Responsibility: Coordinates 5-phase atomic multi-VM transaction execution across EVM, SVM, PolkaVM, Move, and CosmWasm adapters. Manages pre-execution checkpointing (`restore_snapshot()`), isolated `CacheDB` diff staging, dependency validation, and atomic commit/rollback enforcement.

Storage Items: - `ActiveBundles<T>`: `StorageMap<Blake2_128Concat, H256, AtomicBundle>` Active atomic execution contexts keyed by Blake2b bundle ID. - `BundlePhase<T>`: `StorageMap<Blake2_128Concat, H256, AtomicExecutionPhase>` Current lifecycle phase (`Initialized` , `SourceExecution` , `TargetExecution` , `Validation` , `Committed` , `Rollback` , `Failed`). -

`ExecutionSnapshots<T>: StorageMap<Blake2_128Concat, H256, (Vec<u8>, Vec<u8>)>` Staged pre-execution state roots for rollback.

Extrinsics: - `#[pallet::call_index(0)] execute_atomic_bundle(origin: OriginFor<T>, bundle: AtomicBundle, deadline: u64)`
Origin: `Signed(who)` | *Weight:* `0(|bundle.transactions| * 6_vm)`

Primary entry point. Validates bundle context, creates state snapshots `snapshot_0`, executes operations across target VM adapters, and commits staged diffs upon success or triggers rollback on error. - `#[pallet::call_index(1)]`

`force_rollback_bundle(origin: OriginFor<T>, bundle_id: H256)`

Origin: `Root` | *Weight:* `0(1)`

Emergency rollback override for expired or stuck atomic bundles.

Events: - `AtomicExecutionInitiated { bundle_id: H256, source_vm: VmType, target_vm: VmType }` - `AtomicExecutionCommitted { bundle_id: H256, gas_used: u64 }` - `AtomicExecutionRolledBack { bundle_id: H256, reason: Vec<u8> }`

Errors: - `BundleNotFound`, `DeadlineExpired`, `InvalidContext`, `ExecutionFailed`, `RollbackFailed`, `UnauthorizedCaller`.

11.2 Pallet `data-availability-hooks`

Functional Responsibility: Verifies and commits Data Availability (DA) roots submitted by external rollup sequencers and LiteVerse watcher nodes. Serves as InterLayer's high-throughput DA posting layer.

Storage Items: - `RollupStateRoots<T>: StorageDoubleMap<Blake2_128Concat, u32, Blake2_128Concat, u64, H256>` Maps `(rollup_id, l2_block_number)` to L2 state root hash. - `DaCommitments<T>: StorageMap<Blake2_128Concat, H256, DaBlockCommitment>` Posted Merkle roots of transaction data blobs.

Extrinsics: - `#[pallet::call_index(0)] post_da_commitment(origin: OriginFor<T>, rollup_id: u32, block_number: u64, data_root: H256, size_bytes: u32)`

Origin: `Signed(sequencer)` - `#[pallet::call_index(1)] verify_da_inclusion(origin: OriginFor<T>, data_root: H256, leaf: Vec<u8>, proof: Vec<H256>)`

Origin: `Signed(who)`

Events: `DaCommitmentPosted`, `InclusionVerified` | **Errors:** `InvalidProof`, `CommitmentExists`.

11.3 Pallet `delegated-staking`

Functional Responsibility: Implements delegated Proof-of-Stake (dPoS) for HotStuff validators. Handles candidate registration, nominator bond pooling, 28-day unbonding periods, and reward compounding.

Storage Items: - `Validators<T>: StorageMap<Blake2_128Concat, T::AccountId, ValidatorConfig>` Active validator candidate metadata and self-bond. - `Delegations<T>: StorageDoubleMap<Blake2_128Concat, T::AccountId, Blake2_128Concat, T::AccountId, u128>` Maps `(nominator, validator)` to staked balance. - `TotalStaked<T>: StorageValue<u128>` Global total staked `IL` token supply.

Extrinsics: - `#[pallet::call_index(0)] register_validator(origin: OriginFor<T>, commission_bps: u32, bls_pubkey: Vec<u8>)`

Origin: `Signed(candidate)` - `#[pallet::call_index(1)] delegate(origin: OriginFor<T>, validator: T::AccountId, amount: u128)`

Origin: `Signed(nominator)` - `#[pallet::call_index(2)] undelegate(origin: OriginFor<T>, validator: T::AccountId, amount: u128)`

Origin: `Signed(nominator)`

Events: `ValidatorRegistered`, `Delegated`, `Undelegated`, `Unbonded` | **Errors:** `InsufficientBond`, `AlreadyValidator`, `UnbondingPeriodActive`.

11.4 Pallet `dynamic-blocks`

Functional Responsibility: Adjusts block generation parameters dynamically based on network throughput, gas demand, and P2P propagation latency. Configures poll intervals between 10ms (high load) and 1000ms (idle).

Storage Items: - `TargetBlockTime<T>: StorageValue<u64>` Current target block time in milliseconds. - `GasTargetUsage<T>: StorageValue<u32>` Target gas usage percentage per block (default 75%).

Extrinsics: - `#[pallet::call_index(0)] set_target_block_time(origin: OriginFor<T>, target_ms: u64)`
Origin: `Root`

Events: `BlockTimingUpdated` | **Errors:** `InvalidTarget` .

11.5 Pallet `faucet`

Functional Responsibility: Testnet token distribution faucet for developer onboarding. Enforces per-account and per-IP rate limits with unsigned transaction validation.

Storage Items: - `LastClaimBlock<T>: StorageMap<Blake2_128Concat, T::AccountId, BlockNumberFor<T>>` Last claim block number per account. - `ClaimAmount<T>: StorageValue<u128>` Default drip amount (10 `IL` tokens).

Extrinsics: - `#[pallet::call_index(0)] request_tokens(origin: OriginFor<T>, recipient: T::AccountId)`
Origin: `ValidateUnsigned` or `Signed`

Events: `TokensDripped` | **Errors:** `RateLimitExceeded` , `FaucetDrained` .

11.6 Pallet `fee-distribution`

Functional Responsibility: Routes collected block transaction fees according to the real-yield economic model (validators, DA watchers, treasury, burnt) on `on_finalize` .

Storage Items: - `CollectedFees<T>: StorageValue<u128>` Accumulator for block transaction fees. - `RewardPools<T>: StorageMap<Twox64Concat, RewardPoolType, u128>` Pool balances for validators, DA, and treasury.

Extrinsics: - `#[pallet::call_index(0)] claim_validator_rewards(origin: OriginFor<T>)`
Origin: `Signed(validator)` - `#[pallet::call_index(1)] update_fee_distribution(origin: OriginFor<T>, validator_share: u32, da_share: u32, treasury_share: u32, burn_share: u32)`
Origin: `Root`

Events: `FeesDistributed` , `RewardsClaimed` , `TokensBurnt` | **Errors:** `RatioSumInvalid` , `NoBalanceToClaim` .

11.7 Pallet `fees-pallet`

Functional Responsibility: Manages base gas prices, priority fee tip calculation, and EIP-1559 style elastic gas limit adjustments per block.

Storage Items: - `BaseGasPrice<T>: StorageValue<u128>` Current base gas price in wei/lamports (default 1 Gwei). - `ElasticMultiplier<T>: StorageValue<u32>` Block fullness multiplier.

Extrinsics: - `#[pallet::call_index(0)] set_base_gas_price(origin: OriginFor<T>, new_price: u128)`
Origin: `Root`

Events: `BaseGasPriceUpdated` | **Errors:** `PriceTooLow` .

11.8 Pallet `gas-sponsorship-pallet`

Functional Responsibility: Enables gasless transactions for end-user dApps through sponsor accounts. Applications pre-fund sponsorship pools to pay gas on behalf of user transactions.

Storage Items: - `SponsorshipPools<T>: StorageMap<Blake2_128Concat, T::AccountId, SponsorshipPool>` Sponsor account balances, whitelisted contracts, and daily spending caps.

Extrinsics: - `#[pallet::call_index(0)] create_sponsorship_pool(origin: OriginFor<T>, initial_fund: u128, daily_cap: u128)`

Origin: `Signed(sponsor)` - `#[pallet::call_index(1)] whitelist_contract(origin: OriginFor<T>, contract_address: Vec<u8>)`

Origin: `Signed(sponsor)`

Events: `SponsorshipPoolCreated` , `GasSponsored` | **Errors:** `PoolExhausted` , `ContractNotWhitelisted` .

11.9 Pallet `governance-pallet`

Functional Responsibility: On-chain democracy and proposal voting protocol. Token holders submit referenda, stake tokens to vote, and execute approved runtime calls via root origin.

Storage Items: - `ReferendumCount<T>: StorageValue<u32>` Counter for referendum IDs. - `Referendums<T>: StorageMap<Blake2_128Concat, u32, ReferendumInfo>` Proposal details, vote tallies (aye/nay), and execution threshold.

Extrinsics: - `#[pallet::call_index(0)] propose(origin: OriginFor<T>, proposal_hash: H256, deposit: u128)`

Origin: `Signed(proposer)` - `#[pallet::call_index(1)] vote(origin: OriginFor<T>, ref_index: u32, approve: bool, vote_amount: u128)`

Origin: `Signed(voter)`

Events: `Proposed` , `Voted` , `Passed` , `Executed` | **Errors:** `ReferendumIndexInvalid` , `InsufficientDeposit` .

11.10 Pallet `handles`

Functional Responsibility: Manages human-readable handle handles (e.g., `@bharath`) bound to multi-chain addresses. Handles support expiration, renewal, and auction-based namespace claims.

Storage Items: - `HandlesMap<T>: StorageMap<Blake2_128Concat, BoundedVec<u8, ConstU32<64>>, HandleInfo>` Handle metadata, owner, expiration block.

Extrinsics: - `#[pallet::call_index(0)] claim_handle(origin: OriginFor<T>, handle: Vec<u8>)`

Origin: `Signed(who)` - `#[pallet::call_index(1)] renew_handle(origin: OriginFor<T>, handle: Vec<u8>, duration_blocks: u32)`

Origin: `Signed(owner)`

Events: `HandleClaimed` , `HandleRenewed` | **Errors:** `HandleTaken` , `HandleExpired` .

11.11 Pallet `hotstuff-session`

Functional Responsibility: Manages HotStuff validator authority sessions, key rotation ceremonies, epoch transitions, and BLS12-381 public key aggregation.

Storage Items: - `CurrentEpoch<T>: StorageValue<u64>` Monotonically increasing epoch sequence number. -

`SessionAuthorities<T>: StorageValue<Vec<ValidatorAuthority>>` Active BLS validator keys and indices for current epoch.

Extrinsics: - `#[pallet::call_index(0)] set_session_keys(origin: OriginFor<T>, bls_key: Vec<u8>)`

Origin: `Signed(validator)` - `#[pallet::call_index(1)] force_new_epoch(origin: OriginFor<T>)`

Origin: `Root`

Events: `NewEpochStarted` , `SessionKeysRotated` | **Errors:** `InvalidKeyFormat` .

11.12 Pallet `interlayer-token`

Functional Responsibility: Canonical native `IL` token ledger. Implements balance transfers, total supply tracking, minting (governance-only), and burn extrinsics.

Storage Items: - `TotalSupply<T>: StorageValue<u128>` Total circulating `IL` token supply. - `Balances<T>: StorageMap<Blake2_128Concat, T::AccountId, u128>` Account balance mapping.

Extrinsics: - `#[pallet::call_index(0)] transfer(origin: OriginFor<T>, dest: T::AccountId, value: u128)`
Origin: `Signed(sender)` - `#[pallet::call_index(1)] mint(origin: OriginFor<T>, to: T::AccountId, amount: u128)`
Origin: `Root`

Events: `Transfer`, `Mint`, `Burn` | **Errors:** `BalanceLow`, `PermissionDenied`.

11.13 Pallet `liteverse-pallet`

Functional Responsibility: LiteVerse DePIN watcher mesh coordinator. Verifies external chain block headers (BTC, ETH, SOL, DOT, TON), validates transaction Merkle proofs, manages watcher point rewards, and executes withdrawal requests.

Storage Items: - `ChainHeaders<T>: StorageMap<Blake2_128Concat, ChainId, ChainHeader>` Latest verified header per external chain. - `VerifiedTransactions<T>: StorageMap<Blake2_128Concat, H256, TransactionProof>` Confirmed deposit proofs. - `LiteClientPoints<T>: StorageMap<Blake2_128Concat, T::AccountId, PointBalance>` Watcher point reward tracking. - `PendingWithdrawals<T>: StorageMap<Blake2_128Concat, u64, WithdrawalRequest>` Active withdrawal queue.

Extrinsics: - `#[pallet::call_index(0)] submit_chain_header(origin: OriginFor<T>, chain_id: ChainId, header: ChainHeader)`
Origin: `ValidateUnsigned` or `Signed(watcher)` - `#[pallet::call_index(1)] verify_transaction(origin: OriginFor<T>, proof: TransactionProof)`
Origin: `Signed(watcher)` - `#[pallet::call_index(2)] request_withdrawal(origin: OriginFor<T>, chain_id: ChainId, amount: u128, destination: Vec<u8>)`
Origin: `Signed(user)` - `#[pallet::call_index(3)] redeem_points(origin: OriginFor<T>, points: u64)`
Origin: `Signed(watcher)`

Events: `ChainSynced`, `TransactionVerified`, `WithdrawalRequested`, `PointsRedeemed` | **Errors:** `InvalidHeader`, `ProofFailed`, `InsufficientPoints`.

11.14 Pallet `mel-bus-pallet`

Functional Responsibility: Provides cross-VM event bus dispatching. Subscribes to events emitted by EVM (`LOG0-4`), SVM (`msg!`), Move, and CosmWasm contracts and routes cross-VM messages (`CrossVmMessage`) between adapters.

Storage Items: - `MessageQueue<T>: StorageMap<Blake2_128Concat, H256, CrossVmMessage>` Queue of pending cross-VM messages. - `SubscribedAdapters<T>: StorageValue<Vec<VmType>>` Registered target VM adapters.

Extrinsics: - `#[pallet::call_index(0)] publish_cross_vm_message(origin: OriginFor<T>, target_vm: VmType, payload: Vec<u8>)`
Origin: `Signed(contract)`

Events: `CrossVmMessageDispatched`, `MessageDelivered` | **Errors:** `TargetVmNotSupported`, `PayloadTooLarge`.

11.15 Pallet `mel-core-pallet`

Functional Responsibility: Core MEL execution engine configuration and adapter management. Maintains global `MelConfig` parameters (max gas, bundle timeout, enabled VM adapters).

Storage Items: - `GlobalMelConfig<T>: StorageValue<MelConfig>` Global MEL settings. - `EnabledVms<T>: StorageValue<Vec<VmType>>` List of currently active VM execution adapters.

Extrinsics: - `#[pallet::call_index(0)] update_me1_config(origin: OriginFor<T>, config: Me1Config)`

Origin: `Root` - `#[pallet::call_index(1)] toggle_vm_adapter(origin: OriginFor<T>, vm: VmType, enable: bool)`

Origin: `Root`

Events: `Me1ConfigUpdated`, `VmAdapterToggled` | **Errors:** `InvalidConfig`.

11.16 Pallet `mev-protection`

Functional Responsibility: Protects users against front-running and sandwich attacks. Enforces encrypted mempool transactions (timelock encryption) and commit-reveal transaction ordering.

Storage Items: - `EncryptedTxQueue<T>: StorageMap<Blake2_128Concat, H256, EncryptedTx>` Encrypted user transactions. - `DecryptionKeys<T>: StorageMap<Blake2_128Concat, u64, Vec<u8>>` Block decryption keys provided by validators.

Extrinsics: - `#[pallet::call_index(0)] submit_encrypted_tx(origin: OriginFor<T>, encrypted_payload: Vec<u8>, reveal_block: u64)`

Origin: `Signed(user)` - `#[pallet::call_index(1)] submit_decryption_key(origin: OriginFor<T>, block_number: u64, key: Vec<u8>)`

Origin: `Signed(validator)`

Events: `EncryptedTxSubmitted`, `TxDecryptedAndExecuted` | **Errors:** `InvalidDecryptionKey`.

11.17 Pallet `monitoring`

Functional Responsibility: Tracks network health metrics, VM adapter execution latencies, storage bloat rates, and validator uptime statistics.

Storage Items: - `NodeMetrics<T>: StorageMap<Blake2_128Concat, T::AccountId, HealthMetrics>` Per-node operational metrics.

Extrinsics: - `#[pallet::call_index(0)] report_metrics(origin: OriginFor<T>, metrics: HealthMetrics)`

Origin: `Signed(node)`

Events: `HealthReported` | **Errors:** `MetricsInvalid`.

11.18 Pallet `multi-vm-governance`

Functional Responsibility: Multi-VM smart contract upgrade governance. Manages proposals to upgrade core EVM precompiles, SVM BPF loader settings, or Move system modules.

Storage Items: - `VmUpgradeProposals<T>: StorageMap<Blake2_128Concat, H256, VmUpgradeProposal>` Active contract/precompile upgrade proposals.

Extrinsics: - `#[pallet::call_index(0)] propose_vm_upgrade(origin: OriginFor<T>, vm: VmType, target_address: Vec<u8>, new_bytecode: Vec<u8>)`

Origin: `Root`

Events: `VmUpgradeProposed`, `VmUpgradeExecuted` | **Errors:** `ProposalNotFound`.

11.19 Pallet `native-assets`

Functional Responsibility: Multi-asset token registry supporting multi-chain native tokens (BTC, ETH, SOL, DOT, TON) within the InterLayer runtime.

Storage Items: - `Assets<T>: StorageMap<Blake2_128Concat, H256, AssetDetails>` Asset metadata, total supply, decimals. - `AssetBalances<T>: StorageDoubleMap<Blake2_128Concat, H256, Blake2_128Concat, T::AccountId, u128>` User asset balances.

Extrinsics: - `#[pallet::call_index(0)] create_asset(origin: OriginFor<T>, asset_id: H256, name: Vec<u8>, symbol: Vec<u8>, decimals: u8)`

Origin: `Signed(creator)` - `#[pallet::call_index(1)] transfer_asset(origin: OriginFor<T>, asset_id: H256, target: T::AccountId, amount: u128)`

Origin: `Signed(sender)`

Events: `AssetCreated`, `AssetTransferred` | **Errors:** `AssetExists`, `BalanceTooLow`.

11.20 Pallet `pallet-agent`

Functional Responsibility: Autonomous AI agent contract execution pallet. Allows autonomous AI agents to sign transactions using registered agent keypairs under execution budget constraints.

Storage Items: - `Agents<T>: StorageMap<Blake2_128Concat, T::AccountId, AgentProfile>` Registered agent metadata, owner, compute budget.

Extrinsics: - `#[pallet::call_index(0)] register_agent(origin: OriginFor<T>, agent_id: T::AccountId, max_daily_spend: u128)`

Origin: `Signed(owner)` - `#[pallet::call_index(1)] execute_agent_tx(origin: OriginFor<T>, agent_id: T::AccountId, tx: MeLTx)`

Origin: `Signed(agent)`

Events: `AgentRegistered`, `AgentTxExecuted` | **Errors:** `AgentBudgetExceeded`, `UnauthorizedAgent`.

11.21 Pallet `payment-channels-pallet`

Functional Responsibility: Layer-2 state channels for high-frequency micropayments between accounts with off-chain balance updates and on-chain dispute resolution.

Storage Items: - `Channels<T>: StorageMap<Blake2_128Concat, H256, PaymentChannel>` Channel deposit, participants, nonce, state.

Extrinsics: - `#[pallet::call_index(0)] open_channel(origin: OriginFor<T>, recipient: T::AccountId, deposit: u128)`

Origin: `Signed(sender)` - `#[pallet::call_index(1)] close_channel(origin: OriginFor<T>, channel_id: H256, final_balance_a: u128, final_balance_b: u128, sig_a: Vec<u8>, sig_b: Vec<u8>)`

Origin: `Signed(participant)`

Events: `ChannelOpened`, `ChannelClosed` | **Errors:** `ChannelNotFound`, `SignatureInvalid`.

11.22 Pallet `pq-signatures`

Functional Responsibility: Handles verification for post-quantum digital signature algorithms (CRYSTALS-Dilithium, Falcon-512, SPHINCS+).

Storage Items: - `PqKeys<T>: StorageMap<Blake2_128Concat, T::AccountId, (SignatureScheme, Vec<u8>)>` Registered post-quantum public keys per account.

Extrinsics: - `#[pallet::call_index(0)] register_pq_key(origin: OriginFor<T>, scheme: SignatureScheme, pubkey: Vec<u8>)`

Origin: `Signed(user)`

Events: `PqKeyRegistered` | **Errors:** `SchemeNotSupported`.

11.23 Pallet `quantum-signatures`

Functional Responsibility: Hybrid classical + post-quantum dual signature verification. Combines ed25519/ECDSA with Dilithium for ultra-secure transaction authentication.

Storage Items: - `HybridPolicies<T>: StorageMap<Blake2_128Concat, T::AccountId, HybridPolicy>` Verification policy requirement per account.

Extrinsics: - `#[pallet::call_index(0)] set_hybrid_policy(origin: OriginFor<T>, policy: HybridPolicy)`

Origin: `Signed(account)`

Events: `PolicyUpdated` | **Errors:** `InvalidPolicy` .

11.24 Pallet `rate-limit`

Functional Responsibility: Protects runtime RPC endpoints and extrinsics against denial-of-service (DoS) spam through dynamic rate limiting per account and IP address.

Storage Items: - `AccountCallCounts<T>: StorageDoubleMap<Blake2_128Concat, T::AccountId, Blake2_128Concat, u16, u32>`

Maps `(account, call_index)` to current block count.

Extrinsics: - `#[pallet::call_index(0)] update_rate_limit(origin: OriginFor<T>, call_index: u16, max_calls_per_block: u32)`

Origin: `Root`

Events: `RateLimitUpdated` | **Errors:** `ExceededLimit` .

11.25 Pallet `registry-pallet`

Functional Responsibility: Global registry for smart contract deployments across all 5 VMs. Maps contract addresses to bytecode hashes, developer identities, and audit records.

Storage Items: - `ContractRegistry<T>: StorageMap<Blake2_128Concat, Vec<u8>, ContractMetadata>` Registry of deployed contracts.

Extrinsics: - `#[pallet::call_index(0)] register_contract(origin: OriginFor<T>, contract_address: Vec<u8>, vm: VmType, code_hash: H256)`

Origin: `Signed(developer)`

Events: `ContractRegistered` | **Errors:** `AlreadyRegistered` .

11.26 Pallet `session-management`

Functional Responsibility: Handles validator session transitions, block author assignment, and validator set rotation on epoch boundaries.

Storage Items: - `ActiveSession<T>: StorageValue<u32>` Current session index.

Extrinsics: - `#[pallet::call_index(0)] force_rotate_session(origin: OriginFor<T>)`

Origin: `Root`

Events: `SessionRotated` | **Errors:** `RotationFailed` .

11.27 Pallet `settlement-pallet`

Functional Responsibility: Manages off-chain batch settlement processing for LiteVerse watcher deposits and MPC threshold signature verification.

Storage Items: - `PendingSettlements<T>: StorageMap<Blake2_128Concat, H256, SettlementBatch>` Queued settlement batches.

Extrinsics: - `#[pallet::call_index(0)] submit_settlement_batch(origin: OriginFor<T>, batch: SettlementBatch)`

Origin: `Signed(validator)`

Events: `SettlementCompleted` | **Errors:** `BatchInvalid` .

11.28 Pallet `slashing`

Functional Responsibility: Enforces cryptoeconomic security by slashing validator stake for double-signing, equivocation, or prolonged offline downtime.

Storage Items: - `SlashedOffenders<T>: StorageMap<Blake2_128Concat, T::AccountId, SlashRecord>` Recorded slash events.

Extrinsics: - `#[pallet::call_index(0)] report_equivocation(origin: OriginFor<T>, proof: EquivocationProof)`

Origin: `Signed(reporter)`

Events: `ValidatorSlashed` | **Errors:** `ProofInvalid` .

11.29 Pallet `smart-accounts`

Functional Responsibility: ERC-4337 style Account Abstraction for all VMs. Supports webauthn keys, session keys, and custom transaction validation logic.

Storage Items: - `SmartAccountConfig<T>: StorageMap<Blake2_128Concat, T::AccountId, SmartAccountSettings>` User AA settings.

Extrinsics: - `#[pallet::call_index(0)] execute_user_op(origin: OriginFor<T>, user_op: UserOperation)`

Origin: `Signed(bundler)`

Events: `UserOpExecuted` | **Errors:** `UserOpValidationFailed` .

11.30 Pallet `staking-pallet`

Functional Responsibility: Manages validator bonding, minimum stake thresholds, and reward distribution calculations for validator nodes.

Storage Items: - `StakingBonds<T>: StorageMap<Blake2_128Concat, T::AccountId, u128>` Validator self-bonds.

Extrinsics: - `#[pallet::call_index(0)] bond_extra(origin: OriginFor<T>, amount: u128)`

Origin: `Signed(validator)`

Events: `BondIncreased` | **Errors:** `InsufficientFunds` .

11.31 Pallet `treasury-liquidity`

Functional Responsibility: Manages the community treasury (receiving of block fees) and disbursements for ecosystem grants, AMM liquidity seeding, and audits.

Storage Items: - `TreasuryBalance<T>: StorageValue<u128>` Treasury funds pool balance. - `GrantProposals<T>: StorageMap<Blake2_128Concat, u32, GrantProposal>` Active proposals.

Extrinsics: - `#[pallet::call_index(0)] propose_grant(origin: OriginFor<T>, beneficiary: T::AccountId, amount: u128)`

Origin: `Signed(proposer)`

Events: `GrantProposed` , `GrantApproved` | **Errors:** `TreasuryEmpty` .

11.32 Pallet `unified-address-registry`

Functional Responsibility: Maps human-readable handles (e.g., `@bharath`) to native VM addresses across EVM, SVM, PolkaVM, Move, CosmWasm, and Substrate.

Storage Items: - `HandleRegistrations<T>: StorageMap<Blake2_128Concat, BoundedVec<u8, ConstU32<64>>, HandleRegistration>` Registered handles. - `AddressMappings<T>: StorageMap<Blake2_128Concat, (BoundedVec<u8, ConstU32<64>>, ChainDomain), AddressMapping>` Target chain address mappings.

Extrinsics: - `#[pallet::call_index(0)] register_handle(origin: OriginFor<T>, handle: Vec<u8>, domains: Vec<ChainDomain>)`

Origin: `Signed(user)` - `#[pallet::call_index(1)] create_address_mapping(origin: OriginFor<T>, handle: Vec<u8>, domain: ChainDomain, address: Vec<u8>)`

Origin: `Signed(owner)`

Events: `HandleRegistered` , `AddressMappingCreated` | **Errors:** `HandleExists` , `Unauthorized` .

11.33 Pallet `unified-balance`

Functional Responsibility: Maintains unified balance accounting across all internal VM adapters, ensuring cross-VM balance conservation invariant ().

Storage Items: - `UnifiedBalances<T>: StorageMap<Blake2_128Concat, T::AccountId, UnifiedBalanceRecord>` User balances per VM adapter.

Extrinsics: - `#[pallet::call_index(0)] transfer_vm_balance(origin: OriginFor<T>, source_vm: VmType, target_vm: VmType, amount: u128)`

Origin: `Signed(user)`

Events: `VmBalanceTransferred` | **Errors:** `InsufficientVmBalance` .

11.34 Pallet `validator-wallet`

Functional Responsibility: Dedicated custody module for validator operational funds and node maintenance expenses.

Storage Items: - `ValidatorWallets<T>: StorageMap<Blake2_128Concat, T::AccountId, u128>` Operational balances.

Extrinsics: - `#[pallet::call_index(0)] withdraw_operational_funds(origin: OriginFor<T>, amount: u128)`

Origin: `Signed(validator)`

Events: `OperationalFundsWithdrawn` | **Errors:** `OverdrawLimit` .

11.35 Pallet `vm-adapter-monitor`

Functional Responsibility: Real-time performance monitoring and fault isolation for the 5 VM adapters. Disables an adapter if panic rates exceed safety thresholds.

Storage Items: - `VmFaultCounters<T>: StorageMap<Twox64Concat, VmType, u32>` Recorded fault counts per VM.

Extrinsics: - `#[pallet::call_index(0)] reset_fault_counter(origin: OriginFor<T>, vm: VmType)`

Origin: `Root`

Events: `VmFaultRecorded` , `VmAutoDisabled` | **Errors:** `VmNotRegistered` .

11.36 Pallet `zk-verification`

Functional Responsibility: Zero-Knowledge proof verification engine supporting Groth16, PLONK, and STARK proof validation for privacy-preserving atomic transactions.

Storage Items: - `VerificationKeys<T>: StorageMap<Blake2_128Concat, H256, Vec<u8>>` Registered ZK verification keys.

Extrinsics: - `#[pallet::call_index(0)] verify_zk_proof(origin: OriginFor<T>, vk_id: H256, proof: Vec<u8>, public_inputs: Vec<u8>)`

Origin: `Signed(prover)`

Events: `ProofVerified` | **Errors:** `ProofInvalid`, `VkNotFound` .

11.19.1 Complete Deposit & Withdrawal Engine (`native-assets`)

Functional Responsibility: The core custody and asset accounting engine (2,748 lines). Manages the complete lifecycle of external assets from deposit address generation through confirmation, crediting, withdrawal, and solvency verification.

Deposit Flow Extrinsics

Extrinsic	Origin	Description
<code>generate_deposit_address(asset_id)</code>	Signed	Request MPC nodes to derive a unique per-user deposit address for a specific external chain (BTC/ETH/SOL/DOT)
<code>provide_deposit_address(user, asset_id, address, pubkey)</code>	Validator	MPC node provides the derived deposit address back to the runtime with verification key material
<code>cancel_deposit_address_request(user, asset_id)</code>	Validator	Cancel a pending deposit address generation request
<code>record_deposit_address_request_failure(user, asset_id, reason)</code>	Validator	Record a failed address generation attempt for diagnostics
<code>initiate_deposit(asset_id, tx_proof, amount)</code>	Validator	Submit proof of an observed external chain deposit (tx hash, merkle proof, block header)
<code>confirm_deposit(deposit_id)</code>	Validator	Confirm a deposit after sufficient confirmations (BTC 6, ETH 12, SOL 32) have been reached

Withdrawal Flow Extrinsics

Extrinsic	Origin	Description
<code>initiate_withdrawal(asset_id, amount, destination)</code>	Signed	User requests withdrawal to an external chain address
<code>set_withdrawal_tx_hash(withdrawal_id, tx_hash)</code>	Validator	Record the external chain transaction hash after MPC threshold signing and broadcasting

Custody Management Extrinsics

Extrinsic	Origin	Description
<code>set_mpc_public_key(asset_id, pubkey)</code>	Sudo/Governance	Set or rotate the MPC group public key used for address derivation
<code>set_hot_wallet_address(asset_id, address)</code>	Sudo/Governance	Configure the hot wallet address for a specific asset
<code>set_treasury_address(asset_id, address)</code>	Sudo/Governance	Configure the cold treasury address for a specific asset
<code>check_solvency(asset_id)</code>	Any	Verify that on-chain reserves match outstanding liabilities for a specific asset
<code>record_reorg(chain_id, depth, affected_deposits)</code>	Validator	Handle external chain reorganization events — roll back affected pending deposits

Asset Registry Extrinsics

Extrinsic	Origin	Description
<code>register_asset(asset_id, name, chain, decimals)</code>	Sudo/Governance	Register a new external asset in the MEL registry (e.g., BTC, ETH, SOL)

Key Storage Items

- `DepositAddresses<T>` : Maps `(AccountId, AssetId)` to derived deposit address
- `Deposits<T>` : Maps `DepositId` to `DepositRecord` (status, amount, confirmations, block)
- `Withdrawals<T>` : Maps `WithdrawalId` to `WithdrawalRecord` (status, destination, tx_hash)
- `AssetReserves<T>` : Maps `AssetId` to total reserve balance (hot + cold)
- `AssetLiabilities<T>` : Maps `AssetId` to total outstanding user balances
- `MpcPublicKeys<T>` : Maps `AssetId` to current MPC group public key
- `HotWalletAddresses<T>` : Maps `AssetId` to hot wallet address
- `TreasuryAddresses<T>` : Maps `AssetId` to cold treasury address

Chapter 12: Wire-Format & Binary Serialization Specifications (SCALE, RLP, Borsh, BCS, Wasm)

This chapter defines the normative byte-level serialization rules for all transaction envelopes, cross-VM messages, and VM-native payloads supported by InterLayer. A decoder MUST reject trailing bytes, an invalid discriminant, a non-canonical length, a field above its published bound, or a payload whose declared VM format does not match `vm_type`.

12.1 Canonical Encoding Conventions

- Unsigned fixed-width integers use little-endian encoding unless the native VM format specifies otherwise. `u64`, `u32`, and `u128` occupy 8, 4, and 16 bytes respectively.
- `Vec<T>` in SCALE is `Compact<u32>(count_or_byte_length) || encoded elements`. For values below 2^{30} , the compact prefix is one to four bytes and MUST be minimally encoded.
- Fixed hashes are 32 raw bytes. Addresses and signatures are byte vectors so that VM-native encodings remain lossless; their permitted lengths are validated by the target adapter.
- Enumerations are encoded as a single `u8` discriminant. `VmType`: EVM= `0`, SVM= `1`, PolkaVM= `2`, Move= `3`, CosmWasm= `4`. `AuthScheme`: ECDSA= `0`, Ed25519= `1`, Sr25519= `2`, Schnorr= `3`, Native= `4`, Simulation= `5`.
- All signatures use an explicitly domain-separated preimage. Byte strings in examples are hexadecimal with a `0x` prefix; JSON numbers that can exceed IEEE-754 precision are decimal strings.

12.2 `MeLTx` Universal Transaction Byte Layout

The canonical `MeLTx` envelope is serialized as the following SCALE field sequence. `Compact<u32>` is abbreviated as `C<u32>` below.

Field	Encoding	Semantics
from	C<u32> bytes	Sender's VM-native address
to	C<u32> bytes	Recipient's VM-native address
vm	u8	VM discriminant
payload	C<u32> bytes	VM-native calldata or program input
gas_budget	u64 LE	Maximum calibrated gas
nonce	u64 LE	Sender replay-protection sequence
chain_id	u64 LE	'2021' for the Gravity EVM profile
vm_version	u32 LE	Target adapter compatibility version
max_fee	u128 LE	Maximum fee authorized in base units
deadline	u64 LE	Milliseconds since Unix epoch
capabilities	u8 u8	'cross_vm_call', then 'atomic' booleans
signature	C<u32> bytes	Authentication signature
access_list	C<u32> entries	See access-list entry below
auth_scheme	u8	Authentication-scheme discriminant
value	u128 LE	Native value transferred with the call
memo	C<u32> bytes	Opaque application metadata

Each access-list entry is `C<u32> || address_bytes || C<u32> || (C<u32> || storage_key_bytes)*`. The `signature` field is encoded as an empty vector when computing the signing preimage:

The adapter validates the `from`, `to`, `payload`, `signature`, access-list, and memo bounds before execution. The testnet maximums are published in Appendix A; clients MUST obtain live limits from `interLayer_getNetworkParameters` rather than hard-code a release value.

12.3 AtomicBundle Wire Format Layout

Field	Encoding	Semantics
id	[u8; 32]	Canonical bundle identifier
transactions	C<u32> MelTx*	Ordered, non-empty MEL transaction vector
timeout	u64 LE	Bundle deadline in Unix milliseconds
source_vm	u8	VM of the first operation
target_vm	u8	VM expected to produce the initial effect

For identifier computation, `id` is zeroed and every nested `MelTx.signature` is empty. The bundle identifier is

This prevents self-referential encoding and makes the ordered call sequence, deadlines, capabilities, maximum fees, and payloads tamper evident.

12.4 CrossVmMessage Wire Format Layout

`CrossVmMessage` uses SCALE in the following order:

Field	Encoding	Semantics
id	[u8; 32]	Message identifier
source_vm	u8	Origin VM
target_vm	u8	Destination VM
source_address	C<u32> bytes	Origin contract address
target_address	C<u32> bytes	Destination contract address
message_type	u8	Call=0, Transfer=1, Sync=2, Event=3, Reply=4
payload	C<u32> bytes	Target-VM encoded payload
timestamp	u64 LE	Creation time in Unix milliseconds
signature	C<u32> bytes	Authorizing signature

The signing preimage is `"IL-CROSS-VM-MSG-V1" || SCALE(message with signature empty)`. Receivers MUST verify source identity, target VM, adapter version, expiry, message identifier uniqueness, and signature before delivery. A message emitted within an `AtomicBundle` is staged with the enclosing state diff and becomes observable only after bundle commit.

12.5 Per-VM Serialization Protocols

VM Standard	Serialization Protocol	Key Specifications
EVM	RLP / EIP-2718	Legacy transactions are one RLP list; typed transactions are <code>type_byte rlp(body)</code> . Type <code>0x01</code> is EIP-2930, <code>0x02</code> EIP-1559, and <code>0x03</code> EIP-4844 when enabled. The adapter validates chain ID, signature parity, intrinsic gas, access list, and typed-envelope length before execution.
SVM	Borsh / Solana shortvec	Program instruction payloads use Borsh where the program ABI declares it: fixed integers are LE and vectors are <code>u32 LE bytes</code> . A complete Solana-compatible transaction uses Solana shortvec for vector counts; Borsh and shortvec are not interchangeable.
PolkaVM	SCALE / PolkaVM blob	Calls use SCALE for outer MEL fields. Executable modules are validated PolkaVM blobs; an ELF file is a build input and is not a runtime wire format.
Move VM	BCS	BCS uses ULEB128 vector lengths and enum tags, fixed-width integers in LE, and canonical struct field order. Module bytecode, entry-function arguments, and resource bytes are each length-delimited.
CosmWasm	Wasm / UTF-8 JSON	A Wasm module begins <code>00 61 73 6d 01 00 00 00</code> ; each section is <code>section_id ULEB128(size) contents</code> . Instantiate, execute, and query messages are UTF-8 JSON bytes that must conform to the contract schema.

12.6 Native Payload Validation Matrix

Adapter	Required pre-execution validation	Returned bytes
EVM	EIP-2718 envelope, RLP canonicity, ECDSA recovery, chain ID, gas fields	ABI return data and log records
SVM	Account-meta bounds, program ID, instruction serialization, signer/writable flags	Program return data and event log
PolkaVM	Blob validation, entrypoint selector, SCALE argument bounds	SCALE-encoded return value
Move	Module/entry-function identifier, BCS arguments, bytecode verification	BCS return values and events
CosmWasm	Wasm validation, import allowlist, UTF-8 JSON schema, gas limit	UTF-8 JSON response and events

12.7 Zero-Knowledge (ZK) Proof Verification & Data Availability (DA) Hooks

InterLayer integrates native zero-knowledge verification and decentralized data availability via `pallet_interlayer_zk_verification` and `pallet_data_availability_hooks`:

1. ZK Proof Verification Pipeline

- **Supported Schemes:** Groth16, PLONK, and Halo2 proof verification over BN254 and BLS12-381 curves.
- **Verification Engine:** Pre-compiled zero-knowledge verification host functions allow EVM (`alt_bn128`), SVM, and PolkaVM contracts to verify ZK-SNARK proofs in a single instruction pass.

```
struct ZkProofPayload {
    vk_id: Hash256,           // Registered Verification Key ID
    proof_bytes: Vec<u8>,     // Serialized proof data (Groth16/Plonk)
    public_inputs: Vec<u8>,   // Serialized public inputs
}
```

2. Data Availability (DA) Hooks

- For Layer-3 rollups and off-chain app-chains, `pallet_data_availability_hooks` registers transaction blob commitments directly in Substrate block headers.
- Blob Erasure Coding & Merkle Sampling:** Data blobs are erasure-coded using Reed-Solomon schemes. Light clients and watcher nodes verify data availability via Merkle sampling hooks without downloading complete block bodies.

Chapter 13: JSON-RPC Interface & API Specification

InterLayer nodes expose a comprehensive JSON-RPC 2.0 API server organized into the following namespaces. All endpoints listed below are extracted directly from the production RPC handler implementations.

13.1 Core MEL Namespace (`mel_*`)

Method	Description
<code>mel_submitTransaction</code>	Submit a MEL transaction for VM-routed execution
<code>mel_call</code>	Simulate a read-only MEL call without state mutation
<code>mel_getAccount</code>	Retrieve unified account information

13.2 Handle & Identity Namespace (`mel_*Handle*`)

Method	Description
<code>mel_registerHandle</code>	Register a human-readable handle for a unified address
<code>mel_resolveHandle</code>	Resolve a handle to its underlying unified address
<code>mel_getAutoHandle</code>	Get the auto-generated handle for an address
<code>mel_changeHandle</code>	Change an existing handle registration

13.3 Unified Address Registry Namespace (`mel_*Address*`)

Method	Description
<code>mel_registerUnifiedAddress</code>	Register a new canonical unified address
<code>mel_bindVmAddress</code>	Bind a VM-specific address to a unified address
<code>mel_resolveVmAddress</code>	Resolve a unified address to its VM-specific counterpart
<code>mel_reverseResolveAddress</code>	Reverse-resolve a VM address back to its unified address

13.4 Smart Accounts & Standalone Utility API (`mel_*SmartAccount*` , `mel_*Wallet*` , `portal_*`)

Note: The Portal Dashboard and Block Explorer are standalone web utilities operating outside the core Substrate runtime. The `portal_*` RPC namespace provides helper queries for these external client interfaces.

Method	Description
<code>mel_createSmartAccount</code>	Create a new smart account with multi-sig or session key policies
<code>mel_bindExternalWallet</code>	Bind an external wallet (MetaMask, Phantom, etc.) to a unified address
<code>mel_getBoundWallets</code>	List all external wallets bound to a unified address

Method	Description
<code>meI_getBindingNonce</code>	Get the current binding nonce for replay protection
<code>meI_buildWalletBind</code>	Build the unsigned binding transaction payload
<code>meI_buildWalletUnbind</code>	Build the unsigned unbinding transaction payload
<code>meI_unbindExternalWallet</code>	Unbind an external wallet from a unified address

13.5 Portal Execution Namespace (`meI_*Portal*`)

Method	Description
<code>meI_getExecutionNonce</code>	Get execution nonce for portal transactions
<code>meI_buildPortalExecution</code>	Build a portal execution payload
<code>meI_submitPortalExecution</code>	Submit a portal execution for processing

13.6 Faucet & Balance Namespace (`meI_*Faucet*` , `meI_*Balance*`)

Method	Description
<code>meI_requestFaucet</code>	Request testnet tokens from the faucet
<code>meI_requestFaucetByHandle</code>	Request faucet tokens using a handle
<code>meI_getBalance</code>	Get the unified balance for an address

13.7 Gas Sponsorship Namespace (`meI_*Sponsor*`)

Method	Description
<code>meI_createGasSponsor</code>	Create a gas sponsorship pool
<code>meI_addToSponsorAllowList</code>	Add addresses to a sponsor's allowlist
<code>meI_executeGaslessTransaction</code>	Execute a transaction with sponsored gas
<code>meI_getSponsorBalance</code>	Get remaining sponsor pool balance
<code>meI_getSponsorRules</code>	Get the current sponsorship rules

13.8 Payment Channels Namespace (`meI_*Channel*`)

Method	Description
<code>meI_openPaymentChannel</code>	Open a new off-chain payment channel
<code>meI_createChannelPayment</code>	Create a payment within an open channel
<code>meI_challengeChannel</code>	Challenge a channel state on-chain
<code>meI_closePaymentChannel</code>	Cooperatively close a payment channel
<code>meI_getChannelInfo</code>	Get the current state of a payment channel

13.9 LiteVerse DePIN Watcher Namespace (`me1_*Liteverse*`)

Method	Description
<code>me1_registerLiteverseClient</code>	Register as a LiteVerse DePIN watcher node
<code>me1_requestVerificationTasks</code>	Request pending deposit/withdrawal verification tasks
<code>me1_completeVerificationTask</code>	Submit completed verification proof for a task
<code>me1_getLiteversePoints</code>	Get accumulated watcher reward points
<code>me1_redeemLiteversePoints</code>	Redeem accumulated points for token rewards

13.10 MEV Protection Namespace (`me1_*Mev*`)

Method	Description
<code>me1_submitProtectedTransaction</code>	Submit a MEV-protected transaction
<code>me1_getTransactionOrdering</code>	Get the current transaction ordering policy
<code>me1_simulateFrontrun</code>	Simulate a frontrun attack for testing
<code>me1_getMevGuardHooks</code>	Get active MEV guard hook configurations

13.11 EVM Namespace (`eth_*`) — Ethereum JSON-RPC Compatibility

Method	Description
<code>eth_chainId</code>	Returns the chain ID (2021 for Gravity Testnet)
<code>eth_blockNumber</code>	Returns the latest block number
<code>eth_getBalance</code>	Returns the balance of an EVM address
<code>eth_getTransactionCount</code>	Returns the nonce (transaction count) of an address
<code>eth_getCode</code>	Returns the deployed contract bytecode
<code>eth_sendRawTransaction</code>	Submits a signed raw EVM transaction
<code>eth_call</code>	Executes a read-only EVM call
<code>eth_estimateGas</code>	Estimates gas required for a transaction
<code>eth_gasPrice</code>	Returns the current gas price
<code>eth_getBlockByNumber</code>	Returns block data by number
<code>eth_getBlockByHash</code>	Returns block data by hash
<code>eth_getTransactionByHash</code>	Returns transaction data by hash
<code>eth_getTransactionReceipt</code>	Returns the receipt of a mined transaction

13.12 SVM Namespace — Solana JSON-RPC Compatibility

Method	Description
<code>getHealth</code>	Health check for the SVM adapter
<code>getVersion</code>	Returns the SVM adapter version

Method	Description
<code>getBalance</code>	Returns the lamport balance of a Solana address
<code>getAccountInfo</code>	Returns full account info including data
<code>getSlot</code>	Returns the current slot
<code>getBlockHeight</code>	Returns the current block height
<code>getMinimumBalanceForRentExemption</code>	Returns minimum balance for rent exemption
<code>sendTransaction</code>	Submits a signed Solana transaction
<code>getRecentBlockhash</code>	Returns a recent blockhash for transaction signing
<code>getLatestBlockhash</code>	Returns the latest blockhash
<code>requestAirdrop</code>	Requests a testnet SOL airdrop
<code>getSignatureStatuses</code>	Returns statuses for transaction signatures
<code>confirmTransaction</code>	Confirms a transaction has been processed
<code>getTransaction</code>	Returns transaction data by signature
<code>simulateTransaction</code>	Simulates a transaction without committing
<code>getFeeForMessage</code>	Returns the fee for a serialized message
<code>getEpochInfo</code>	Returns epoch schedule information
<code>getMultipleAccounts</code>	Batch-fetches multiple account infos
<code>getProgramAccounts</code>	Returns all accounts owned by a program
<code>getTokenAccountsByOwner</code>	Returns SPL token accounts for an owner
<code>getTokenAccountBalance</code>	Returns the balance of a token account
<code>getSignaturesForAddress</code>	Returns signatures for an address
<code>isBlockhashValid</code>	Checks if a blockhash is still valid
<code>getBlockTime</code>	Returns the estimated production time of a block
<code>getSupply</code>	Returns token supply information
<code>getGenesisHash</code>	Returns the genesis block hash
<code>getBlockCommitment</code>	Returns the commitment level for a block
<code>getInflationRate</code>	Returns the current inflation rate
<code>getClusterNodes</code>	Returns information about cluster nodes

13.13 Move VM Namespace (`v1_*`) — Aptos-Compatible REST API

Method	Description
<code>v1_getAccount</code>	Get Move account info (sequence number, auth key)
<code>v1_getModule</code>	Get a published Move module's bytecode
<code>v1_getResource</code>	Get a specific Move resource from an account
<code>v1_submitTransaction</code>	Submit a signed Move transaction

Method	Description
<code>v1_view</code>	Execute a Move view function (read-only)

13.14 PolkaVM Namespace (`pvm_*`)

Method	Description
<code>pvm_call</code>	Execute a read-only PolkaVM contract call
<code>pvm_submitTransaction</code>	Submit a signed PolkaVM transaction

13.15 CosmWasm Namespace — Tendermint ABCI Compatibility

Method	Description
<code>abci_query</code>	Execute a CosmWasm ABCI query
<code>broadcast_tx_sync</code>	Broadcast a CosmWasm transaction synchronously
<code>broadcast_tx_commit</code>	Broadcast and wait for commit

13.16 MPC Threshold Signer Namespace (`mpc_*`)

Method	Description
<code>mpc_requestSignature</code>	Request a threshold MPC signature
<code>mpc_health</code>	Health check for the MPC signer service
<code>mpc_getPublicKey</code>	Get the group MPC public key
<code>mpc_deriveAddress</code>	Derive a deposit address from the group key

13.17 Portal Dashboard Namespace (`portal_*`)

Method	Description
<code>portal_getAccountOverview</code>	Get comprehensive account dashboard data
<code>portal_getSupportedWalletTypes</code>	Get supported external wallet types
<code>portal_getValidators</code>	Get active validator list
<code>portal_getNetworkOverview</code>	Get network-wide metrics
<code>portal_getPortfolioOverview</code>	Get portfolio balances across all VMs
<code>portal_getStakingOverview</code>	Get staking position summary
<code>portal_getCustodyOverview</code>	Get custody and deposit address info
<code>portal_getGovernanceOverview</code>	Get governance participation summary
<code>portal_getGovernanceTracks</code>	Get available governance tracks
<code>portal_getGovernanceProposals</code>	List governance proposals
<code>portal_getGovernanceProposal</code>	Get a specific governance proposal

13.18 Staking Namespace (`staking_*`)

Method	Description
<code>staking_getConfig</code>	Get staking configuration parameters
<code>staking_getCurrentEra</code>	Get the current staking era
<code>staking_getOverview</code>	Get staking overview (total staked, APY, etc.)
<code>staking_getValidators</code>	Get the active validator set
<code>staking_getValidator</code>	Get detailed info for a specific validator
<code>staking_getAccount</code>	Get staking position for an account

Chapter 14: Multi-VM Smart Contract & Cross-VM Developer Integration Guide

This chapter provides complete production-grade code examples for deploying and executing smart contracts across all five supported Virtual Machine standards on InterLayer.

14.1 EVM Smart Contract Development (Solidity & Ethers.js)

Solidity Smart Contract (`InterLayerVault.sol`)

```
// SPDX-License-Identifier: MIT
pragma solidity ^0.8.20;

contract InterLayerVault {
    mapping(address => uint256) public balances;
    event Deposit(address indexed sender, uint256 amount);
    event CrossVmWithdrawal(address indexed sender, string targetVm, uint256 amount);

    function deposit() external payable {
        require(msg.value > 0, "Amount must be positive");
        balances[msg.sender] += msg.value;
        emit Deposit(msg.sender, msg.value);
    }

    function withdrawToSvm(uint256 amount, bytes32 svmPubkey) external {
        require(balances[msg.sender] >= amount, "Insufficient balance");
        balances[msg.sender] -= amount;
        emit CrossVmWithdrawal(msg.sender, "SVM", amount);
    }
}
```

Ethers.js Deployment & Cross-VM Call Script

```
const { ethers } = require("ethers");

async function main() {
  // Connect to InterLayer EVM RPC endpoint
  const provider = new ethers.JsonRpcProvider("https://rpc.interlayer.one");
  const wallet = new ethers.Wallet(process.env.PRIVATE_KEY, provider);

  console.log("Deploying contract from:", wallet.address);
  const VaultFactory = await ethers.getContractFactory("InterLayerVault", wallet);
  const vault = await VaultFactory.deploy();
  await vault.waitForDeployment();
  console.log("Vault deployed to:", await vault.getAddress());

  // Execute Cross-VM Deposit
  const tx = await vault.deposit({ value: ethers.parseEther("1.0") });
  await tx.wait();
  console.log("Deposited 1.0 IL to EVM Vault");
}

main();
```

14.2 SVM Solana Program Development (Rust & Anchor)

Anchor Program (`interlayer_token_vault.rs`)

```
use anchor_lang::prelude::*;

declare_id!("Fg6PaFpoGXkYsidMpWTK6W2BeZ7FEfcYkg476zPFsLnS");

#[program]
pub mod interlayer_token_vault {
  use super::*;

  pub fn initialize(ctx: Context<Initialize>) → Result<> {
    let vault = &mut ctx.accounts.vault;
    vault.owner = *ctx.accounts.owner.key;
    vault.total_deposits = 0;
    Ok(())
  }

  pub fn deposit_spl(ctx: Context<DepositSpl>, amount: u64) → Result<> {
    let vault = &mut ctx.accounts.vault;
    vault.total_deposits += amount;
    msg!("Deposited {} lamports to SVM vault", amount);
    Ok(())
  }
}

#[account]
pub struct VaultState {
  pub owner: Pubkey,
  pub total_deposits: u64,
}

#[derive(Accounts)]
pub struct Initialize<'info> {
  #[account(init, payer = owner, space = 8 + 32 + 8)]
  pub vault: Account<'info, VaultState>,
  #[account(mut)]
  pub owner: Signer<'info>,
  pub system_program: Program<'info, System>,
}

#[derive(Accounts)]
pub struct DepositSpl<'info> {
  #[account(mut)]
  pub vault: Account<'info, VaultState>,
  pub owner: Signer<'info>,
}
```

14.3 PolkaVM Contract Development (Rust / ink! Style)

PolkaVM calls use SCALE-encoded selectors and arguments. Contracts should expose a narrow, deterministic interface and authorize the MEL caller before mutating state.

```
#[ink::contract]
mod interlayer_escrow {
    use ink::storage::Mapping;

    #[ink(storage)]
    pub struct InterlayerEscrow {
        deposits: Mapping<AccountId, Balance>,
    }

    impl InterlayerEscrow {
        #[ink(constructor)]
        pub fn new() → Self { Self { deposits: Mapping::default() } }

        #[ink(message, payable)]
        pub fn deposit(&mut self) {
            let caller = self.env().caller();
            let value = self.env().transferred_value();
            let prior = self.deposits.get(caller).unwrap_or(0);
            self.deposits.insert(caller, &(prior.saturating_add(value)));
        }

        #[ink(message)]
        pub fn balance_of(&self, owner: AccountId) → Balance {
            self.deposits.get(owner).unwrap_or(0)
        }
    }
}
```

14.4 Move Module Development

Move resources preserve asset linearity. The following module declares a vault resource and exposes a deposit entry function; deployment and invocation arguments use BCS as defined in Chapter 12.

```
module interlayer::vault {
    use std::signer;

    struct Vault has key {
        balance: u64,
    }

    public entry fun initialize(account: &signer) {
        move_to(account, Vault { balance: 0 });
    }

    public entry fun deposit(account: &signer, amount: u64) acquires Vault {
        let addr = signer::address_of(account);
        let vault = borrow_global_mut<Vault>(addr);
        vault.balance = vault.balance + amount;
    }

    public fun balance(owner: address): u64 acquires Vault {
        borrow_global<Vault>(owner).balance
    }
}
```

14.5 CosmWasm Contract Development (Rust)

CosmWasm messages are UTF-8 JSON envelopes. The contract must validate its inputs, return a deterministic response, and leave cross-VM effects to an enclosing MEL bundle rather than creating an external asynchronous bridge.

```
#[cw_serde]
pub enum ExecuteMsg {
    Deposit { amount: Uint128 },
}

pub fn execute(
    deps: DepsMut,
    _env: Env,
    info: MessageInfo,
    msg: ExecuteMsg,
) → Result<Response, ContractError> {
    match msg {
        ExecuteMsg::Deposit { amount } ⇒ {
            let key = format!("vault/{}", info.sender);
            let current = BALANCES.may_load(deps.storage, key.clone())?.unwrap_or_default();
            BALANCES.save(deps.storage, key, &(current.checked_add(amount)?));
            Ok(Response::new().add_attribute("action", "deposit"))
        }
    }
}
```

14.6 Cross-VM Atomic Integration ([@interlayer/sdk](#))

The following TypeScript snippet demonstrates constructing, signing, simulating, and submitting an atomic bundle. The SDK emits the same canonical structures defined in Chapters 12 and 13; it does not invent a separate cross-VM message format.


```
import { InterLayerSDK, VmType } from "@interlayer/sdk";

async function executeCrossVmWorkflow() {
  const sdk = new InterLayerSDK({ rpcUrl: "https://rpc.interlayer.one" });
  const signer = sdk.getSigner(process.env.PRIVATE_KEY!);

  // Each call carries a VM-native payload but shares one canonical fee and deadline policy.
  const evmTx = sdk.buildTx({
    vm: VmType.EVM,
    to: "0x7a250d5630B4cF539739dF2C5dAcb4c659F2488D",
    data: "0x38ed1739...", // swapExactTokensForTokens ABI bytes
    gasBudget: 150000
  });

  const svmTx = sdk.buildTx({
    vm: VmType.SVM,
    to: "675kPX9MHTjS2zt1qfr1NYHuZeLXfQM9H24wFSUt1Mp8",
    data: Buffer.from([1, 0, 0, 0, 0, 200, 23, 0]), // Instruction payload
    gasBudget: 80000
  });

  const polkavmTx = sdk.buildTx({
    vm: VmType.PolkaVM,
    to: process.env.ESCROW_CONTRACT!,
    data: sdk.scale.encodeCall("deposit", []),
    gasBudget: 60000
  });

  const moveTx = sdk.buildTx({
    vm: VmType.Move,
    to: "0x1::vault::deposit",
    data: sdk.bcs.encode(["u64", [1_000_000n]]),
    gasBudget: 70000
  });

  const cosmwasmTx = sdk.buildTx({
    vm: VmType.CosmWasm,
    to: process.env.COSMWASM_VAULT!,
    data: new TextEncoder().encode(JSON.stringify({ deposit: { amount: "1000000" } })),
    gasBudget: 90000
  });

  const bundle = sdk.createAtomicBundle({
    transactions: [evmTx, svmTx, polkavmTx, moveTx, cosmwasmTx],
    timeoutMs: 300000 // 5 minutes
  });

  const signedBundle = await sdk.signAtomicBundle(bundle, signer);
  const simulation = await sdk.simulateAtomicBundle(signedBundle, "finalized");
  if (!simulation.success) throw new Error(simulation.error ?? "simulation failed");

  const receipt = await sdk.submitAtomicBundle(signedBundle);
  console.log("Bundle accepted:", receipt.bundleId);
  const final = await sdk.waitForBundle(receipt.bundleId, { finality: "finalized" });
  if (final.status !== "Committed") throw new Error(final.rollbackReason ?? final.status);
}

executeCrossVmWorkflow();
```

14.7 InterClaw Autonomous Agent Framework ([pallet-agent](#))

InterLayer includes a native on-chain autonomous agent execution framework ([pallet-agent](#) , 1,743 lines), enabling AI agents to operate as first-class network participants. This is not a simple smart contract — it is a full **autonomous execution runtime** where AI agents can:

- **Register as on-chain service providers** with staking bonds and declared capabilities
- **Receive and execute user intents** — natural language or structured task descriptions
- **Access encrypted user state** via LiteVerse Data Availability (DA) manifests
- **Earn revenue** through a protocol-defined fee split (60% operator, 25% protocol, 15% LiteVerse)
- **Build reputation** through verified execution history (on-chain trust scoring)

Key Design:

```

struct AgentRegistration {
    agent_id: u64,
    operator: AccountId,           // Operator who runs the agent off-chain
    staking_bond: u128,            // Required bond for agent registration
    capabilities: Vec<String>,     // Declared capabilities (e.g., "swap", "bridge", "oracle")
    service_endpoint: String,     // Off-chain API endpoint for agent execution
    reputation_score: u64,        // On-chain reputation based on verified execution history
    status: AgentStatus,          // Active, Suspended, or Deregistered
}

enum AgentStatus { Active, Suspended, Deregistered }

```

Intent Lifecycle: 1. **User submits Intent** → `pallet-agent` registers the intent on-chain with a prompt, budget, and constraints 2. **Operator claims Intent** → Available operators bid off-chain; best operator claims on-chain 3. **Agent executes** → Operator downloads encrypted user state from LiteVerse DA, runs agent logic, produces result 4. **Fulfillment receipt** → Operator submits execution receipt with updated state hash 5. **Verification** → LiteVerse verifiers confirm execution (optional for high-value intents) 6. **Settlement** → Fees distributed: 60% operator, 25% protocol, 15% LiteVerse DA

Storage Items (17): `AgentRegistry`, `UserAccounts`, `ActiveIntents`, `FulfillmentReceipts`, `ReputationScores`, `OperatorBonds`, `DaManifests`, and more.

Extrinsics (21): `register_agent`, `update_agent`, `deregister_agent`, `submit_intent`, `claim_intent`, `fulfill_intent`, `verify_fulfillment`, `settle_intent`, `update_reputation`, and more.

Chapter 15: System Invariants & Protocol Guarantees

15.1 Guarantee: Atomicity Invariant

Statement: For any valid atomic bundle, let `diff_i` be the staged state diff produced by each `call_i`. The resulting state is either the fully committed state or exactly the pre-execution `snapshot_0`; no partial prefix of the diff sequence becomes visible in committed state.

Proof Sketch: The atomic execution state machine creates `snapshot_0` before executing any call. Every VM adapter writes only to its staged overlay. If any `call_i` fails, the deadline expires, or validation fails, the state machine discards every overlay and restores `snapshot_0`. If every call succeeds, the runtime applies the complete ordered diff set in one state transition. There is no transition path that applies a strict prefix, so partial committed state is unreachable.

15.2 Guarantee: No Double Spend

Statement: Let `tx_1` and `tx_2` be transactions from the same unified address, each requiring at least `D` available balance (where `D` is the transaction's value + declared fee cap). If `balance < 2*D`, no credit to the address occurs after `tx_1`, and `tx_1` is finalized in `block_n`, then `tx_2` cannot pass balance-and-nonce validation in any later finalized state.

Proof Sketch: Admission reserves at most `D` and execution debits the value plus the charged fee, never exceeding the declared cap. After `tx_1` commits, the available balance is strictly less than `D` because the starting balance was less than `2*D` and no later credit occurs. Therefore `tx_2` fails balance validation. If it attempts to reuse `tx_1`'s nonce, it independently fails nonce validation. HotStuff finality makes the committed debit and nonce advancement immutable under the assumed fault bound.

15.3 Comprehensive Architectural Symbol Mapping Table

Protocol Concept	Core Architecture Layer	Implementation Interface	System Scope
<code>state</code> (Global State)	MEL Core Kernel	<code>trait MelStorage</code>	Multi-VM Core Execution Kernel
<code>execute_atomic_bundle()</code> (Atomic Operator)	MEL Core Kernel	<code>AtomicExecutionEngineImpl::execute_atomic_bundle_advanced</code>	MEL Atomic Transaction Engine
<code>rollback()</code> (Rollback)	MEL Core Kernel	<code>AtomicExecutionEngineImpl::rollback_execution</code>	MEL Atomic Rollback Engine
<code>calibrate_gas()</code> (Gas Calibration)	MEL Core Kernel	<code>GasCalibrationEngine</code> , <code>DynamicGasCalibrationEngine</code>	Gas Calibration Engine
<code>call_i</code> (Contract Call)	MEL Core Kernel	<code>struct ContractCall { vm_type, contract_address, method, args, gas_limit }</code>	Multi-VM Core Execution Kernel
<code>AtomicBundle</code> (Atomic Bundle)	MEL Core Kernel	<code>struct AtomicBundle { id, transactions, deadline }</code>	Multi-VM Core Execution Kernel
<code>MelTx</code> (Transaction)	MEL Core Kernel	<code>struct MelTx { from, to, vm, payload, gas_budget, nonce, ... }</code>	Multi-VM Core Execution Kernel
<code>VmType</code> (VM Enum)	MEL Core Kernel	<code>enum VmType { EVM, SVM, PolkaVM, Move, CosmWasm }</code>	Multi-VM Core Execution Kernel
<code>QuorumCertificate</code> (QC)	HotStuff Consensus	<code>struct QuorumCertificate { block_hash, view, signatures }</code>	HotStuff BFT Consensus Module
<code>HotStuffEngine</code>	HotStuff Consensus	<code>struct HotStuffEngine { validators, timeout, verifier, current_view, locked_block, locked_view, ... }</code>	HotStuff BFT Consensus Engine
3-Chain Finalization	HotStuff Consensus	<code>record_imported_qc()</code> checks <code>recent_qcs[v], [v-1], [v-2]</code>	HotStuff 3-Chain Finality Protocol
	HotStuff Consensus	<code>struct SafetyProof</code>	Consensus Safety Protocol
	MPC Executor	<code>struct ThresholdSigner { key_share, threshold }</code>	Threshold MPC Signer Subsystem

Protocol Concept	Core Architecture Layer	Implementation Interface	System Scope
DKG Key Gen	MPC Executor	<code>fn generate_key_shares(threshold, total) → Vec<KeyShare></code>	Off-Chain DKG Key Generation Module
Lagrange	MPC Executor	<code>fn lagrange_coefficient(id, participants) → Scalar</code>	Lagrange Interpolation Engine
Schnorr Verify	MPC Executor	<code>fn verify_signature(message, signature, public_key) → bool</code>	Threshold Signature Verification
<code>SubstrateEvmDb</code>	MEL EVM Adapter	<code>struct EvmAdapter<S, G> { chain_id, state_db, precompiles, ... }</code>	EVM Adapter Subsystem
	MEL EVM Adapter	<code>impl DatabaseRef for SubstrateEvmDb<S></code>	EVM Database Interface
	MEL SVM Adapter	<code>struct SvmAdapter<S, G> with solana_rbpf</code> execution	SVM Execution Adapter
	MEL SVM Adapter	<code>read_tlv_entries()</code> , <code>write_tlv_entries()</code> , <code>upsert_tlv_entry()</code>	SVM Adapter Subsystem
SPL Token-2022 TLV	MEL SVM Adapter	<code>read_tlv_entries()</code> , <code>write_tlv_entries()</code> , <code>upsert_tlv_entry()</code>	SVM Adapter Subsystem
	MEL PolkaVM Adapter	<code>struct PolkaVMAdapter<S, G></code>	PolkaVM Execution Adapter
	MEL Move Adapter	<code>MoveModules<T></code> , <code>MoveResources<T></code> storage	Move VM Execution Adapter
	MEL CosmWasm Adapter	<code>struct CosmWasmAdapter<S, G> with wasmi</code>	CosmWasm Execution Adapter
	MEL Core Kernel	<code>struct CrossVmMessage { id, source_vm, target_vm, payload, ... }</code>	Cross-VM Event Bus Channel
<code>resolve_address()</code> (Address Resolution)	Unified Address Registry	<code>Pallet::resolve_address</code>	Unified Address Registry Pallet
(Fee Routing)	Fee Distribution Engine	<code>Pallet::distribute_block_fees</code>	Fee Distribution Pallet

Appendix A: Testnet Deployment Configuration

A.1 Genesis Chain Specification (from `chain_spec.rs`)

Parameter	Value
Chain Name	InterLayer Gravity Local
Chain ID	<code>interlayer_local</code>
Chain Type	Local Testnet
Token Symbol	IL
Token Decimals	18
Consensus	Pipelined 3-Chain HotStuff BFT
Block Time Target	500ms (100ms consensus slots)
Initial Validators	4 (Alice, Bob, Charlie, Dave)
Sudo Account	Alice
Pre-funded Accounts	9 (Alice, Bob, Charlie, Dave, Eve, Ferdie + stash accounts + Faucet)
Faucet Address	<code>5EhChakVGF8h9TEL3BVR7Y9YUGxkwb3AsVauH9GqafCpsQBe</code>
EVM Chain ID	Configured via <code>pallet-evm</code> genesis
SS58 Prefix	InterLayer SS58 Format (106)

Network Parameters (Gravity Testnet): - **Chain ID:** `2021` (EVM), custom (Substrate) - **Block time target:** ~1 second (10ms poll interval, view-change timeout configurable) - **Consensus:** HotStuff 3-chain BFT with `w3f-bls` BLS12-381 signatures - **Maximum gas per transaction:** 30,000,000 (configurable via `GasCalibrationConfig`) - **Base gas price:** 1 Gwei (1,000,000,000 wei) - **SVM compute budget:** 1,400,000 CUs per transaction - **SVM max account data:** 10 MB - **DA target usage:** 75% block fullness - **Dynamic pricing update interval:** Every 50 blocks - **MPC threshold:** Configurable (t, n), default (2, 3) for testnet - **Unbonding period:** 28 days (delegated staking) - **MEL max bundle size:** 100 operations per atomic bundle - **MEL timeout blocks:** 300 blocks - **Atomic execution max timeout:** 30 minutes (1,800,000 ms) - **Atomic execution base timeout:** 5 minutes (300,000 ms) - **Cross-VM message max size:** 65,536 bytes - **Merkle proof max size:** 16,384 bytes

Live Infrastructure: - Portal: `portal.interlayer.one` - Explorer: `explorer.interlayer.one` - Wallet: `wallet.interlayer.one` - Faucet: `faucet.interlayer.one` - Governance: `gov.interlayer.one`

Appendix B: List of Figures

Figure	Description	Location
Figure 1	MEL Multi-VM Architecture — 5 execution adapters connected through unified orchestration layer	Chapter 3, after §3.1 heading
Figure 2	Atomic Cross-VM Execution Flow — 5-phase pipeline with commit/rollback branching	Chapter 3, after §3.2 SVG
Figure 3	Threshold MPC Signing Process — Lagrange interpolation aggregation flow	Chapter 8, after heading
SVG 1	Multi-VM Execution Layer Architecture (inline SVG)	Chapter 1, §1.3

Figure	Description	Location
SVG 2	Global State Tuple <code>state</code> Structure & Merkle Root	Chapter 2, §2.4
SVG 3	Atomic Execution Pipeline with Commit/Rollback	Chapter 3, §3.2
SVG 4	Unified Address Bijection <code>resolve_address()</code> Mapping	Chapter 4, §4.2
SVG 5	Liquidity Inflow/Outflow Flowchart	Chapter 5, §5.2
SVG 6	HotStuff Pipelined Consensus Phases	Chapter 6, §6.1

Appendix C: Public Runtime Composition Index

Note: The core active Substrate runtime comprises 36 primary pallets. Two optional legacy pallets (`bridge-pallet` and `dex-pallet`) are preserved in `runtime/pallets/` for optional future governance activation.

This is the public composition index for the 36 InterLayer active runtime pallets specified in Chapter 11. It deliberately identifies protocol components rather than local source modules or implementation ordering. The authoritative callable pallet index and call indices for a deployed testnet instance are the SCALE runtime metadata returned by that instance; clients MUST use the metadata version that they connect to.

No.	Pallet	No.	Pallet
1	<code>atomic-execution</code>	19	<code>native-assets</code>
2	<code>data-availability-hooks</code>	20	<code>pallet-agent</code>
3	<code>delegated-staking</code>	21	<code>payment-channels-pallet</code>
4	<code>dynamic-blocks</code>	22	<code>pq-signatures</code>
5	<code>faucet</code>	23	<code>quantum-signatures</code>
6	<code>fee-distribution</code>	24	<code>rate-limit</code>
7	<code>fees-pallet</code>	25	<code>registry-pallet</code>
8	<code>gas-sponsorship-pallet</code>	26	<code>session-management</code>
9	<code>governance-pallet</code>	27	<code>settlement-pallet</code>
10	<code>handles</code>	28	<code>slashing</code>
11	<code>hotstuff-session</code>	29	<code>smart-accounts</code>
12	<code>interlayer-token</code>	30	<code>staking-pallet</code>
13	<code>liteverse-pallet</code>	31	<code>treasury-liquidity</code>
14	<code>mel-bus-pallet</code>	32	<code>unified-address-registry</code>
15	<code>mel-core-pallet</code>	33	<code>unified-balance</code>
16	<code>mev-protection</code>	34	<code>validator-wallet</code>
17	<code>monitoring</code>	35	<code>vm-adapter-monitor</code>
18	<code>multi-vm-governance</code>	36	<code>zk-verification</code>

The runtime also depends on standard framework components for system state, timestamps, balances, transaction payment, utility operations, and governance dispatch. Their concrete pallet indices are intentionally not frozen by this document.

Appendix D: Canonical Protocol Type Definitions

The following Rust-like definitions are normative presentation types for the data structures used in Chapters 2–13. They describe the public encoding contract, not local implementation paths. Field order is serialization order where Chapter 12 specifies SCALE.

D.1 `MelTx` Universal Transaction Envelope

```
pub struct MelTx {
    pub from: Vec<u8>,           // VM-native sender address
    pub to: Vec<u8>,             // VM-native recipient address
    pub vm: VmType,              // Target adapter discriminant
    pub payload: Vec<u8>,        // VM-native encoded call data
    pub gas_budget: u64,         // Maximum calibrated gas units
    pub nonce: u64,              // Replay-protection sequence number
    pub chain_id: u64,           // Network / EIP-155 domain identifier
    pub vm_version: u32,         // Target adapter compatibility version
    pub max_fee: u128,           // Maximum fee authorized in base units
    pub deadline: u64,           // Unix timestamp in milliseconds
    pub capabilities: MelTxCapabilities,
    pub signature: Vec<u8>,      // Signature over the empty-signature preimage
    pub access_list: Vec<AccessListEntry>,
    pub auth_scheme: AuthScheme, // Signature type selector
    pub value: u128,             // Native value transferred with the call
    pub memo: Vec<u8>,           // Opaque application metadata
}
```

```
pub struct MelTxCapabilities {
    pub cross_vm_call: bool,      // Permits a cross-VM effect within a bundle
    pub atomic: bool,            // Requires all-or-nothing bundle execution
}

pub struct AccessListEntry {
    pub address: Vec<u8>,
    pub storage_keys: Vec<Vec<u8>>,
}
```

D.2 `VmType` Virtual Machine Discriminant Enum

```
pub enum VmType {
    EVM,           // Ethereum Virtual Machine (revm engine)
    SVM,           // Solana Virtual Machine (solana_rbpf eBPF interpreter)
    PolkaVM,       // Polkadot PolkaVM (RISC-V native execution)
    Move,          // Move Virtual Machine (Aptos/Sui linear resources)
    CosmWasm,       // Cosmos WebAssembly (wasmi interpreter)
}
```

D.3 ExecutionResult Transaction Receipt

```
pub struct ExecutionResult {
  pub success: bool,           // True if execution completed without error
  pub gas_used: u64,           // Actual gas consumed
  pub from: Vec<u8>,           // Sender address in the target VM format
  pub to: Vec<u8>,             // Recipient address in the target VM format
  pub return_data: Vec<u8>,     // Return value from contract execution
  pub events: Vec<MelEvent>,    // Emitted events (cross-VM capable)
  pub error_message: Option<Vec<u8>>, // Adapter error bytes if success == false
}
```

D.4 MelConfig Global MEL Configuration

```
pub struct MelConfig {
  pub max_gas_per_tx: u64,      // Default: 10_000_000
  pub max_bundle_size: u32,     // Default: 100 (max operations per atomic bundle)
  pub enable_atomic_executions: bool, // Default: true
  pub enable_cross_vm_calls: bool, // Default: true
  pub timeout_blocks: u32,      // Default: 300 blocks
}
```

D.5 AtomicBundle Cross-VM Atomic Transaction Bundle

```
pub struct AtomicBundle {
  pub id: H256,                 // Unique bundle identifier (Blake2b-256)
  pub transactions: Vec<MelTx>, // Ordered vector of operations
  pub timeout: u64,             // Deadline in milliseconds
  pub source_vm: VmType,        // Source VM for the first operation
  pub target_vm: VmType,        // Target VM for cross-VM operations
}
```

D.6 MelEvent Cross-VM Event Structure

```
pub struct MelEvent {
  pub emitter: Vec<u8>,        // Address of the emitting contract
  pub topic: Vec<u8>,          // Primary event topic (e.g., keccak256 of event signature)
  pub topics: Vec<Vec<u8>>,    // Indexed parameters (up to 3 for EVM compat)
  pub data: Vec<u8>,           // Non-indexed ABI-encoded data payload
  pub source_vm: VmType,        // VM that emitted the event
  pub target_vms: Vec<VmType>, // Target VMs for cross-VM event routing
}
```

D.7 VmAdapter Trait Universal VM Interface

```
pub trait VmAdapter {
  fn vm_type(&self) → VmType;
  fn execute(&mut self, tx: &MelTx) → Result<ExecutionResult, MelError>;
  fn validate_tx(&self, tx: &MelTx) → Result<(), MelError>;
  fn estimate_gas(&self, tx: &MelTx) → Result<u64, MelError>;
  fn get_balance(&self, address: &[u8], asset_id: &H256) → Result<u128, MelError>;
  fn get_nonce(&self, address: &[u8]) → Result<u64, MelError>;
  fn get_code_hash(&self, address: &[u8]) → Result<Option<H256>, MelError>;
}
```


D.8 `MelError` Comprehensive Error Enumeration

```
pub enum MelError {
    VmNotSupported,           // Requested VM adapter not available
    InvalidTransaction,       // Malformed transaction data
    InsufficientBalance,      // Sender lacks funds for gas + value
    InvalidNonce,             // Nonce mismatch (replay or gap)
    GasLimitExceeded,         // Gas consumption exceeds budget
    DeadlinePassed,           // Atomic bundle deadline expired
    CrossVmCallNotAllowed,    // Cross-VM calls disabled in config
    AtomicBundleFailed,       // Bundle-level failure
    InvalidSignature,         // Signature verification failed
    VmExecutionFailed(String), // VM-specific execution error with details
    InternalError,            // Internal MEL engine error
    AtomicExecutionFailed,     // Atomic execution phase failure
    UnauthorizedAtomicExecution, // Unauthorized atomic bundle submission
    InvalidAtomicBundle,       // Invalid atomic bundle structure
    AtomicExecutionTimeout,    // Atomic execution exceeded time limit
}
```

D.9 `CrossVmMessage` Inter-VM Communication Message

```
pub struct CrossVmMessage {
    pub id: H256,             // Message identifier
    pub source_vm: VmType,    // Originating VM
    pub target_vm: VmType,    // Destination VM
    pub source_address: Vec<u8>, // Sender contract address
    pub target_address: Vec<u8>, // Recipient contract address
    pub message_type: MessageType, // ContractCall | AssetTransfer | StateSync | EventNotification | Response
    pub payload: Vec<u8>,     // Serialized message data
    pub timestamp: u64,       // Creation timestamp
    pub signature: Vec<u8>,   // Sender signature for authentication
}
```

D.10 VM Account Structures

`EvmAccountInfo` ()

```
pub struct EvmAccountInfo {
    pub nonce: u64,           // Transaction count
    pub balance: [u8; 32],    // U256 big-endian (32 bytes for full EVM compatibility)
    pub code_hash: H256,      // Keccak-256 of deployed bytecode
    pub storage_root: H256,   // Root hash of account's storage trie
}
```

`SvmAccount` ()

```
pub struct SvmAccount {
    pub pubkey: Vec<u8>,      // 32-byte ed25519 public key
    pub balance: u64,         // Lamport balance (u64 to match Solana's model)
    pub data: Vec<u8>,        // Account data blob (up to 10MB)
    pub executable: bool,     // True if this account is a program
    pub owner: Vec<u8>,       // Program ID that owns this account
    pub rent_exempt: bool,    // True if balance exceeds rent-exempt minimum
    pub is_writable: bool,     // Writable flag for transaction accounts
}
```

PolkaVmAccount ()

```
pub struct PolkaVmAccount {
  pub nonce: u64,           // Transaction sequence number
  pub balance: u128,        // Balance (u128 for Substrate compat)
  pub tier: AccountTier,     // Basic | Standard | Premium (gas pricing tier)
  pub storage_root: H256,   // Storage trie root
  pub code_hash: Option<H256>, // None for E0As, Some(hash) for contracts
}
```

MoveAccount ()

```
pub struct MoveAccount {
  pub nonce: u64,           // Sequence number
  pub balance: u128,        // Balance in smallest denomination
  pub is_initialized: bool, // False until first transaction
}
```

Appendix E: Gas Calibration Constants & Cross-VM Overhead Matrix

The values below are the normative Gravity Testnet defaults. They are protocol parameters, not implementation-local constants. A governance update MUST publish the new values, activation block, and runtime metadata version before it takes effect.

E.1 Base Gas Costs per VM

VM Type	Base Gas Cost	Calibration Factor	Memory Cost Factor	Storage Cost Factor	Bandwidth Cost Factor	Complexity Scaling
EVM	21,000	100	100	100	100	100
PolkaVM	25,000	120	80	90	85	110
SVM	30,000	150	120	110	130	140
Move	35,000	180	90	95	105	160
CosmWasm	32,000	130	100	100	100	145

E.2 Operation Multipliers

Operation Type	Multiplier	Description
Transfer	1×	Simple value transfer between accounts
ContractCall	2×	Invoking an existing smart contract
ContractCreate	3×	Deploying new contract bytecode
StorageRead	1×	Reading from persistent storage
StorageWrite	2×	Writing to persistent storage
CrossVmCall	5×	Calling a contract on a different VM
AtomicOperation	10×	Operations within an atomic cross-VM bundle

E.3 Per-VM Instruction Weight Table

Weights are relative cost multipliers per instruction category. Higher values indicate more expensive operations.

Instruction Category	EVM	PolkaVM	SVM	Move	CosmWasm
Arithmetic (add, sub, mul, div)	1	1	2	1	1
Comparison (eq, lt, gt)	1	1	2	1	1
Memory (load, store, alloc)	3	2	4	3	3
Control Flow (jump, branch, call)	2	1	3	2	2
Cryptographic (hash, verify)	10	8	12	15	11
Storage (sload, sstore)	20	15	25	30	24
Network (send, receive)	50	40	60	70	55
System (spawn, kill)	100	80	120	150	110
Cross-VM (bridge operations)	200	180	250	300	210

E.4 Cross-VM Overhead Factor Matrix

When executing an atomic bundle that spans two different VMs, an overhead factor is applied to account for the additional cost of state snapshot creation, cross-VM message serialization, and potential rollback coordination. The following matrix shows the pairwise overhead factors:

Source ↓ \ Target →	EVM	PolkaVM	SVM	Move	CosmWasm
EVM		120	150	180	170
PolkaVM	110		130	160	155
SVM	140	125		170	165
Move	160	140	155		175
CosmWasm	150	145	160	170	

E.5 Global Gas Calibration Constants

```

max_gas_per_transaction: 30,000,000 //
gas_price: 1,000,000,000 // 1 Gwei
enable_dynamic_pricing: true
pricing_update_interval: 50 blocks
target_gas_usage_per_block: 75%
```

E.6 Atomic Execution Timeout Constants

```

base_timeout: 300,000 ms // 5 minutes base
per_call_factor: 60,000 ms // +1 minute per contract call
per_million_gas_factor: 1,000 ms // +1 second per 1M gas
max_timeout: 1,800,000 ms // 30 minutes absolute maximum
minimum_time_remaining: 60,000 ms // 1 minute minimum before deadline
```

The adaptive timeout formula is:

where $|C|$ is the number of contract calls in the bundle and G is the gas limit.

E.7 Gas Estimation per VM for Atomic Bundles

VM Type	Per-Call Gas Estimate	Notes
EVM	21,000	Matches Ethereum's base transaction cost
SVM	18,000	Lower due to eBPF efficiency
PolkaVM	15,000	RISC-V native compilation advantage
Move	12,000	Optimized bytecode verification
CosmWasm	15,000	WebAssembly interpretation overhead
Cross-VM coordination overhead	+10,000	Applied once per bundle

Appendix F: MPC Threshold Signer Protocol Listings

This appendix gives normative pseudocode for the dealerless DKG and FROST-compatible threshold signing profile. It is intentionally language-independent. An implementation **MUST** use a cryptographically secure random source, authenticated encrypted signer channels, transcript persistence, and durable nonce-state protection.

F.1 Distributed Key Generation (DKG)

```

INPUT: threshold  $t$ , ordered participant identifiers  $P = [1..n]$ , epoch  $E$ 
REJECT unless  $2 \leq t \leq n$  and all identifiers are unique.

For each participant  $j$  in  $P$ , independently:
  sample non-zero coefficients  $a[j, 0..t-1]$  from  $F_q$ 
  set  $f_j(X) = \sum a[j, l] * X^l$  for  $l$  in  $0..t-1$ 
  broadcast commitments  $C[j, l] = a[j, l] * G$ , bound to ("IL-DKG-V1",  $E$ ,  $P$ ,  $t$ )
  confidentially send share  $s[j, i] = f_j(i)$  to every participant  $i$ 

For each recipient  $i$ :
  verify  $s[j, i] * G = \sum (i^l * C[j, l])$  for  $l$  in  $0..t-1$  for every  $j$ 
  lodge a signed complaint for every failed verification

Resolve complaints; exclude an accused participant only according to the epoch's
governance rules. Abort if fewer than  $t$  verified contributors remain.
Each  $i$  stores  $x_i = \sum(s[j, i])$  and  $Y_i = x_i * G$  in protected storage.
Publish  $Y = \sum(C[j, 0])$ , the transcript hash, threshold, participant list, and epoch.

```

F.2 Nonce Commitment Round

```

INPUT: approved request digest  $m$ , epoch  $E$ , canonical signing subset  $T$ 
REJECT if  $|T| < t$ ,  $T$  has duplicates,  $E$  is not active, or  $m$  is outside policy.

Signer  $i$  samples fresh non-zero nonce scalars  $(d_i, e_i)$  exactly once.
Signer  $i$  records the nonce state as reserved before network transmission.
Signer  $i$  sends  $(i, D_i = d_i * G, E_i = e_i * G)$  signed for ("IL-FROST-COMMIT-V1",  $E$ ,  $T$ ,  $m$ ).
The coordinator forms one canonical, identifier-sorted commitment list  $com$ .
Every signer verifies  $com$  includes its own unchanged commitment before producing a share.

```

F.3 Signature Share and Aggregation

```

For each i in T:
    rho_i = H_bind("IL-FROST-BIND-V1", E, T, com, m, i)
    R_i = D_i + rho_i * E_i
R = sum(R_i for i in T)
REJECT if R is the identity point.
c = H_chal("IL-FROST-CHAL-V1", E, T, R, Y, m)

Signer i computes lambda_i over the exact canonical set T and returns
z_i = d_i + rho_i * e_i + lambda_i * x_i * c mod q.
The signer marks (d_i, e_i) consumed and erases its secret nonce scalars.

The coordinator verifies z_i * G = R_i + c * lambda_i * Y_i for every i.
REJECT on any invalid share. Otherwise set z = sum(z_i for i in T) mod q
and output signature (R, z), epoch E, signer identifiers T, and transcript hash.

```

F.4 Signature Verification

```

INPUT: (R, z), request digest m, epoch key Y, signer set T, epoch E
REJECT if R is invalid or identity, z is not in [1, q-1], or E/T is not canonical.
c = H_chal("IL-FROST-CHAL-V1", E, T, R, Y, m)
ACCEPT iff z * G = R + c * Y.

```

For a BIP-340-compatible x-only encoding, the aggregate nonce is normalized to even Y before challenge calculation and the scalar is negated when normalization negates R. Implementations MUST reject a non-canonical point or scalar rather than attempting ambiguous recovery.

F.5 Lagrange Coefficient Computation

For signer identifier i in canonical signer set T, compute

The signer set MUST contain unique non-zero identifiers, so every denominator is invertible. The coordinator and every signer recompute the coefficient independently; it is never accepted as unverified input.

F.6 Transcript and Failure Handling

Every DKG and signing transcript includes a protocol domain tag, network identifier, epoch, participant set, threshold, request digest, and canonical serialization version. A signer MUST erase nonce secrets after the first signing attempt and MUST NOT reuse a commitment after a timeout, coordinator failure, or rejected request. Missing commitments, equivocation, invalid shares, and exhausted deadlines produce a failed request; they never produce a partial signature suitable for later reuse.

Appendix G: HotStuff Consensus Protocol Reference

G.1 Consensus State

Each validator persists the following safety-critical state across restart: `{ validator_set_id, current_view, highest_qc, locked_qc, last_voted_view, finalized_block }`. It also maintains a block store indexed by block hash and parent hash, a QC store indexed by certified block hash, and a bounded pending-message queue. A process MUST write its vote intent durably before transmitting a vote and MUST NOT vote twice in one view.

G.2 Linked 3-Chain Finalization Rule

```

on_receive_qc(qc):
    verify validator-set identifier, quorum cardinality, unique signer set,
        domain-separated message, aggregate BLS signature, and certified block
    retrieve certified block b; reject if b is unknown or its parent linkage is invalid
    store qc and update highest_qc if qc.view is greater

    let b2 = b.parent
    let b1 = b2.parent
    if qc(b) exists AND qc(b2) exists AND qc(b1) exists
        AND b.parent == b2.hash AND b2.parent == b1.hash
        AND qc(b1).view < qc(b2).view < qc(b).view:
            finalize b1 and every unfinalized ancestor of b1

on_proposal(p):
    verify p extends its justify-QC block and justify-QC is valid
    vote only if p extends locked_qc.block OR p.justify_qc.view > locked_qc.view
    persist vote intent, then sign and broadcast the domain-separated vote

```

The parent-link conditions are mandatory. Three unrelated QCs at neighbouring views are insufficient for finality.

G.3 BLS12-381 Quorum Certificate

A quorum certificate is `{ block_hash, view, validator_set_id, aggregate_signature, signers }`. The `signers` collection is canonical, duplicate-free, and identifies exactly the public keys aggregated in the pairing equation. The public profile uses a signature in G_1 (48-byte compressed) and a public key in G_2 (96-byte compressed):

The message `m` includes `IL-H0TSTUFF-V1`, network identifier, validator-set identifier, phase, view, height, and block hash. A QC with an unknown validator set, stale epoch, missing signer identity, duplicated signer, or signer cardinality below is invalid.

G.4 Consensus Messages

Message	Required fields	Acceptance conditions
Proposal	block, view, parent hash, justify-QC, proposer identity	Correct leader, valid parent, valid justify-QC, valid block transition.
Vote	phase, view, block hash, validator-set ID, signer ID, BLS signature	Current active set, one vote per signer/view/phase, valid signature.
QC	block hash, view, validator-set ID, aggregate signature, canonical signer set	Valid linked block, quorum cardinality, aggregate pairing verification.
Timeout	view, highest QC, signer ID, BLS signature	Valid timed-out view and signature; used for leader recovery only.

Appendix H: Atomic Execution State Machine Reference

H.1 AtomicExecutionState Execution Lifecycle Struct

```
let mut state = AtomicExecutionState {
  context: context.clone(),           // The AtomicExecutionContext input
  phase: AtomicExecutionPhase::Initialized, // Current phase in the state machine
  source_snapshot: None,              // Pre-execution snapshot of source VM state
  target_snapshot: None,             // Pre-execution snapshot of target VM state
  source_gas_used: 0,                // Gas consumed by source VM operations
  target_gas_used: 0,                // Gas consumed by target VM operations
  source_events: vec![],              // Events emitted by source VM
  target_events: vec![],              // Events emitted by target VM
  rollback_reason: None,              // Human-readable rollback reason (if any)
};
```

H.2 Phase Progression Table

The atomic execution engine transitions through five committed-state-safe phases:

Phase	Enum Variant	Description	On Error
1	Initialized	Validate canonical bundle bytes, signatures, nonces, budgets, and deadline; create one global overlay	Return InvalidContext
2	SourceExecution	Execute the ordered prefix of calls in isolated adapter overlays	→ Rollback
3	TargetExecution	Execute remaining calls and stage cross-VM messages/events	→ Rollback
4	Validation	Check final balances, invariants, gas charge, and all adapter diffs	→ Rollback
5	Committed	Apply every staged diff and publish staged messages/events	No transition back to execution
Error	Rollback	Discard all overlays and secret transient state	Return rolled-back result
Error	Failed	Fail closed before any persistent apply	Return error

H.3 Rollback Implementation

```
rollback(state, reason):
  REQUIRE no persistent state write has been applied.
  discard every VM overlay, buffered storage diff, message, event, and fee reservation.
  zeroize unneeded transient payload and signing material.
  record the canonical rollback reason in the receipt only.
  set state.phase = Rollback and return the original committed state root.
```

If an adapter cannot prove that its changes remain isolated, mark the adapter failed, abort the enclosing block transition, and do not produce a commit or rollback receipt.

H.4 Validation Rules for Atomic Context

The AtomicContextValidator::validate_comprehensive() method enforces the following invariants before execution begins:

- Non-zero bundle ID:** context.bundle_id.is_zero() → InvalidContext
- Non-empty addresses:** Both source_address and target_address must be non-empty
- VM capabilities:** Every referenced adapter is enabled, healthy, and compatible with the declared vm_version; same-VM bundles are permitted only when atomic=true and follow the same overlay rules.
- Valid contract calls:** Each call must have non-empty contract_address and method
- Valid state dependencies:** Each dependency must have non-empty address and key

Appendix I: Glossary of Terms

Term	Definition
MEL	Multi-VM Execution Layer the orchestration engine coordinating all 5 VM adapters
Atomic Bundle	A set of contract calls across multiple VMs executed as a single atomic unit
Unified Address	A canonical 32-byte account identifier mapped to native addresses in all 5 VMs
LiteVerse	DePIN watcher mesh network monitoring external chains for deposit verification
DePIN	Decentralized Physical Infrastructure Network
MPC TSS	Multi-Party Computation Threshold Signature Scheme
DKG	Distributed Key Generation the ceremony producing threshold key shares
QC	Quorum Certificate an aggregate BLS signature from $\geq 2/3$ validators
3-Chain Rule	HotStuff finalization rule: a block is finalized when 3 consecutive views have formed QCs
Real-Yield	Fee-driven (non-inflationary) staking rewards model
SPL Token-2022	Solana's extended token standard with TLV-encoded extensions
PSP-22/34	Polkadot Smart Contract standards for fungible (PSP-22) and non-fungible (PSP-34) tokens
BCS	Binary Canonical Serialization Move VM's binary encoding format
CU	Compute Unit Solana's instruction cost metering unit
secp256k1	Elliptic curve used for EVM (ECDSA) and MPC (Schnorr) signatures
ed25519	Edwards curve used for Solana SVM transaction signatures
sr25519	Schnorrkel/Ristretto255 scheme used for native Substrate account keys
BLS12-381	Bilinear pairing curve used for HotStuff consensus aggregate signatures
Blake2b-256	Hash function used for Substrate state root hashing and block header hashing
Keccak-256	Hash function used for EVM address derivation and storage keys
CRYSTALS-Dilithium	Lattice-based post-quantum digital signature scheme (NIST PQC standard)
SPHINCS+	Stateless hash-based post-quantum signature scheme (NIST PQC standard)
Lagrange Interpolation	Polynomial reconstruction technique used to combine threshold signature shares
Shamir Secret Sharing	Scheme for splitting a secret into n shares where t shares are needed to reconstruct

End of InterLayer: Core Protocol Specification & Technical Architecture — Gravity Testnet Authored by Bharath B R (@bharathcoorg7) Publication Date: August 2026