DRIVER FATIGUE DETECTION USING DEEP LEARNING

Name: Bharathi Jagadeesan

Tools and Technologies Used

- Python Programming Language
- TensorFlow
- Keras
- OpenCV
- Streamlit
- NumPy and Matplotlib Libraries
- Deep Learning Model – MobileNetV2

1. INTRODUCTION

Driver fatigue and drowsiness are major causes of road accidents worldwide. Long driving hours, lack of sleep, and monotonous driving conditions significantly affect a driver's attention and reaction time. According to many transportation safety studies, a large percentage of accidents occur due to driver drowsiness. Therefore, developing an intelligent system that can automatically detect driver fatigue is essential for improving road safety.

This project focuses on developing a **Driver Fatigue Detection System using Deep Learning**. The system analyzes facial features such as eye state and yawning patterns to determine whether the driver is alert or drowsy. By using a convolutional neural network based on **MobileNetV2**, the system classifies images into four categories: Closed eyes, Open eyes, No Yawn, and Yawn.

The developed system can monitor driver behavior continuously through a camera and provide alerts when fatigue symptoms are detected. The use of deep learning allows the system to automatically learn important visual patterns from the dataset instead of relying on manually designed features.

The proposed system has applications in modern vehicles, driver monitoring systems, transportation safety platforms, and intelligent traffic management systems. When integrated into vehicles, it can help prevent accidents by warning drivers before fatigue becomes dangerous.

Key Objectives

- Detect driver fatigue automatically using image-based analysis

- Classify driver facial states into four categories
- Provide real-time monitoring using a webcam
- Alert the driver when signs of drowsiness are detected
- Improve road safety using artificial intelligence

2. PROBLEM STATEMENT

Driver fatigue is one of the leading causes of road accidents globally. Many drivers experience tiredness during long-distance driving, especially at night or after extended periods without rest. Fatigue reduces concentration, slows reaction time, and increases the probability of accidents. Traditional monitoring methods rely on driver self-awareness, which is not always reliable.

Manual monitoring systems or vehicle-based alert systems often fail to detect early signs of fatigue. Many existing solutions depend on sensors attached to the driver's body, such as heart rate monitors or EEG devices. While these approaches may provide accurate measurements, they are expensive, intrusive, and uncomfortable for everyday use.

Therefore, there is a need for a **non-invasive, cost-effective, and automated solution** that can detect driver fatigue using computer vision techniques. By analyzing facial features such as eye closure and yawning behavior, fatigue symptoms can be detected without requiring physical sensors.

The challenge is to build a system that can accurately classify driver states under different conditions such as varying lighting, camera angles, and facial expressions. The system must also be capable of operating in real-time for practical applications.

This project addresses these challenges by using a deep learning model trained on a dataset containing driver facial images. The trained model can identify patterns associated with fatigue and classify them accordingly.

Key Challenges

- Detecting fatigue in real-time
- Handling variations in lighting conditions
- Recognizing different facial expressions
- Achieving high accuracy in classification
- Ensuring system reliability during long-term monitoring

The goal of this project is to design and implement a reliable fatigue detection system capable of assisting drivers and preventing accidents.

3. DATASET DESCRIPTION

The dataset used in this project contains images representing different driver facial states related to fatigue. Each image belongs to one of four categories:

- Closed
- Open
- No Yawn
- Yawn

These classes represent different conditions of driver alertness and fatigue. The dataset contains multiple images for each class, allowing the model to learn the visual differences between them.

Before training the model, the dataset is divided into three parts:

- Training dataset
- Validation dataset
- Test dataset

The training dataset is used to train the deep learning model, while the validation dataset helps monitor performance during training. The test dataset is used to evaluate the final accuracy of the model.

To ensure consistent input for the neural network, all images are resized to a fixed resolution of **224 × 224 pixels**. Image normalization is also performed to scale pixel values between 0 and 1.

Dataset Preprocessing Steps

- Image resizing
- Pixel normalization
- Data augmentation
- Dataset splitting

Data augmentation techniques such as rotation, flipping, and zooming are applied to increase the diversity of training data. This helps the model generalize better and reduces overfitting.

The prepared dataset provides sufficient examples of different driver states, allowing the model to learn meaningful patterns related to fatigue.

4. SYSTEM ARCHITECTURE

The proposed system consists of several components that work together to detect driver fatigue. The architecture includes data preprocessing, model training, prediction, and real-time monitoring.

The system begins by collecting and preparing the dataset. Images are resized, normalized, and augmented to improve model performance. The processed images are then used to train the deep learning model.

The core component of the system is the convolutional neural network based on **MobileNetV2**. This model is designed for efficient image classification and provides high accuracy while maintaining low computational complexity.

System Components

- Image preprocessing module
- Deep learning model
- Prediction module
- Real-time monitoring interface
- Alert generation system

The model analyzes incoming images and predicts the driver state. If fatigue symptoms are detected, the system displays a warning message and triggers an alert.

System Architecture Diagram

Driver Camera
↓
Image Capture
↓
Image Preprocessing
↓
Deep Learning Model (MobileNetV2)
↓
State Classification
↓
Fatigue Alert System

This architecture ensures efficient processing and real-time detection of driver fatigue.

5. METHODOLOGY

The methodology of this project involves several steps including dataset preparation, model training, evaluation, and deployment. Each step plays an important role in building a reliable fatigue detection system.

Next, the deep learning model is created using transfer learning. The pre-trained **MobileNetV2** architecture is used as the base model. Transfer learning allows the model to use knowledge learned from large datasets and adapt it to the fatigue detection task.

Steps in Methodology

1. Dataset preparation
2. Image preprocessing
3. Model training
4. Performance evaluation
5. Real-time deployment

This structured approach ensures accurate fatigue detection and practical usability.

6. MODEL ARCHITECTURE

The Driver Fatigue Detection System uses a deep learning model based on **TensorFlow** and **Keras** to classify driver facial states. The architecture is designed to detect whether a driver is alert or fatigued by analyzing eye state and yawning behavior.

The model used in this project is **MobileNetV2**, which is a lightweight convolutional neural network architecture widely used in real-time computer vision applications.

The architecture includes the following layers:

1. Input Layer

The input layer receives the image resized to **224 × 224 pixels**.

Input Image : 224 x 224 x 3

2. Convolutional Layers

Convolution layers apply filters to detect visual features.

Examples of features detected:

- Eye opening and closing
- Mouth movement
- Facial structure
- Yawning patterns

These layers help the model learn patterns associated with driver fatigue.

3. Depthwise Separable Convolutions

MobileNetV2 uses **depthwise separable convolution**, which significantly reduces computational cost while maintaining high accuracy.

Advantages include:

- Faster processing
- Reduced memory usage
- Suitable for real-time applications

4. Feature Extraction Layer

The convolutional layers extract feature maps that represent important characteristics of the driver's face.

Example features:

- Eye closure duration
- Mouth opening
- Facial muscle relaxation

5. Fully Connected Layer

This layer converts extracted features into class probabilities.

6. Output Layer

The final layer uses the **Softmax activation function** to classify images into four categories:

- Closed Eyes
- Open Eyes
- Yawn
- No Yawn

Model Flow Diagram

You can recreate this diagram in Word:

```
Input Image
    |
    v
Image Preprocessing
    |
    v
MobileNetV2 Feature Extraction
    |
    v
Dense Layer
    |
    v
Softmax Classification
    |
    v
Driver State Output
(Open / Closed / Yawn / No Yawn)
```

Advantages of Using MobileNetV2

- Lightweight architecture
- High accuracy
- Suitable for real-time monitoring

- Efficient on low-power devices

The architecture ensures that driver fatigue detection can be performed quickly and accurately, making it suitable for practical deployment in intelligent transportation systems.

7. TRAINING PROCESS

The training process is one of the most important steps in developing the driver fatigue detection system. During this phase, the deep learning model learns to recognize patterns related to driver fatigue from the dataset.

The model was trained using **TensorFlow** and **Keras** frameworks. These libraries provide powerful tools for building and training deep neural networks.

Dataset Preparation

Before training the model, the dataset was prepared and organized into four classes:

- Open Eyes
- Closed Eyes
- Yawn
- No Yawn

Images were resized to **224 × 224 pixels** to match the input size required by the model.

Data Preprocessing

Data preprocessing ensures that the input images are standardized and suitable for training. Preprocessing steps included:

- Image resizing
- Pixel normalization
- Data augmentation
- Dataset splitting

Pixel values were normalized between **0 and 1** to improve training stability.

Data Augmentation

To improve model generalization and prevent overfitting, several augmentation techniques were applied:

- Rotation
- Horizontal flipping
- Zooming
- Brightness adjustment

Training Outcome

After several training epochs, the model achieved approximately **91% accuracy** on the validation dataset.

This indicates that the system is capable of accurately detecting driver fatigue conditions.

8. RESULTS AND DISCUSSION

The Driver Fatigue Detection System successfully demonstrates the capability of deep learning models to detect driver fatigue in real time. The trained model was tested using both uploaded images and live webcam input.

The system classified driver states into four categories:

- Open Eyes
- Closed Eyes
- Yawn
- No Yawn

Experimental Results

During testing, the model achieved the following results:

- Test Accuracy: **91%**
- Fast prediction speed
- Real-time detection capability

The system was integrated with a **Streamlit dashboard**, allowing users to monitor driver fatigue easily.

Real-Time Detection

In the live webcam module, the system continuously analyzes frames captured from the camera.

Steps involved:

1. Capture frame
2. Resize image
3. Normalize pixel values
4. Predict driver state
5. Display result
6. Trigger alert if fatigue detected

Observations

The system successfully detected:

- Eye closure
- Yawning behavior

- Normal driver state

When fatigue was detected, the system triggered an alert message and an alarm sound to warn the driver.



Fig no 1: Dashboard – Home page



Fig no 1: Dashboard – upload page

9. REAL-WORLD APPLICATIONS

Driver fatigue detection systems have significant importance in modern transportation systems. Road accidents caused by driver drowsiness are a major safety concern worldwide.

The proposed system can be integrated into various real-world applications to improve road safety and reduce accident rates.

- Smart cars
- Driver assistance systems
- Autonomous vehicle monitoring

By continuously monitoring the driver's face, the system can detect signs of fatigue and warn the driver before an accident occurs.

Commercial Transportation

Commercial vehicles such as trucks and buses often involve long-distance travel. Drivers may become fatigued due to extended driving hours.

This system can be used in:

- Long-haul trucking
- Bus transportation
- Logistics fleets
- Attention monitoring

10. FUTURE WORK

The Driver Fatigue Detection System can be further enhanced by incorporating advanced technologies and improving the current system design. Future improvements can make the system more accurate, efficient, and suitable for real-world applications.

Improved Dataset Collection

One of the key improvements for future work is expanding the dataset used for training the model. A larger dataset can include:

- Different ethnicities
- Various lighting conditions

Increasing dataset diversity will help the model generalize better and improve prediction accuracy.

Integration with Advanced Sensors

Future systems can integrate additional sensors to improve fatigue detection.

Examples include:

- Eye tracking sensors
- Heart rate monitoring sensors
- Steering behavior sensors

Combining visual and physiological data can significantly improve reliability of fatigue detection.

Infrared Camera Support

Infrared cameras can help overcome lighting limitations.

Benefits include:

- Clear facial detection in darkness
- Night-time driver monitoring

Infrared-based systems are already used in advanced driver monitoring systems in modern vehicles.

Mobile and Embedded Deployment

Future development can focus on deploying the system on mobile and embedded platforms.

Examples include:

- Smartphone applications
- In-vehicle embedded AI systems

Lightweight models like **MobileNetV2** are well suited for such environments.

Multi-Behavior Detection

Future systems can detect additional driver behaviors such as:

- Head nodding
- Frequent blinking

Combining these features can create a comprehensive driver monitoring system.

Smart Vehicle Integration

The fatigue detection system can also be integrated with smart vehicle systems.

Possible responses include:

- Automatic speed reduction
- Driver seat vibration alerts

Such integration can significantly enhance road safety.

11. CONCLUSION

Driver fatigue is one of the leading causes of road accidents worldwide. Long driving hours, lack of sleep, and driver distraction contribute significantly to fatigue-related accidents.

Therefore, developing intelligent systems to monitor driver alertness has become an important research area.

This project presents a Driver Fatigue Detection System based on deep learning and computer vision techniques. The system uses a convolutional neural network model to analyze images of the driver's face and detect signs of fatigue such as eye closure and yawning.

The model was implemented using **TensorFlow** and **Keras**, and the user interface was developed using **Streamlit** to create an interactive monitoring dashboard.

The system classifies driver states into four categories:

- Open Eyes
- Closed Eyes
- Yawn
- No Yawn

During testing, the model achieved an accuracy of approximately **91%**, indicating that the system is capable of effectively identifying fatigue conditions.

The project also demonstrates real-time fatigue detection using a webcam. When signs of fatigue are detected, the system generates alerts to warn the driver.

Key achievements of this project include:

- Implementation of deep learning for fatigue detection
- Real-time driver monitoring
- Interactive web dashboard interface
- Automatic alert generation

Despite certain limitations such as lighting sensitivity and camera positioning issues, the system provides a strong foundation for developing advanced driver monitoring systems.

In conclusion, the Driver Fatigue Detection System demonstrates the potential of artificial intelligence in improving road safety. With further improvements and integration into modern vehicles, such systems can significantly reduce fatigue-related accidents and enhance driver safety.