Accenture Pattern: Assessment

192124002.sse@saveetha.com Switch account

Draft saved

Your email will be recorded when you submit this form

* Indicates required question

MCQ

Select the output of this program: *


```
#include <stdio.h>
#include <stdlib.h>
int main(void)
{
char x = 'A';
char* y = (char*)malloc(sizeof(char));
y = &x;
for (int i = 0; i < 26; i++) {
printf("%c", x);
y[0] += 1;
}
}
```

- ○ SDKJNSDNSKDJNSKDVNSKJD
- ○ SLKFVMSLFKVSFLALKDJF
- ◉ ABCDEFGHIJKLMNOPQRSTUVWXYZ
- ○ None of the above

Which statement is used to close the IF block? *


- ELSEIF
- ELSE
- ENDIF
- END

*



- -9
- -11
- -1
- -4

*



- ○ 10
- ◉ 13
- ○ 19
- ○ 8

Identify the correct Answer: *

```
int main() {
int a=100;
static int b=a;
printf("%d %d",a,b);
}
```

- ○ 0 100
- ○ 100 0
- ◉ Compilation Error
- ○ 100 100

Find the error, if any, in the following program: /* Assume there is a file called 'file.c' in c:\tc directory. *

```
int main()
{
  FILE *fp;
  fp=fopen("c:\tc\file.c", "r");
  if(!fp)
   printf("Unable to open file.");
   fclose(fp);
   return 0;
}
```

- ○ No error, No output.
- ◉ Program crashes at run time.
- ○ Output: Unable to open file.
- ○ None of above

Consider address of x as 62fe14 and identify the output: *

```
#include <stdio.h>
int main(void)
{
int a = 100;
char* x = (char*)&a;
char** y = &x;
y[0] = (char*)0x62fe14;
printf("%x\n", x);
printf("%x", *y);
}
```

- ○ 0x62fe14 0x62fe15
- ○ Crash
- ○ 0x0010 0x1902
- ◉ 0x62fe14 0x62fe14

int x = printf("Accenture") + sizeof("IT"); *

```
printf("%d",x);
```

- ○ 9
- ◉ Accenture12
- ○ AccentureIT
- ○ Accenture11


Which of the following scanf() statement will you use to scan a and b? float a; double b; *

- ○ scanf("%Lf %f", &a, &b);
- ○ scanf("%f %f", &, &b);
- ◉ scanf("%f %lf", &a, &b);
- ○ scanf("%f %f", &a, &b);

Which of the following protocol supports the security and authentication functionality of SSH? *

- ○ DHCP
- ○ SSL
- ○ UDP
- ◉ SFTP

*



- ○ -2
- ○ -14
- ◉ 10
- ○ -7

Find the correct Answer: *

int a=-10;
int b=~a;
printf("%d",a,b);

- ○ -10 10
- ◉ -10 9
- ○ 9 10
- ○ 9 -10

What will be printed after the execution of this pseudocode? *

```
#include <stdio.h>
int main(void)
{
int a = (int)0b01001011;
int* b = &a;
int n[10] = { (int)0b010110, 17, -4,-13, 19, -19, 10, (int)0b11110110 };
for (int i = 0; i < 9; i++) {
printf("%c", b[0]);
b[0] += n[i];
}
}
```

- (●) karnataka
- ( ) kerala
- ( ) Kerala
- ( ) Karnataka

*


What will be the output of the following pseudocode for a=3, b=1?

```
1.  Integer funn(Integer a, Integer b)
2.      if(a<1)
3.          return 1
4.      Else
5.          return a+funn(a-1,a-1)
6.      End if
```

- 19
- 7
- -11
- 16

*


What will be the output of the following pseudocode for a=7, b=4, c=4?



```
1.
2.  Integer funn(Integer a, Integer b, Integer c)
3.      for(each c from 2 to 3 )
4.          if((b&a&c)<(5-c-b))
5.              b=c+c
6.              b=(c+a)&a
7.          End if
8.          b=c+c
9.      End for
10.     return a+b
```

- ○ 17
- ○ 12
- ◉ 13
- ○ 22

*



- ○ 15
- ○ 24
- ○ 11
- ◉ 14

In OSI model, Which of the following layer contain information in the form of segments? *

- ○ Network layer
- ○ Data link layer
- ◉ Transport layer
- ○ Physical layer

int float a=5.6; *

printf("%d %d",sizeof(a),sizeof(5.6));

- ○ 4 4
- ◉ 4 8
- ○ 8 4
- ○ 8 8

In Google search, if you search for a ward or phrase, which among the following formats will the results be provided in? *

1. Images
2. Videos
3. Locations

- ◉ All 1, 2 and 3
- ○ Only 1
- ○ Only 2 and 3
- ○ Only 1 and 2

Which of the following features are provided in PaaS model of cloud computing? *

1. Built-in security
2. Scalability
3. Web service interfaces

- ○ All 1, 2 and 3
- ◉ Only 2 and 3
- ○ Only 1 and 2
- ○ Only 1 and 3

Which of the following is a network security protocol ideal for protecting sensitive data and securing internet connections? *


- ○ SFTP
- ○ UDP
- ◉ SSL
- ○ DHCP

What will be the output: *

```
int main()
{
FILE *fp;
char ch, str[7];
fp=fopen("try.c", "r");
/* file 'try.c' contains "This is Nagpur" */
fseek(fp, 9L, SEEK_CUR);
fgets(str, 5, fp);
puts(str);
return 0;
}
```


- (●) gpur
- ( ) agpur
- ( ) Nagp
- ( ) agpu

*


What will be the output of the following pseudo code?
1. Integer p,q,r
2. Set p=2, q=4, r=5
3. if((r+9+9)>(q+3))
4. r=(r+10)+p
5. End if
6. if((2+p-r)>(r+q))
7. =(9+2)+p
8. Else
9. q=(10+2)+r
10. End if
11. p=(7+4)+p
12. Print p+q+r

- (●) 57
- ( ) 61
- ( ) 70
- ( ) 59

*



- (●) ABCDE
- ( ) EEEEE
- ( ) 6566676869
- ( ) Error


A file contains the line "I am a man\r\n" then on reading this line into the array str using fgets(). What will str contain? *

- ( ) "I am a man\r\0"
- ( ) "I am a man\n\0"
- ( ) "I am a man"
- (●) "I am a man\r\n\0"

Which of the following is font like format? *

- OFT
- All of these
- EXE
- TTF

Assume a=7, b=6 *



- -14
- -20
- -16
- -7

Which of the following factors should be considered while selecting the appropriate database services? *

1.Schema type
2.Transaction properties
3.Latency

- ○ Only 1 and 3
- ◉ All 1,2 and 3
- ○ Only 2 and 3
- ○ Only 1 and 2
- ○ Other:

Which of the following shortcut key is used to refresh the active window in windows OS? *

- ◉ F5
- ○ F4
- ○ F3
- ○ F2

Class A of IP address allows how many host addresses on the network? *

- ◉ 2 pow 24
- ○ 2 pow 8
- ○ 2 pow 16
- ○ 2 pow 32


Which of the statement is true for the following program? *

```
int main() {
FILE *fptr;
char str[80];
fptr = fopen("f1.dat", "w");
if(fptr == NULL)
  printf("Cannot open file");
else
{
while(strlen(gets(str))>0)
{
   fputs(str, fptr);
   fputs("\n", fptr);
}
  fclose(fptr);
}

return 0;
}
```

- ○ The code copies the content of one file to another
- ◉ The code writes strings that are read from the keyboard into a file
- ○ The code reads a file
- ○ None of the above

*



- ○ 18
- ◉ 16
- ○ 11
- ○ 25

In MS Word, which of the following should you use to add additional information about something in your document at the end of the page? *

- ○ citation
- ○ End notes
- ○ Table of contents
- ◉ Foot notes

Will the following program run successfully?: *


```
int main()
{
  int n=5;
  printf("n=%*d\n", n, n);
  return 0;
}
```

- ○ No
- ◉ Yes

In order to open the task manager, you should use *


- ○ Ctrl + Esc
- ○ Ctrl + Alt + Tab
- ○ Shift + Delete
- ◉ Ctrl + Shift + Esc

*


What will be the output of the following pseudo code?
1. Integer a,b,c
2. Set a=3, b=3, c=10
3. b=(c^11)^a
4. for(each c from 2 to 5)
5. b=(9+11)+a
6. b=4&c
7. End for
8. c=(b^11)+a
9. Print a+b


- ○ 13
- ◉ 7
- ○ 21
- ○ -7

*


What will be the output of the following pseudocode for a=2, b=2?
1.
2. Integer funn(Integer a, Integer b)
3. if((a^b)<(b+a) && (a+b)>(b^a))
4. b=3+3+b
5. b=1+b+b
6. return funn(a,a+a)
7. End if
8. return a-1

- Option 1
- 2
- 1
- -5

*




- ○ 4
- ○ 15
- ○ 9
- ◉ 19

Which of the following statement is correct for Azume Documen *

1. It is a NoSQL database option
2. It works similar to Amazon DynamoDB.
3. It is a Hybrid Cloud Storage

- ○ Only 3
- ○ 2 & 3
- ○ 1, 2 & 3
- ◉ 1 & 2

*



- (●) 17
- ( ) 15
- ( ) 23
- ( ) 25

Back Submit Clear form

Never submit passwords through Google Forms.

This form was created inside of Saveetha Institute of Medical and Technical Sciences. Report Abuse

Google Forms

