Pseudocode : Assessment-1

192124033.sse@saveetha.com Switch account

Draft saved

Your email will be recorded when you submit this form

* Indicates required question

MCQ

Integer i, j, sum, n *

Set sum=0, n=7

Repeat for i=1 to n

sum = sum + (i * i)

End loop

Print sum

- 204
- 49
- 140
- 64

Integer a, b, c *

Set a = 4, b = 1, c = 2

if (b ^ (c & a) && a ^ (c & b))

c = a + a

a = c + c

Else

c = b + b

b = c + c

End if

Print a + b + c

- 22
- 25
- 34
- 31

Integer a, b, c *

Set a = 1, b = 0, c = 3

if (a & 1)

a = (a & b) & (a ^ b)

b = (a & b) ^ (a ^ b)

End if

Print a + b + c

- 3
- -16
- 10
- 22

Integer a, b, c *

Set a = 1, b = 2, c = 5

if(a mod 1 && a^1)

b = b - c

End if

if(a mod 1 || 1&a)

c = c + a

End if

Print a + b + c

- ◯ 19
- ◯ 8
- ◯ 9
- ◯ 13

Integer p, q, r *

Set p = 1, q = 1, r = 3

p = p + ((p^r) & q)

p = q + ((p&r) ^ q)

p = r + ((p&r) ^ q)

Print p + q + r

- ◯ 7

Integer count *

```
for (each count from 0 to 9)
  print “#”
  if (count > 6)
    CONTINUE
  print count
End for
```

- #0#1#2#3#4#5
- #0#1#2#3#4#5#6#7#8#9#10
- #0#1#2#3#4#5#6###
- #0#1#2#3#4#5##6#7#8#9#10

Integer a, b, c, d, e *

Set b = 22, c = 4

while(b > (c-1))

c = c * 3

d = c + b

e = (d MOD 4) + c

end while

if(d>e)

Print e

else

Print d

End if

- ○ 26
- ○ 34
- ○ 38
- ○ 32

Integer a, b, c *

Set a = 5, b = 5, c = 9

if (b & (c >> 1) || b & (c << 1))

a = a + 1

End if

Print a + b + c

- 39
- 20
- 17
- 25

Integer a, b, c *

Set a = 2, b = 40, c = 0

b = c + 2

if(a)

c = 1

End if

Print a – b + c

- -2
- 11
- 1
- 4

Given a=4 b=1 *

```
Integer funn(Integer a, Integer b)
  if(b > 1)
    return a + b + funn(b - a, a - b)
  Else
    a = a + 1
 return a
  End if
  return 0
End function funn()
```

- ○ 5
- ○ 3
- ○ 2
- ○ 9

Integer a, b, c *

Set a = 2, b = 3, c = 1

if (1<2 && 1 && 1<3)

if(a || c)

a = a + c

End if

a = a + b

End if

Print a + b + c

- 10
- 7
- 14
- 22

Given a=2 b = 9 *

```
Integer funn(Integer a, Integer b)
  a = a + 1
  if(a − 2 > 0)
    return funn(a − 3, b)
  else
    return a + b
  End if
End function funn()
```

- ◯ 20
- ◯ -5
- ◯ 10
- ◯ 12

Given a=6, b=7 *

```
Integer funn(Integer a, Integer b)
  if(a<b && a>0)
    a = a + 10
    if(a>0 && b>0)
      a = a ^ b
    End if
    a = a >> 1
  End if
  return a + b
End function funn()
```

- ◯ 21
- ◯ 18
- ◯ 19
- ◯ 12

Given a=0 b=1 *

```
Integer funn(Integer a, Integer b)
  if(a)
    return 1
  End if
  if(b || a)
    return funn(a, b – 1) + funn(a + 1, 0)
  Else
 return 2
  End if
  return 2
End function funn()
```

- ◯ 3
- ◯ -7
- ◯ 13
- ◯ 4

Integer a,b,c *

Set a=3, b=3, c=4

for(each c from 5 to 7)

if((6+a+c)>(c+b))

Jump out of the loop

End if

b=(c^c)+b

a=2&a

End for

Print a+b

- 23
- 11
- 1
- 6

Given a=4 b=1 *

```
Integer funn(Integer a, Integer b)
  if(a && b)
    return a + funn(a-1, b-1)
  End if
  return 0
End function funn()
```

- ○ 9
- ○ 3
- ○ 4
- ○ 2

Integer a = 50, b = 23, c *

```
c = a + b
c = c MOD b
b = b + c
a = a - b
Print a, b, c
```

- ○ 69 19 4
- ○ 23 17 3
- ○ 23 27 4
- ○ 77 27 4

Given : a=8, b=10 *

```
Integer funn(Integer a, Integer b)
  if(1)
    b = b + 2
    b = b >> 1
    return a – b -2
  End if
  if(1)
    b = b << 2
    return a + b + 3
  End if
  return 0
End function funn()
```

- ○ 1
- ○ 2
- ○ 4
- ○ 0

Integer a, b, c *

Set a = 3, b = 2

a = a + b + b

For(each c from 1&1 to 2&2)

    a = a ^ 1

    b = -1

End for

if(a + b)

   a = a + 11

End if

Print a + b - 2

- ◯ 15
- ◯ 18
- ◯ 31
- ◯ 22

Integer a, b, c *

Set a = 0, b = 1, c = 2

if (b^c || a&b || a>>1)

c = 9

a = b + c

Else

c = 1

a = a + c

End if

Print a + b + c

- 12
- 31
- 24
- 20

Integer a, b, c, d, e *

Set a=6, b=8, c=8

d=c^a^b

e=a^b^c

Print a+b+c+d+e

- 28
- 34
- 24
- 32

Integer m *

Set m = 0

Integer p[3] = {1, 7, 6}

m = m + (p[1] & 3)

m = p[2] & 2

Print m

- H
- 1
- 5
- 7

Double b *

Set b = 3 & 3 && 4 || 6 | 6

Print b

- 2.00000
- 1.00000
- 0.00000
- System dependent

Integer p,q,r *

Set p=7, q=5, r = 8

r=(q+r) & r

for(each r from 3 to 4)

q = 1^p

q = (9+4) & q

End for

Print p+q

- -2
- 13
- 11
- 27

Integer a, b, c *

Set a=6, b=8, c=8

a=(b^3)+c

c=(a^4)+a

b=(b+12) & a

b= b & a
Print a+b+c

- 77
- 73
- 90
- 81

Given : a=9, b=4,c=6 *

```
Integer funn(Integer a, Integer b, Integer c)
  for(each c from 5 to 9)
    if((a+c+7)<(5+b+a))
      b = (12+11)+a
    End if
    a = a+c
  End for
  return a + b
```

- 48
- 53
- 43
- 59

Integer a, b, c *

Set a = 7, b = 7, c = 7

```
if((7-b-c) > (c+a))
   if((5-7) < (7+c))
      c = (3 & 11) & c
      a = a
   End if
   c = 7 + c
End if
Print a + b + c
```

- 27
- 9
- 31
- 21

Given a=2 b=2 *

```
Integer funn(Integer a, Integer b)
  if(a < 0 && b < 0)
    return a + b
  End if
  if(b + 1)
    return b + funn(b − 4, a − 1)
  Else
    return b
  End if
  return 3
End function funn()
```

- ◯ -7
- ◯ -3
- ◯ 0
- ◯ 16

Integer p,q,r *

Set p=6, q=8, r=8

r=(q+6)+q

q=p+p

q=(r+r)+q

p=2 & q

Print p+q+r

- ◯ 80
- ◯ 86
- ◯ 78
- ◯ 75

Integer a, b, c *

Set a = 1, b = 1, c = 1

if(a&b&c || a^b^c)

    a = a ^ b

Else

    a = 0

End if

Print a + b + c

- ◯ -2
- ◯ 15
- ◯ 6
- ◯ 2

Integer a, b, c *

Set a = 1, b = 7, c = 10

```
if (b>a)
   c = 2&a
End if
if((a&c&b) < (c+b-a))
      c=(a^6)^c
End if
Print a + b + c
```

- ○ 29
- ○ 20
- ○ 15
- ○ 12

Given a=9, b=7 *

```
Integer funn(Integer a, Integer b)
   if(b-a < b+a)
     if(a > b)
       b = a + 1
     End if
   End if
   return a + b
End function funn()
```

- ◯ 21
- ◯ 38
- ◯ 19
- ◯ 12

Given : a=15, b=10 *

```
Integer funn(Integer a, Integer b)
   Integer s
   for(each s from 1 to 3)
     a = a & s
   End for
   if(a > b)
      return a & b
   Else
      return b & 1
   End if
End function funn()
```

- ○ 0
- ○ 4
- ○ 9
- ○ 6

Integer p, q, r *

Set p=3, q=2

for (each r from 1 to 3)

p = p + (p ^ 3)

q = q + (q ^ 3)

End for

Print p + q

- 6
- 12
- 25
- -12

```
Integer j, m
Set m=0
Integer a[4] = {10, 11, 3, 2}
for(each j from m to m+3)
    if(j > 0)
      a[j] = a[j-1] + 2
    End if
End for
m=a[0] + a[2] + a[1]
Print m
```

- ○ 36
- ○ 52
- ○ 29
- ○ 41

char str[20] *

Integer s

Set str = “ABCDEFGH”

s = strlen(str)

str[5]= NULL

s = strlen(str)

Print s

- ◯ 6
- ◯ 4
- ◯ 5
- ◯ None of these

```
Integer a,b,c
Set a=0, b=5, c=10
for(each c from 4 to 8)
    if((4-8)<(6+c))
      Continue
    End if
    b=(2+9)+b
    b=(b^1)+a
End for
Print a+b
```

*

- ○ 5
- ○ 19
- ○ 10
- ○ -2

Given n= 2 *

```
Integer funn(Integer n)
   if(n EQUALS 4)
      return n
   else
      return 2 * funn (n + 1)
   End if
End function funn()
```

- ◯ 4
- ◯ 8
- ◯ 16
- ◯ 2

```
Integer j, m
Set m=0
Integer a[4] = {1, 1, 5, 4}
for(each j from m to m+1)
    if(j > 0)
      a[j] = a[j-1] + 2
    Else
      a[j] = 0
    End if
End for
m=a[0] – a[1]
Print m
```

*

- ○ -2
- ○ -1
- ○ -8
- ○ 16

```
Integer a, b, c
Set a=1, b=3
for(each c from -1 to 1)
    a=a + b - 1
    if(0 || 0 || b-3)
      Jump out of the loop
    End if
    if(1)
      a= a – c
    Else
      a = a + c
    End if
    a = a + 1
End for
Print a+b
```

*

- ○ 6
- ○ -6
- ◉ 13
- ○ -5

Back Submit Clear form

Never submit passwords through Google Forms.

This form was created inside of Saveetha Institute of Medical and Technical Sciences. Report Abuse

Google Forms