2025_Hexaware_Actual_Test_5

Test Summary

- No. of Sections: 2
- No. of Questions: 90
- Total Duration: 90 min

Section 1 - Aptitude

Section Summary

- No. of Questions: 60
- Duration: 60 min

Additional Instructions:

None

Q1. The average marks of 14 students were found to be 71. However, it was later found that the marks of one student had been wrongly entered as 42 instead of 56 and of another as 74 instead of 32. Find the correct average.

- 67
- 68
- 69
- 71

Q2. In triangle PQR, PQ = 6 cm, PR = 8 cm, and QR = 12 cm. Calculate the area of the triangle PQR.

- 23.33 cm^2
- 17.5 cm^2
- 21.33 cm^2
- 28.67 cm^2

Q3. If $\log_n 48 = a$ and $\log_n 108 = b$. What is the value of $\log_n 1296$ in terms of a and b?

- 2(2a + b)/5
- (2a + b)/5
- 4(2a + b)/5
- 2(a + 3b)/5

Q4. The area of the greatest circle, which can be inscribed in a square whose perimeter is 360 cm, is

- $(22/7) \times (21/2)^2$ cm^2
- $(22/7) \times (45)^2$ cm^2
- $(22/7) \times (45/2)^2$ cm^2
- $(22/7) \times (27/2)^2$ cm^2

Q5. The number of even factors of N $=2^2 * 3^3 * 5^4$ will be

- 30
- 40
- 50
- 60

Q6. Janavi buys 110Rs. ticket 18 in number. Here, each first class ticket costs Rs 10 and each second class ticket costs Rs 3. What will another lot of 18 tickets in which the number of first-class and second class tickets have their cost price interchanged ?

- 112
- 118
- 121
- 124

Q7. Find the remainder of 27^{26} when divided by 28.

- 5
- 1
- 3
- 5

Q8. A fruit seller had some apples. He sells 40% apples and still has 420 apples. Originally, he had

588

600

700

720

Q9. The number of ways in which 6 different marbles can be put in two boxes of different sizes so that no box remains empty is

56

62

48

24

Q10. A party of ‘n’ persons sits at a round table. Find the odds against two specified persons sitting next to each other.

$\frac{n+1}{2}$

$\frac{n-3}{2}$

$\frac{n+3}{2}$

None of these

Q11. From a group of 13 scientists which contains 5 mathematicians and 8 physicists, it is required to appoint a committee of two. If the selection is made without knowing the identity of the scientists, what is the probability that one will be a mathematician and the other a physicist?

20/39

1/4

7/13

None of these

Q12. A trader allows a discount of 5% to his customers. What price should he mark on an article the cost price of which is Rs.712.50 so as to, make a clear profit of 33 1/3 % on his outlay?

800

1000

950

933

Q13. Reeta buys an old cycle for Rs.2500 and spends Rs.300 on its repairs. If he sells the cycle for Rs.3200, his gain percentage is

14.28%

15.35%

16.42%

None of the mentioned options

Q14. The sum of six terms of an arithmetic progression is 9, and the sum of 9 terms is 6. The sum of the fifteen terms will be:

-6

-15

3

-3

Q15. The monthly income of A and B are in the ratio of 4:5, their expenses are in the ratio of 5:6. If 'A' saves Rs.25 per month and 'b' saves Rs.50 per month, what are their respective incomes?

Rs.400 and Rs.500

Rs.240 and Rs.300

Rs.320 and Rs.400

Rs.440 and Rs.550

Q16. 10% of a solution of milk and water is removed and then replaced with the same amount of water. If the resulting ratio of milk and water is 2:3. find the ratio of milk and water in the original solution.

4 : 5

3 : 7

5 : 1

5 : 4

Q17. Rs.25,000 is invested for 3 years at 12% compound interest p.a. What is the interest in the third year?

Rs.3,763

Rs.3,110

Rs.3,000

Rs.3,450

Q18. Stephen borrowed some money at 6% for the first 4 years, 8% for the next 6 years, and 11% for the period beyond 10 years. If the total interest paid by him at the end of twelve years is Rs.5640, how much money did he borrow?

Rs 10000

Rs 6000

Rs 8000

Rs 9000

Q19. 1 man and 5 women are able to complete a piece of work in 20 days. The same amount of work is completed by 4 men in 8 days. Find the number of days required by 5 men and 1 woman to complete the same work.

8

6.25

9

10

Q20. The jogging track in a sports complex is 726 m in circumference. Suresh and his wife start from the same point and walk in opposite direction at 4.5 km/hr and 3.75 km/hr respectively. They will meet for the first time in:

5.5 minutes

6 minutes

4.9 minutes

5.28 minutes

Q21. **Complete the following sentence by choosing the right option.**

I don't know how many times I have told my daughter to look at both sides before running _____ the street.

across

alongside

beside

around

Q22. The BMC, in Mumbai, since the past year, often does not pick up garbage on time, and this leads to huge dumps being formed, on certain streets. The garbage is then incinerated by locals, who are growing sick of the BMC. The BMC has stated that they do not have a large enough workforce, to be punctual.

Which option severely weakens the BMC's argument?

The population of Mumbai has increased, thus causing more and more areas to be populated.

The garbage from areas inhabited by the MLA's is promptly picked up, every day.

The BMC sends four people in one truck to pick up the garbage.

None of the these

Q23. **In the following question, statements 1 and 6 are respectively the first and the last sentences of a paragraph and statements A, B, C and D come in between them. Rearrange A, B, C and D in such a way that they make a coherent paragraph together with statements 1 and 6. Select the correct order from the given choices and mark its number as your answer.**

1. One of the worst aspects of Indian democracy is growing terrorism.
A. Strict laws must be enacted to punish the terrorists and to avoid such incidents.
B. Recently, terrorists succeeded in planting a bomb in the Army Headquarters.
C. Such laws must be enforced more effectively.
D. Terrorism must be curbed with a heavy hand.
6. The government can expect full co-operation from all who desire a peaceful life.

CABD

BCAD

CADB

BACD

Q24. **Fill in the blank with the right answer:**

_____ the most qualified candidates always get the best jobs.

- obviously
- beyond
- next to
- join in

Q25. **Fill in the blank:**

The job wasn't very interesting. _____, the money was OK.

- While
- Mind you
- In addition
- Due to this

Q26. **The question consists of four sentences on a topic. Some sentences are grammatically incorrect or inappropriate. Identify the incorrect sentence or sentences:**

A. Flowers have always played a significant part in religious ceremony.
B. Their perfumes have a distinct affect on the mind and its moods.
C. The Arabians imported their perfumes from India as they still do.
D. Kannauj in, Uttar Pradesh, is the heart of the perfume industry.

- Only A
- A and B
- Only C
- C and D

Q27. **Replace the underlined part of the sentence with a grammatically correct option.**

Rising inventories, when unaccompanied correspondingly by increases in sales, can lead to production cutbacks that would hamper economic growth.

- if not accompanied by corresponding increases in sales, can lead
- when unaccompanied correspondingly by increases in sales, can lead

when not accompanied by corresponding increases in sales, possibly leads

when they were unaccompanied by corresponding sales increases, can lead

Q28. **In the following question, a sentence has been given in Direct/Indirect speech. Out of the four alternatives suggested, select the one which best express the same sentence in Indirect/Direct speech.**

They told me, "Have you visited London this summer?"

They asked me if I had visited London that summer.

They asked me if I have visited London this summer.

They asked me if I visited London that summer.

They asked me if I visit London this summer.

Q29. **Select the most suitable synonym**

accouterments

outfit

career

behaviour

costume

Q30. **Identify the one that is opposite in meaning (antonym) to the question word and mark.**

rebuttal

repartee

repercussion

confirmation

admonition

Q31. **Substitute the given sentence with one word :**

Present opposing arguments or evidence

Criticise

Rebuff

Reprimand

Rebut

Q32. **Choose the one which best expresses the given sentence in passive/active voice:**

They first sun-dried the garbage for one to three days to bring down the moisture level.

The moisture level was brought down by sun-drying the garbage for one to three days

One to three days of sun-drying brought down the moisture level of the garbage.

The moisture level of the garbage came down when it was sun-dried for one to three days

The garbage was first sun dried for one to three days to bring down the moisture level.

Q33. **Find the missing term in the series:**
C, X, M, N, J, ?

P

R

S

Q

Q34. Pointing to a photograph Smita says, “This man’s son’s sister is my mother-in-law.” How is the Smitha's husband related to the man in the photograph?

Son

Nephew

Grandson

Son-in-law

Q35. Today is Wednesday, what will be the day after 94 days?

Monday

Tuesday

Wednesday

Saturday

Q36. A clock was 7 minutes behind the actual time at 3 p.m. on Wednesday and 8 minutes ahead of actual time on 4 p.m. Friday. When will it show the correct time?

1:51 pm on Thursday

2:36 pm on Thursday

5:30 pm on Thursday

Cannot be calculated

Q37. In a certain code language

1. 'Chip Din Chunk' means 'students attend class'.
2. 'Din Sunk Dink' means 'Arjun is student'.
3. 'Jump Mink Sink' means 'Schools are good'.
4. 'Dink Mup Chimp' means 'Teacher is teaching'.

The code which is used for 'Arjun' is?


Sunk

Din

Dink

Chunk

Q38. When the given figure is folded to form a cube then which face is opposite to the face with 2?



4

2

5

1

Q39. The question below consists of a question and two statements numbered I and II given below it. You have to decide whether the data provided in the statement(s) is/are sufficient to answer the question. Read both statements and give an answer.

How many children are there in the row of children facing north?
I. Vishaka who is fifth from the left end is eighth to the left of Ashish who is twelfth from the right end.
II. Rohit is fifth to the left of Nisha who is seventh from the right end and eighteenth from the left end.

If the data in statement I alone are sufficient to answer the question, while the data in statement II alone are not sufficient to answer the question

If the data in statement II alone are sufficient to answer the question, while the data in statement I alone are not sufficient to answer the question

If the data either in statement I alone or in statement II alone are sufficient to answer the question

If the data given in both statements I and II together are not sufficient to answer the question

Q40. The question below consists of a question and two statements numbered I and II given below it. You have to decide whether the data provided in the statements are sufficient to answer the questions. Read both statements and give an answer.

The area of a playground is 1600 sq m. What is its perimeter?
I. It is a perfect square playground.
II. It costs Rs. 3200 to put a fence around the playground at the rate of Rs. 20/m

If the data in statement I alone are sufficient to answer the question, while the data in statement II alone are not sufficient to answer the question.

If the data in statement II alone are sufficient to answer the question, while the data in statement I alone are not sufficient to answer the question.

If the data either in statement I alone or in statement II alone are sufficient to answer the question.

If the data given in both statements I and II together are not sufficient to answer the question.

Q41. Samir started from his Police Station on inspection duty. After travelling straight a distance of 4 km he turned left for the market and travelled straight for 600 m. He now turned left again and travelled straight another 200 m, and turned left and travelled straight 600 m. How far is Samir from the Police Station?

3.4 kms

3.8 kms

4.4 kms

4.8 kms

Q42. **Find the missing term in the series:**

4, 11, 19, 41, ?, 161

65

70

79

84

Q43. In the question below are given some conclusions followed by five set of statements. You have to choose the correct set of statements that logically satisfies given conclusions. Assume the given statements to be true even if they seem to be at variance from commonly known facts.

Conclusions:
1. Some road is house is a possibility.
2. Some child is not house.

Statements:
I) All road is child. Some child is toy. All toy is ring. No toy is house.
II) All road is child. Some toy is road. All toy is ring. No child is house.
III) Some road is toy. All child is toy. No toy is ring. Some house is ring.
IV) All child is road. All road is toy. Some house is ring. No house is toy.
V) None is correct.

Only statement I


Only statement II

Only statement III

Only statement IV

Only statement V

Q44. In the following question, the first and the last blocks mark the beginning and the end of a series respectively. The numbered blocks are a part of the series. However, one of these numbered blocks violates the pattern. Find the odd block and mark your answer from 1-5 accordingly.



1

2

3

4

5

Common Content:

Read the following passage carefully and answer the respective questions given below.

True, it is the function of the army to maintain law and order in abnormal times. But in normal times there is another force that compels citizens to obey the laws and to act with due regard to the rights of others. The force also protects the lives and the properties of law-abiding men. Laws are made to secure the personal safety of their subjects and to prevent murder and crimes of violence. They are made to secure the property of the citizens against theft and damage to protect the rights of communities and castes to carry out their customs and ceremonies, so long as they do not conflict with the rights of others. Now the good citizen, of his own free will obeys these laws and he takes care that everything he does is done with due regard to the rights and well-being of others. But the bad citizen is only restrained from breaking these laws by fear of the consequences of his actions. The necessary steps to compel the bad citizen to act as a good citizen are taken by this force. The supreme control of law and order in a State is in the hands of a Minister who is responsible to the State Assembly and acts through the Inspector General of Police.

Q45. A suitable title for the passage would be

The function of the army

laws and the people's rights

The fear of the law and citizen's security

The functions of the police

Q46. According to the writer, which one of the following is not the responsibility of the police?

To protect the privileges of all citizens.

To check violent activities of citizens.

To ensure peace among citizens by safe guarding individual rights

To maintain peace during extraordinary circumstances.

Q47. Which of the following is not implied in the passage?

Law protects those who respect it

Law ensures people's religious and social rights absolutely and unconditionally

A Criminal is dettered from commiting crimes only for fear of the law

The forces of law help to transform irresponsible citizens into responsible ones

Q48. The expression 'customs and ceremonies' means

fairs and festivals.

habits and traditions

usual practices and religious rites

superstitions and formalities

Common Content:

ICICI Bank announces the launch of a new digital platform ___(1)____ specially for MSMEs and self-employed customers to enable them to ____(2)_____ their business banking transactions digitally and _____(3)____ Called, 'InstaBIZ', it allows customers to ___(4)_____ products and services in a digital and ___(5)___ manner on their mobile phone or internet banking platform.

Q49. Fill in the blank numbered(4)

avail

inappropriate

account

overlook

Q50. Fill in the blank numbered (2)

commence

conclude

undertake

disagree

Q51. Fill in the blank numbered(5)

fixed

precarious

uncertain

secure

Common Content:

Fill in the blanks using the options given below:

Cloud computing is a method for delivering information technology (IT) services in which resources are _____1_____ from the Internet through web-based tools and applications, as opposed to a direct connection to a server. Rather than keeping files on a _____2_____hard drive or local storage device, cloud-based storage makes it possible to save them to a remote database. The rise of cloud-based software has offered companies from all sectors several benefits, including the ability to use software from any device, either via a native app or a browser. As a result, users can carry their files and settings to other devices in a completely _____3____manner. Cloud computing offers big businesses some serious cost-saving potential. Before the cloud became a ___4____alternative, companies were required to purchase, construct and maintain costly information management technology and infrastructure. Now, instead of investing millions in huge server centers, a firm can use "lite" versions of workstations with _____5_____ fast internet connections.

Q52. Choose the right word for the blank numbered (1)

Proprietary

Retrieved

Seamless

Lightning

Common Content:

Refer to the following information to answer the questions that follow.

In a pollution study of 1500 Indian rivers, the following data was reported. 520 were polluted by sulphur compounds, 335 were polluted by phosphates, 425 were polluted by crude oil, 100 were polluted by both crude oil and sulphur compounds, 180 were polluted by both sulphur compounds and phosphates, 150 were polluted by both phosphates and crude oil and 28 were polluted by sulphur compounds, phosphates and crude oil.

Q53. How many of the rivers were polluted by all three impurities?

78

55

65

28

Q54. How many of the rivers were polluted by at least one of the three impurities?

878

374

346

890

Q55. How many rivers were polluted by Sulphur and Crude Oil only?

- 152
- 122
- 72
- 28

Q56. How many rivers were polluted by sulphur and Phosphate only?

- 152
- 268
- 33
- 203

Common Content:

Read the given information carefully and answer the questions given beside:

Twelve persons are sitting in two parallel rows in such a way that the persons sitting in Row-1 face the persons sitting in Row-2. Six persons A to F are sitting in Row-1 and facing north direction. Six persons P to U are sitting in Row-2 and facing south direction. All the above information is not necessarily in the same order. E sits second to the right of F. Two persons sit between F and B, who is facing R. Q and R are immediate neighbours. U sits second to the left of Q. The person who sits second to the right of P is facing C. More than one person sits between F and D. T does not sit at the extreme end of the line.

Q57. Who among the following is sitting opposite to E?

- P
- Q
- R
- U

Q58. Find the odd one.

- SP
- QT
- PR
- QU

Q59. If only Row-1 persons arranged in alphabetical order from left to right, then who among the following

faces Q?

- E
- C
- D
- F

Q60. If only Row-1 persons arranged in alphabetical order from left to right, then how many persons remain in the same place as before?

- 1
- 2
- 3
- None

Section 2 - Pseudocode and Computer Fundamentals

Section Summary

- No. of Questions: 30
- Duration: 30 min

Additional Instructions:

None

Q1. What will be the output of the following pseudocode for x = 4 and y = 2?

```
1  Integer fun (int x, int y)
2    if (x > 1)
3       fun (x - 2, y + 2)
4    end if
5    print y
6  End Function fun( )
```

- 4 5 6
- 9 7 5
- 7 6 5
- None of the mentioned options

Q2. What will be the output of the following pseudocode for x = 45?

[Note: mod finds the reminder after the division of one number by another, For example, the expression "5 mod 2" would evaluate to 1 because 5 divided by 2 leaves a quotient of 2 and reminder of 1].

```
1  Integer fun (Integer x)
2     if (( x MOD 6) MOD 2 >0)
3       return x / 9
4     else
5       return fun (x / 9)
6     end if
7  end function fun ( )
```

- 1
- Infinite loop
- 0
- 5

Q3. What will be the output of the following pseudocode for x = 343?

[Note: mod finds the remainder after the division of one number by another. For example, the expression "5 mod 2" would evaluate to 1 because 5 divided by leaves a quotient of 2 and a reminder of 1].

```
1  Integer fun (Integer x)
2      if ((x MOD 10) EQUALS (x / 10))
3        return (x / 7)
4      else
5        return fun (fun (x/7))
6      end if
7  end function fun( )
```

- 49
- 1
- 7
- 0

Q4. What will be the output of the following pseudocode for x = 23 and y = 222?

Note:
1. ' << ' is the Left shift operator
2. '&' is bitwise AND, the output of the bitwise AND is 1 if the corresponding bits of has represents 1. It can be the result of the corresponding bit is evaluated to 0.
3. '^' is bitwise XOR, the result of the bitwise XOR operator is 1 if the corresponding bits of the operator.

```
1  Integer fun1 (Integer x, Integer y)
2   while (y NOT equals 0)
3     Integer c = x & y
4     x = x ^ y
5     y = c << 1
6   end while
7   return x
8  End function fun1()
```

245

22

2223

1022

Q5. What will be the output of the following pseudocode?

Note: The logical AND operator (&&) returns the Boolean value TRUE or and returns FALSE otherwise.

```
1  Integer x, y, 1, z
2  Set x = 11 , y = 10
3  y = y - 5
4  z = y = 3
5  1 = x AND z
6  Print z, 1
```

4 0

3 3

6 1

2 0

Q6. What will be the output of the following pseudocode for x = 108, y = 3 ?

```
1  Integer fun (Integer x, Integer y)
2     if (x > 1)
3        fun (x/y, y+3)
4        Print y
5     enf if
6  end function fun ()
```

12 9 6

9 6 3

0 6 36 108

6 12

Q7. What will be the output of the following pseudocode?

Note: subString (string, integer-1, integer-2) returns the substring from index equals integer-1 to index equals integer-2, e.g subString ("OkaY", 0,2) would return "Ok" lower(string) converts all the letters of the string to lower case, e.g lower("OkaY) would return "okay" upper(string) converts all the letters of the string to upper case, e.g upper("OkaY") would return "OKAY".

```
1  String str1 = "what" , str2 = "e"
2  Print subString (lower (str1+ upper(str2) + str 2 + str2 + str2) 1, 4)
```

- hta
- ath
- hat
- tah

Q8. What will be the output of the following pseudocode?

Note: >> - Bitwise right shift operator, takes two numbers, right shifts the bits of the first operand, and the second operand decides the number of places to shift.

```
1  Integer v, a, r
2  Set v = 5 , a = 64
3  r = a>>v
4  r = a - r
5  Print r
```

- 64
- 66
- 62
- 68

Q9. What will be the output of the following pseudocode?

```
1  char str[20]
2  Integer s
3  Set str = " ABCDEFGH "
4  s = string_length(str)
5  str[5] = NULL
6  s = strlen(str)
7  print s
```

- None of the mentioned options

6

4

5

Q10. What will be the output of the following pseudocode?

Note: &&-: Logical AND - The logical AND operator (&&) returns the Boolean value true(or 1) if both operands are true and return false (or 0) otherwise.

```
1 Integer p, q, r
2 Set p = 0, q = 3, r = 14
3 if (1< p && (q+p) >(p+q))
4    r = q + r
5 End if
6 print p + q + r
```

17

19

28

14

Q11. What will be the output of the following pseudocode?

Note: reverse(string) reverses the string, e.g. reverse ('okaY') returns 'Yako".

```
1 String str1 = "Start" , str2= "trast"
2 Print reverse(str2 + str1)
```

tratStsart

tratrat

tratstartt

tratStart

Q12. What will be the output of the following pseudocode?

```
1 Integer i
2 Set i = 0
3 Start : i= i + 12
4 Print i
5 if (i < 60)
```

```
6       goto Start
7   else
8       Print i + 1
9   end if
```

- 0 12 0 12 13
- 12 24 36 48 60 61
- 0 12 24 25
- 12 24 36 48 61

Q13. What will be the output of the following pseudocode?

```
1   Integer p , q
2   Set q = 280,p=0
3   for (each p from 1 to 4)
4       q = q / 10
5       p = p + q + 2
6   enf for
7   Print p
```

- 32
- 288
- 12
- 38

Q14. What will be the output of the following pseudocode?

Note: mod finds the remainder after the division of one number by another. For mod to 1 because 5 divided by 2 leaves a quotient of 2 and a reminder of 1.

```
1   For input a = 5 & b = 5.
2     function (input a, input b)
3     If (a < b)
4     return function (b, a)
5     elseif (b != 0)
6     return (a * function (a, b - 1))
7     else
8     return 0
```

15625

3125

625

525

Q15. What will be the output of the following pseudocode for the input pqr?

Note: Here NULL typically means the end of the string.

```
1  fun(char a )
2    if (a[0] EQUALS NULL)
3      Return
4    end if
5    fun(a + 1)
6    fun(a + 1)
7   Print (a[0])
8  end function fun
```

rrqrrqp

ppqqrr

rqppqr

None of the mentioned options.

Q16. How many frames will traverse the network if an application uses UDP to send an 8K byte message across an Ethernet?

8K/1600 bytes

4K/1500 bytes

8K/1500 bytes

4K/1600 bytes

Q17. What is true about VPN in Network security methods?

A tool that authenticates the communication between a device and a secure network

VPN creating a secure, encrypted "tunnel" across the open internet.

VPN typically based on IPsec or SSL

All of the mentioned options

Q18. From a given sales data if you select the bottom of the horizontal scroll bar?

1. Total order value
2. Average order value
3. Number of orders

1&3

1, 2 &3

2 only

None of the mentioned options

Q19. Tom notices that when he runs several programs simultaneously on his down considerably. What is the reason for this?

Poorly written programs

Low Monitor speed

Not enough space on the Hard Drive

Insufficient RAM

Q20. Identify the odd one out of the following terms stated below:

Hypertext

FTP

Segmentation

Internet

Q21. Which of the following keyboard shortcuts is used to insert a new slide?

- Ctrl + W
- Ctrl + N
- Ctrl + T
- Ctrl + M

Q22. Which of the following shortcut keys is used to highlight the entire column?

- Ctrl+enter
- Ctrl+page up
- Ctrl+ space bar
- Ctrl + c

Q23. Regarding computer storage, which of the following represents the smallest unit of measurement?

- Gigabyte
- Byte
- Megabyte
- Bit

Q24. By using which of the following features can you prevent invalid data from being entered into a cell?

- Data Validation
- Trace Precedents
- Hyperlinks
- Consolidate

Q25. Select the correct option for accept function for server calls

- newsock = accept(caddresslen: address: socket)

newsock = accept(caddresslen,caddress, socket)

newsock = accept(caddress, socket ,caddresslen)

newsock = accept(socket, caddress, caddresslen)

Q26. Which of the following is the correct method to find out the age of employees as on the current data from their dates of birth given in the records?

Basis should be considered actual.

=INT(YEARFRAC(Birthdate,Today( )))

=INT(YEARFRAC(Birthdate,Today( ),2)

=INT(YEARFRAC(Birthdate,Today( ),1))

=YEARFRAC(Birthdate,Today( ))

Q27. Which of the following mentioned physical topologies is used in Fiber Distributed Data Interface (FDDI) for a campus?

tree

ring

bus

star

Q28. If the formula or function contains invalid numeric values, then what type of Excel error will occur?

#VALUE! error

#NAME? error

error

#NUM! error

Q29. While working with worksheets and macros which of the following should be used to display visual basic editor?

Alt+F11

Alt+ PgDn

Alt+ Space bar

Alt+F8

Q30. Consider the given URL: **http/www.abc.org/rfc/rfc123.txt**

"http" of the given URL is called?

Protocol

Folder

Subdomain

Host

Answer Key & Solution

Section 1 - Aptitude

Q1

69

Solution

Average of 14 students= 71Total of 14 students= 14*71= 994Now after replacing wrong marks with actual marks, new average= 994-42-74+56+32= 966/14= 69.

Q2

21.33 cm^2

Solution

In triangle PQR, by using heron's formula

S = P + Q + R / 2

S = 6 + 8 + 12 / 2

= 26 / 2 = 13

S = 13

Area of the triangle PQR = sqrt (S (S - P) * (S - Q) * (S - R))

= sqrt (13 (13 - 6) * (13 - 8) * (13 - 12))

= sqrt (455)

Area of the triangle PQR = 21.33 cm^2

Q3

2(a + 3b)/5

Solution

Given $\log_n 48 = 4\log_n 2 + \log_n 3 = a$ and

$\log_n 108 = 2.\log_n 2 + 3\log_n 3 = b$

Let $\log_n 2 = X$ and $\log_n 3 = Y$

=> 4X + Y = a

2X +3Y = b

2 x (ii) - (i) gives

6Y - Y = 2b - a

Y = (2b - a)/5

Similarly, X = (3a - b)/10

$\log_n 1296 = 4(\log_n 2 + \log_n 3)$

= 4[(2b - a)/5 + (3a - b)/10]

= 4[(a + 3b)/10]

= 2(a + 3b)/5

Q4

$(22/7) \times (45)^2$ cm^2

Solution

We know that the perimeter of a Square = 4S

Where, S = Side of the square

⇒ 360 = 4S

⇒ S = 360/4 = 90 cm

The radius of the greatest circle inscribed in a square of side S, R = S/2 = 90/2 = 45 cm

Area of greatest circle, which can be inscribed in a square whose perimeter is 360 cm = $\pi R^2 = (22/7) \times (45)^2$ cm2

∴ Area of the greatest circle, which can be inscribed in a square whose perimeter is 360 cm =$(22/7) \times (45)^2$ cm2

Q5

40

Solution

Total factors = (2+1) * (3+1) * (4+1) = 3*4*5 = 60

Even factors = 2 * (3+1) * (4+1) = 2*4*5 = 40

Q6

124

Solution

x+y =18--------(i)
10x+3y =110----(ii)
3x+10y =?

(i) *3
=3x+3y=54
(ii)⇒10x+3y =110

7x =56
x=8
Substituting in (i) ,y=10
∴3x +10y =3(8) +10(10) =124

Q7

1

Solution

$R[a^n/b] = 1$ (when n is even and b-a = 1)

Thus, $R[27^{26}/28] = 1$

Q8

700

Solution

Let total number of apples= x

Sold= 40% of x

Remaining= 60% of x= 420

100% of x = **700**

x= 700

Q9

62

Solution

If we put 1 marble in the first box and the rest in the other, then the number of ways it can be done

$= {}^6C_1 \times {}^5C_5 = 6 \times 1 = 6$

If we put 2 marble in the first box and the rest in the other, then the number of ways it can be done

$= {}^6C_2 \times {}^4C_4 = 15 \times 1 = 15$

If we put 3 marble in the first box and the rest in the other, then the number of ways it can be done

$= {}^6C_3 \times {}^3C_3 = 20 \times 1 = 20$

If we put 4 marble in the first box and the rest in the other, then the number of ways it can be done

$= {}^6C_4 \times {}^2C_2 = 15 \times 1 = 15$

If we put 5 marble in the first box and the rest in the other, then the number of ways it can be done

$= {}^6C_5 \times {}^1C_1 = 6 \times 1 = 6$

The number of ways that 6 different marbles can be put in boxes of different sizes so that no box remain empty is = 6 + 15 + 20 + 15 + 6 = 62

Q10 $\frac{n-3}{2}$

Solution

For the counting of the number of events, think of it as a circular arrangement with n – 1 people (by considering the two specified persons as one). This will give you n (E) = (n - 2)! × 2!

∴ the required result = $\frac{2n-4-n-1}{2} = \frac{n-3}{2}$

Q11 20/39

Solution

No. of ways to select 2 members from a group of 13 = $13C_2$

No. of ways to select 1 member from a group of 5 = $5C_1$

No. of ways to select 1 member from a group of 8 = $8C_1$

The probability that one will be a mathematician and the other a physicist

= [(5C1 * 8C1) / 13C2] = 20 / 39

Q12 1000

Solution

If CP = 100 and MP = X

then, X × 0.95 – 33.33 = 100

=> X = Rs.140.35

If C.P = 100, Marked price = Rs.140.35.

If C.P = 712.5, Marked price = (140.35/100) × 712.5 = Rs.1000.

Q13 14.28%

Solution

Profit % = $\frac{Profit}{CP}*100$

CP = 2500+300 = 2800

SP = 3200

Profit = 3200-2800 = 400

Profit % = 400/2800 * 100 = 14.28%

Q14

-15

Solution

Let the first term be a and the common difference be d.

9 = 6/2 [2a + (6-1) × d]

9 = 3[2a + 5d]

2a + 5d =3 ----------(i)

And 6 =9/2 [2a + (9 -1)d]

Or, 6=9/2 [2a + 8d]

Or, 6/9 =a + 4d

3a + 12d = 2

From equs. (1) and (2)

eq 1*3, eq 2*2

6a + 15d = 9

6a + 24d = 4

9d = -5

d = -5/9

3a -12*5/9 = 2

9a - 20 = 6

a = 26/9

a = 26/9 and d = -5/9

S15 = 15/2 [2 × 26/9 + (15-1) × -5/9]

=15/2 [52/9 – 70/9]

=15/2 × -18/9

= -15

Q15

Rs.400 and Rs.500

Solution

Let A's income be = 4x

A's expenses, therefore = 4x–25

Let B's income be = 5x

B's expenses, therefore = 5x−50

We know that the ratio of their expenses = 5:6

⇒24x−150=25x−250

⇒ Therefore, x=100.

⇒A's income =4x=400

and B's income =5x=500.

Q16

4 : 5

Solution

Volume of milk in solution = x litres

Volume of water in solution = y litres

Milk = 0.9x

Water = 0.9y + 0.1(x+y)

0.9x/[0.9y +0.1(x+y)] = 2/3

x/y = 4/5

Q17

Rs.3,763

Solution

CI on 3rd year = CI for 3 years - CI for 2 years

= $25000[(1+12/100)^3-1] - 25000[(1+12/100)^2-1]$

= 3763.2

Q18

Rs 6000

Solution

No Solution

Q19

6.25

Solution

From the given data,

1M + 5W = 20 days

4M = 8 days

Hence,

20 Men + 100 Women= 32 Men

12 Men= 100 Women

3 Men= 25 Women

Lets take efficiency of Men= 25 units and efficiency of Women= 3 units

Now total work= 32 Men= 32*25= 800 units

Now combined efficiency of 5 Men and 1 Women= 5(25) + (3)= 128

Time taken will be 800/128= 6.25 days

Q20

5.28 minutes

Solution

Time taken to meet for the first time= 726/{(4.5 + 3.75)*5/18}= 316.8 seconds

Time(in Mins)= 316.8 / 60= 5.28 minutes

Q21

across

Solution

Across means on the other side of something, or from one side to the other of something which has sides or limits such as a city, road or river.

Q22

None of the these

Solution

Option (The population of Mumbai has increased, thus causing more and more areas to be populated.) strengthens the argument, as now there are more areas to cover for the BMC, which would possibly be difficult, without an adequate work force.

Option (The garbage from areas inhabited by the MLA's is promptly picked up, every day.) is a fact, and just because it is punctual in one area, does not mean that it is a reason for the lack of punctuality, in other areas. In fact, it could be because of the lack of workforce, that the punctuality is maintained in only one area. Hence, it could serve to strengthen the argument.

Option (The BMC sends four people in one truck to pick up the garbage.) is also just a fact, which does not serve to weaken or strengthen the argument.

Hence, option (none of these) is correct.

Q23

BACD

Solution

The choices indicate that 'B' or 'C' follows statement 1. The word 'such laws' is a descriptive word. Therefore, 'C' cannot follow 1. It must follow statement 'A'. Therefore, we look for an option starting with 'B' and where 'A' precedes 'C'. Choice (BACD).

Q24

obviously

Solution

Correct answer: Obviously

We can use obviously to introduce a fact that is obvious, easy to see or understand.

Q25

Mind you

Solution

mind you-used in speech to give stress to a statement that one is making so that a preceding or following statement will not be misunderstood.

Q26

A and B

Solution

Sentence A says flowers have always played a part. Hence the reference can't be to one religious ceremony, it must be 'ceremonies' (plural).

In sentence B, their perfumes have a distinct 'effect' (a change which is a result of an action), not 'affect' (have an effect on).

The other sentences C and D are grammatically correct

Q27

if not accompanied by corresponding increases in sales, can lead

Solution

if not accompanied by corresponding increases in sales, can lead- is the right answer

when not accompanied by corresponding increases in sales, possibly leads- is grammatically wrong as leads is simple present tense

when they were unaccompanied by corresponding sales increases, can lead- changes the meaning of the sentence

Q28

They asked me if I had visited London that summer.

Solution

Here, the given sentence is interrogative which can be answered in yes or no. So, 'if/whether' can be used in Indirect form. Note that interrogative sentences change to assertive while changing direct speech into indirect speech. Thus, 'had' will directly come after subject 'I'. Also, 'this' will be changed to 'that'.

Q29

costume

Solution

The word accouterments mean accessories or trimmings. Outfit refers to company, career refers to profession and behavior refers to

conduct. So the best answer is costume which means set of cloths or dress. Ans.(4)

Q30

confirmation

Solution

'Rebuttal' means to stay or prove that a statement or criticism is false. 'Repartee' means cleverness in reply. 'Repercussion' a movement back from an impact. 'Admonition' means cautionary advice about something dangerous. The appropriate antonym for it is 'confirmation'.

Q31

Rebut

Solution

Rebut means to provide some evidence or argument that refutes or opposes.

Q32

The garbage was first sun dried for one to three days to bring down the moisture level.

Solution

Here in the question,the subject is "they" and the object is "garbage"

When the voice is changed from active to passive the following rule is applied.

use 'the garbage' as subject of the passive voice and use structure "auxiliary + past participle".

The right answer is "The garbage was first sun dried for one to three days to bring down the moisture level."

Q33

Q

Solution

No Solution

Q34

Grandson

Solution

'Man's son's sister' means 'the man's daughter'.

So, the man's daughter is Smitha's mother-in-law.

So, the woman's husband is the grandson of the man.

Q35

Saturday

Solution

94 days = 13*7 + 3 days

So 94 days after today will be 3 days after Wednesday, i.e. Saturday.

Q36

1:51 pm on Thursday

Solution

The clock was 7 minutes late at 3 pm on Wednesday and 8 minutes ahead at 4 pm on Friday

Thus, the clock has gained 15 minutes in :

9 (from Wednesday after 3 pm) + 24 (complete Thursday) + 16 (12 am to 4 pm on Friday) = 49 hours

So 7 minutes will be gained in (49 × 420 /900)= 22.86 hours

we have 0.86 hours = 0.86 × 60 = 51 min

Thus the clock will show the correct time at near about 1:51 pm on Thursday.

Q37

Sunk

Solution

On the basis of I^{st} and IInd equations "students" = DIN

On the basis of IInd and IVth equations "is" = DINK

So Putting these two values into equation IInd

we get the code for Arjun as SUNK.

Q38

1

Solution

Now, this is a peculiar type of flattened cube. However, the rules to solve the questions remain the same. Now, if you want to find the face that is opposite to the face with 2, you should consider it as the base. So, the top face (opposite face) will be the 1.

Q39

If the data either in statement I alone or in statement II alone are sufficient to answer the question

Solution

No. of children can be calculated from I as 12+8+4 = 24

No. of children can be calculated from I as 7+17 = 24

So either statement is sufficient.

Q40

If the data either in statement I alone or in statement II alone are sufficient to answer the question.

Solution

Area = 1600 m^2.

I. Side = √1600 m = 40 m. So, perimeter = (40 * 4) m = 160 m.


∴ I alone gives this answer.

II. Perimeter = Total cost/Cost per meter=3200/20 m=160 m.

∴ II alone gives the answer.

Q41 3.8 kms

Solution



Q42 79

Solution

4 × 2 + 3 = 11

11 × 2 – 3 = 19

19 × 2 + 3 = 41


41 × 2 – 3 = 79

79 × 2 + 3 = 161

Q43 Only statement I

Solution

From statement I:
All road is child. Some child is toy. All toy is ring. No toy is house.



Conclusions:
I. Some road is house is a possibility – It is possible. Hence, it follows.
II. Some child is not house – It is definite. Hence, it follows.
Hence, statement I follows.

Q44 5

Solution

The two symbols at the bottom; in the middle and at the top interchange positions in subsequent steps. Each of the other, four symbols moves one step anti-clockwise. So, in figure (5), the 'x' and '=' signs should interchange positions.

Ans.(5)

Q45. The functions of the police

Solution

"he functions of the police" is a suitable title since in the passage, it depicts the functions

nd duties of the force.

Q46. To maintain peace during extraordinary circumstances.

Solution

From the passage, it is clear that the function of the military is to maintain peace during extraordinary circumstances and it is not the function of the police.

Q47. Law ensures people's religious and social rights absolutely and unconditionally

Solution

All the other options are mentioned in the passage except the option (Law ensures people's religious and social rights absolutely and unconditionally).

Q48. usual practices and religious rites

Solution

Here in the passage, "customs and ceremonies" depicts the usual practices and religious rites of communities and castes.

Q49. avail

Solution

avail-get

Q50. undertake

Solution

undertake means take on. The sentence talks about beginning a responsibility by the use of the technology mentioned. Hence the right word to fit in the blank is undertake

Q51. secure

Solution

secure is the right answer as the person using banking services will look for security of data and money

Q52. Retrieved

lution


:trieved- find or extract something

ere the sentence talks about how data is found and extracted from internet.

:trieved is the right answer


Q53. 28

Solution



Q54. 878


Solution



Required number of rivers = 268 + 152 + 33 + 72 + 28 + 122 + 203 = 878


Q55. 72

Solution



Q56. 152

Solution



Q57. Q

Solution

Case-2						
Person[Row-2] South	S	T	P	Q	R	U
Person[Row-1] North	C	F	A	E	B	D

Q is sitting opposite to E.

Q58. QT

Solution

Case-2						
Person[Row-2] South	S	T	P	Q	R	U
Person[Row-1] North	C	F	A	E	B	D

Q59. D

lution

Case-2						
Person[Row-2] South	S	T	P	Q	R	U
Person[Row-1] North	C	F	A	E	B	D

fter arranging row 1 in alphabetical order, D faces Q.

Q60. None

Solution

Case-2						
Person[Row-2] South	S	T	P	Q	R	U
Person[Row-1] North	C	F	A	E	B	D

None will remain same after alphabetical arrangement in row 1.

Section 2 - Pseudocode and Computer Fundamentals

Q1 None of the mentioned options

Solution

When fun(4,2) => 4>1 so if block executes and call fun(2,4).

When fun(2,4) => 2>1 so if block executes and call fun(0,6).

When fun(0,6) => 0>1 (false) so print statement executes and print 6. Then function call backtrack to fun(2,4) and executes print statement and print 4.

Then again function call backtrack to fun(4,2) and executes print statement and print 6. So output is 6 4 2.

Q2 5


Solution

When x=45 :

fun(45) => (45 % 6) % 2 = 1 (which is greater than 0) so function returns 45/9 => 5.

Q3 0

Solution



Q4

245

Solution

When fun1(23,222) inside while loop:

Iteration 1: x=201, y=44

Iteration 2: x=229,y=16

Iteration 3:x=245,y= 0 (y becomes 0 so loop stops)

So prints 245.

Q5

3 3

Solution

Initially x = 11 , y = 10 then z and y updated with 3. l=1 because both x and z are non zero. So output is 3 1.

Q6

9 6 3

Solution

No Solution

Q7

hat

Solution

String1= what

String2=e

String2 appended 4 times i.e whateeee. Then substring(1,4) => hat (from index 1 to 3)

Q8

62

Solution

Initially v = 5 ,a = 64 , r = 64>>5 => 2

Then r =64-2 => 62.

Q9

5

Solution

Null is considered as the end of the string.

Q10

17

Solution

Initially p = 0, q = 3, r = 14.If condition gets failed so 0+3+14=>17.

Q11

tratStsart

Solution

Concatenate String= "trastStart" ,

Reversed String => tratStsart

Q12

12 24 36 48 60 61

Solution

Each time i value increments by 12 and gets printed. Once it reaches 60 it gets printed in line 4 and executes else block and increment by 1 i.e 61. So output is 12 24 36 48 60 61.

Q13

38

Solution

Initially q=280 and p=0.

When i=1 , q=28 and p=30

When i=2 , q=2 and p=34

When i=3 , q=0 and p=36

When i=4 , q=0 and p=38. When i=5 loop terminates and prints 38.

Q14

3125

Solution

function(5,5) will return 5 x function(5,4)

function(5,4) will return 5 x 5 x function(5,3)

function(5,3) will return 5 x 5 x 5 x function(5,2)

function(5,2) will return 5 x 5 x 5 x 5 function(5,1)

function(5,0) will return 5 x 5 x 5 x 5 x 5 = 3125

Q15

rrqrrqp

Solution

Initially a=pqr.

In fun(pqr) : len(pqr)>0 so fun(qr) called.

In fun(qr) : len(qr)>0 so fun(r) called.

In fun(r) : len(r)>0 so fun(empty string) called.

In fun(empty string) : len(qr)==0 so return nothin.

Then function call backtrack to fun(r) and again executes next line i.e. fun(r)

In fun(r) : len(r)>0 so fun(empty string) called.

In fun(empty string) : len(qr)==0 so return nothin.

Then function call backtrack to fun(r) and prints r. The same process repeated and prints rrqrrqp.

Q16

8K/1500 bytes

Solution

No Solution

Q17

All of the mentioned options

Solution

No Solution

Q18

1&3

Solution

No Solution

Q19

Insufficient RAM

Solution

Nonresponsive programs and apps may indicate insufficient RAM.

Q20 Segmentation

Solution

No Solution

Q21 Ctrl + M

Solution

No Solution

Q22 Ctrl+ space bar

Solution

Ctrl + Space is used for highlighting the entire column.

Q23 Bit

Solution

Bit is the smallest memory unit

Q24 Data Validation

Solution

No Solution

Q25 newsock = accept(socket, caddress, caddresslen)

Solution

No Solution

Q26 =INT(YEARFRAC(Birthdate,Today( )))

Solution

=INT(YEARFRAC(Birthdate,Today( ))) is the appropriate method for this function.

Q27 ring

Solution

Fiber Distributed Data Interface (FDDI) is usually implemented as a dual token-passing ring within a ring topology (for campus networks) or star topology (within a building).

Q28 #NUM! error

Solution

#NUM! error happens for the invalid numerical values.

Q29 Alt+F11

Solution

The easiest way to open the Visual Basic editor is to use the keyboard shortcut – ALT + F11

Q30 Protocol

Solution

No Solution