SOFTWARE FUNDAMENTALS

Check Your Understanding (Introduction to Alogorithms,Flowcharts & Psuedocode

1. Which of the following represents the correct sequence for the given pseudo-code?

BEGIN

END

- DECLARE variables – number1, number2, result
  result <- number1 * number2
  READ number1 and number2
  PRINT result
- DECLARE variables – number1, number2, result
  READ number1 and number2
  PRINT result
  result <- number1 * number2
- READ number1 and number2
  DECLARE variables – number1, number2, result
  result <- number1 * number2
  PRINT result

t.me/accenture_updates

- **DECLARE variables – number1, number2, result**
  READ number1 and number2
  result <- number1 * number2
  PRINT result

2. Expression is a combination of _____, _____ and _____

Select one or more:

- [ ] functions
- [x] **operators**
- [x] **variables**
- [x] **constants**
- [ ] keywords

3. Identify the meaningful variable names which can be used?

Select one or more:

- [ ] 1num
- [x] **user1**
- [x] **$register_number**
- [ ] user name

4. Rearrange the pseudo-code for multiplying two given numbers, Choose the correct option from the below.

1 BEGIN

2 result <- number1 * number2

3 PRINT result

4 READ number 1 and number 2

t.me/accenture_updates

5 DECLARE variables – number1, number2, result

6 END

- 1 4 5 2 3 6
- **1 5 4 2 3 6**
- 1 5 4 3 2 6
- 1 4 5 3 2 6

5. Match the appropriate Flowchart symbols with its purpose.




Answer 1 Flow direction



Answer 2 Input/output



Answer 3 Connector



Answer 4 Decision making



Answer 5 Process



Answer 6 Start/Stop

t.me/accenture_updates

6. Examine the correct logic with their descriptions

```
BEGIN

        DECLARE
radius,circumference

        READ radius

        circumference <----
2*3.14*radius

        PRINT circumference

END
```

Answer 1

calculating the perimeter of a circle

```
BEGIN

        DECLARE mark1, mark2,
mark3, average

        READ mark1, mark2, mark3

        average <-
(mark1+mark2+mark3)/3

        PRINT average

END
```

Answer 2

finding the average mark of three subjects

```
BEGIN

        DECLARE principal,
```

Answer 3

calculating simple interest problem

t.me/accenture_updates

```
number_of_years,
rate_of_interest,result

        READ principal,
number_of_years, rate_of_interest

        result <---(principal*
number_of_years*,
rate_of_interest)/100

        PRINT result

END
```

7. Match the symbols and flowchart to its appropriate functionality


Diamond	Answer 1	Decision making
Parallelogram	Answer 2	Input/output
Rectangle	Answer 3	Process

8. Choose the correct arrangement of mathematical symbols to make the equation true.

- 600 [+] 400 [-] 800 [×] 300 [/] 200 = 200
- 600 [-] 400 [+] 800 [/] 300 [×] 200 = 200
- 600 [/] 400 [+] 800 [-] 300 [×] 200 = 200
- **600 [×] 400 [/] 800 [-] 300 [+] 200 = 200**

t.me/accenture_updates

9. Flow chart for adding numbers



Is the given flowchart correct?Select one:

- The symbol for process is incorrect
- The symbol for start/stop is incorrect
- The flowchart has no error
- **The symbol for reading input from the user is incorrect**

10. Arrange the words given below in a meaningful sequence.

1. Word 2. Paragraph 3. Sentence 4. Letters 5. phrase

Select one:

- 4,1,5,2,3
- 4,1,3,5,2
- 4,2,5,1,3
- **4,1,5,3,2**

t.me/accenture_updates

11. Stephany is learning to draw a flowchart to calculate the area of a circle. Select the appropriate option that would fit into the process section of the flow chart?

Select one:

- Print the area
- **Area=3.14*radius*radius**
- Check if radius has positive value
- Read the value of radius

12. An algorithm described in the form of programming language is Pseudo code

13. Which of the following represents the correct sequence for the given algorithm?

- Get the two numbers.
  Start
  Add the two numbers and store the result in sum.
  Display the sum value.
  Stop
- Start
  Get the two numbers.
  Display the sum value.
  Add the two numbers and store the result in sum.
  Stop
- **Start**
  Get the two numbers.
  Add the two numbers and store the result in sum.

t.me/accenture_updates

Display the sum value.

Stop

- Start
  Add the two numbers and store the result in sum.
  Get the two numbers.
  Display the sum value.
  Stop

14. Which of the following represents the correct sequence for the given pseudo-code?

BEGIN

[1] READ mark1, mark2, mark3, mark4, mark5

[2] PRINT average

[3] total < mark1 + mark2 + mark3 + mark4 + mark5

[4] average < total / 5

[5] DECLARE mark1, mark2, mark3, mark4, mark5, total, average

END

- 5 1 4 3 2
- 1 5 4 3 2
- 1 5 3 4 2
- **5 1 3 4 2**

15. Choose the correct and meaningful pseudo-code to add two numbers?

t.me/accenture_updates

Select one:

- Start the process
  READ a,b
  ADD a,b and store it in sum
  Display sum
  Stop
- BEGIN
  READ a, b
  sum=a+b
  PRINT sum
  END
- BEGIN
  READ a, b
  sum=add(a,b)
  DISPLAY sum
  END
- **BEGIN**
  DECLARE number1,number2,sum
  READ number1,number2
  sum<----number1+number2
  PRINT sum
  END

Selection Statements - Crack the puzzles

t.me/accenture_updates

1. Assume, there are four boys sitting on a sofa. Mithran is to the left of Anwar. Babu is to the right of Anwar. Edwin is between Anwar and Babu. Who would be second from the left in the photograph?Select one:

- Anwar
- **Edwin**
- Mithran
- Babu

2. Pointing to a photograph of a boy Mathew said, "He is the son of the only son of my mother." How is Mathew related to that boy?Select one:

- Uncle
- Cousin
- **Father**
- Brother

3. Analyze the statements.

i)Danny is younger than Edwin

ii)Christine is younger than Danny.

iii)Christine is older than Edwin.

If the first two statements are true, the third statement is

Select one:

- **False**
- uncertain
- True

Pseudocode Using Selection Statements - Quiz

t.me/accenture_updates

1. Silvester and Tweety are friends. Bender was one of the Silvester's enemy. One day Silvester and Tweety went on to a trip. Bender planned to kidnap Tweety.. He kidnapped and kept her in one of the hot balloons tied up to a height. There were 50 hot balloons numbered from one. Each balloon will fly to a certain height. Only the numbers having both 3 and 7 as its factors can fly upto the height of the Tweety's balloon. Silvester was confused and he didn't know which numbered balloon can fly to Tweety. (Note: If balloon number is greater than 50, or balloon number less than 1, then it should display invalid balloon number)


Eg: Balloon's number:**42**

This balloon can fly to Tweety.

Eg:Enter the Balloon's number:**24**

This balloon cannot fly to Tweety.

Pseudocode :



t.me/accenture_updates

2. Choose the correct pseudocode for the below problem statement.

Problem Statement :

Hide and Seek

One day, Bunny and his friends were playing hide and seek in the forest. Tom went along to hide. He finds an abandoned bag containing a board(8x8) game in a cave. He gets excited and starts playing the game only to realizes that it's magical. He has three chances to roll the dice. Each turn's outcome will lead into a new surrounding and some would be dangerous. If the outcome of rolling dices is in multiples of 3 then he will be caught in a dangerous phase.

Note if any one outcome is multiple of 3, then tom is in danger.

(If the outcome of rolling dices is either 0 or less than that you should tell Tom as "Invalid Turn".)

Example :

Enter value of turn 1

10

Enter value of turn 2

5

Enter value of turn 3

2

Tom is safe

Example :

Enter value of turn 1

12

Enter value of turn 2

t.me/accenture_updates

5

Enter value of turn 3

2

Tom is in danger

BEGIN

```
DECLARE variables  turn1,turn2,turn3
READ turn1, turn2, turn3
IF turn1>0 AND turn2>0 AND turn3>0 THEN
ELSE
PRINT "Tom is Safe"
IF turn1%3==0 OR turn2%3==0 OR turn3%3==0 THEN
PRINT "Tom is in Danger"
END IF
ELSE
   PRINT "Invalid turn"
END IF
END
```

BEGIN

```
DECLARE variables  turn1,turn2,turn3
READ turn1, turn2, turn3
PRINT "Tom is in Danger"
IF turn1>0 AND turn2>0 AND turn3>0 THEN
ELSE
PRINT "Tom is Safe"
IF turn1%3==0 OR turn2%3==0 OR turn3%3==0 THEN
END IF
```

t.me/accenture_updates

```
ELSE
   PRINT "Invalid turn"
END IF
END
```

- **BEGIN**

```
DECLARE variables  turn1,turn2,turn3
READ turn1, turn2, turn3
IF turn1>0 AND turn2>0 AND turn3>0 THEN
IF turn1%3==0 OR turn2%3==0 OR turn3%3==0 THEN
PRINT "Tom is in Danger"
ELSE
PRINT "Tom is Safe"
END IF
ELSE
   PRINT "Invalid turn"
END IF
END
```

Selection Statements-Check Your Understanding

1.A computer program must either use conditional statements or looping statements or sequential statements to solve a problem. All of them must not appear in the same program. State true/ false.

Select one:

- True
- **False**

t.me/accenture_updates

2. From the option, find the correct pseudo-code to find the greatest of three numbers

Select one:

BEGIN
DECLARE variables a,b,c
READ a,b,c
    IF a>c
        PRINT “a”
    ELSE
        PRINT “c”
    ELSE IF b>c
        PRINT “b”
    ELSE
        PRINT “c”
END

BEGIN
DECLARE variables a, b, c
READ a, b, c
IF a<b
    IF a<c
        PRINT “a”
    ELSE
        PRINT “c”
    ELSE IF b<c
        PRINT “b”
    ELSE
        PRINT “c”
END

BEGIN
DECLARE variables a,b,c

t.me/accenture_updates

```
READ  a,b,c
      IF a>b
                  IF a>c
                              PRINT “a”
                  ELSE
                              PRINT “c”
      ELSE IF b>c
                  PRINT “b”
      ELSE
          PRINT “c”
END
```

3. If there are 6 chocolates and you take away 4, how many do you have?

Select one:

- None
- 2
- **4**
- 6

4. _____must be used when a set of statements needs to be executed only if a condition is met.

Select one:

- Either selection or looping statements
- **selection statements**
- Looping statements

5. Manual execution of the steps in the algorithm is called as _____

t.me/accenture_updates

Select one:

- Execution
- Simple Run
- compiling
- **Dry run**

6. Which of the following is not a keyword used in a pseudo-code

Select one:

- **Start**
- End if
- static
- Read

7. Which of the keyword is used to close the IF block, while writing a pseudo-code?

Select one:

- **End if**
- Else if
- End
- Else

8. Arrange the pseudo-code logic for checking a number divisible by 5 or 11.

- BEGIN
- DECLARE number
  READ number
- IF number%5==0
- THEN
  PRINT “number divisible by 5”

t.me/accenture_updates

- ELSE IF number%11==0
- THEN
  PRINT “number divisible by 11”
- ELSE
  PRINT ““number not divisible by 5 or 11”
- END IF
- END

9. Consider the pseudo-code snippet. What output do you think the snippet will produce if the sample input for number is 3?

```
BEGIN
DECLARE number
READ number
IF number>=0
        IF number == 0
                PRINT “Zero”
        ELSE
                PRINT “Three”
ENDIF
PRINT “No Value”
END
```

Select one:

- Zero Three No value
- **Three No value**
- Zero Three
- Zero No value

t.me/accenture_updates

10. When a single if-else logic is used, how many possible choices can be there?Select one:

- 3
- **2**
- 0
- 1

11. What do you infer from this statement?

“Only if Alvin is happy, then he does not go to work.”

Select one:

- Alvin is not happy and he does not go to work
- Alvin is happy and he goes to work.
- **Alvin is not happy and he goes to work.**
- Alvin is happy and he does not go to work

12. READ age

IF age>18

THEN

PRINT “Eligible to vote”

ENDIF The given pseudo-code snippet is an example for_____

Select one:

- **Simple If logic**
- Else if ladder logic
- Sequence Logic
- Nested if logic

t.me/accenture_updates

13. Try some!!!

If a doctor gives you 3 pills and tells you to take one pill every half hour, how long would it take before all the pills had been taken?

Select one:

- 2 hours
- 3 hours
- **1 hour**
- 1 and half hour

14. By default, the flow of a program is_____

Select one:

- **top to bottom**
- bottom to top
- iterative
- conditional

15. Identify the correct pseudo-code logic for checking a number divisible by 5 or 11.

- DECLARE number

  IF number%5==0

  THEN

  PRINT “number divisible by 5”

  ELSE IF number%11==0

  THEN

  PRINT “number divisible by 11”

  ELSE

  PRINT “number not divisible by 5 or 11”

  END IF

t.me/accenture_updates

READ number

BEGIN

- **BEGIN**
  DECLARE number
  READ number
  IF number%5==0
  THEN
  PRINT “number divisible by 5”
  ELSE IF number%11==0
  THEN
  PRINT “number divisible by 11”
  ELSE
  PRINT “number not divisible by 5 or 11”
  END IF
  END
- DECLARE number
  READ number
  IF number%5==0
  THEN
  PRINT “number divisible by 5”
  ELSE IF number%11==0
  THEN
  PRINT “number divisible by 11”
  ELSE
  PRINT “number not divisible by 5 or 11”
  END
  BEGIN
- DECLARE number
  READ number

t.me/accenture_updates

```
IF number%5==0
THEN
PRINT “number divisible by 5”
ELSE IF number%11==0
THEN
PRINT “number divisible by 11”
ELSE
PRINT “number not divisible by 5 or 11”
END IF
```


16. You are returning home from a hotel. On the way, you find a sealed envelope in a street, fully addressed with unused stamps on it. What would you do???

Select one:

- Open the envelope, find out who has dropped it by mistake, and send it to him if possible.
- Leave the envelope there as it was and walk away
- Remove the unused stamps and destroy the envelope.
- **post it at the nearest mail box.**

17. Identify the logic which suits the flowchart

t.me/accenture_updates



Select one:

- Nested if
- Simple if
- **Else-if Ladder**
- if else

18. Which statement logic implements multiple-way selection?

Select one:

- Sequential
- Simple if
- If-else
- **Else if ladder**

19. Decision statements are also called as _____.

- Sequence logic
- Program logic

t.me/accenture_updates

- Iteration logic
- **Selection logic**

20. Go to statements in the algorithm is…

Select one:

- Used to apply decisions in a program
- Used in sequential arrangement of steps
- Used to iterate the sequence of steps
- **Used to alternate the flow of the program**

21. Choose the correct options to complete the pseudo-code and determine whether the number is positive, zero, or negative.

```
BEGIN
DECLARE number
READ number
IF _________
        PRINT “Number is positive”
IF _________
        PRINT “Number is zero”
IF _________
        PRINT “Number is Negative”
END IF
END
```

- number>0, number>0, number==0
- **number>0, number==0, number<0**
- number>0, number==0, number==0
- number<0, number>0, number==0

t.me/accenture_updates

Looping statements-Crack the Puzzles

1. Find out the logic of series and complete.

9 = 4, 21 = 9, 22 = 9, 24 = 10, 8 = 5, 7 = 5, 99 = 10, 100 = 7, 16 = ?

Select one:

- 6
- **7**
- 9

2. Match the following:

I am an odd number; take away an alphabet and I become even. What am I?	Answer 1: 7
Multiply me by myself and you will get the equivalent of adding me to myself.what am I?	Answer 2: 2
I am a number with a couple of friends, quarter a dozen, and you'll find me again. What am I?	Answer 3: 3

3. Take 1 away from me and you get a prime number; add 1 to me and you get twice that prime number.

Select one:

- 5
- **3**
- 6

t.me/accenture_updates

Pseudocode using Loops – Quiz

1. Select the appropriate code snippet for the given problem statement provided as pseudocode.

Problem Statement :
Strong number

Check if a given number is a strong number. 145 is a strong number because 1!+4!+5! = 145.

Sample Input :

145

Sample Output :

Strong number

Code:

```
BEGIN
DECLARE variables number, sum, temp, remainder, fact
READ number
SET sum=0, temp=number
remainder = number % 10
SET fact = 1
FOR i IN 1 to remainder DO
fact = fact *i
END FOR
sum = sum+ fact
number = number / 10
END WHILE
IF sum==temp THEN
PRINT "Strong number"
```

t.me/accenture_updates

ELSE

PRINT "Not a Strong number"

END IF

END

- WHILE number < 0
- **WHILE number != 0**
- WHILE number <= 0
- WHILE number == 0

2. Choose the pseudocode for the below problem statement.

Problem Statement :

Vehicle Registration

Mr.William buys a new Audi car. During the vehicle registration, he desires a fancy number in such a way that both the number and its reverse are the same.

Generate an algorithm to find that fancy number.

Sample Input :

1221

Sample Output :

Number is Fancy

- BEGIN

DECLARE variables number, reverse, rem, temp

READ number

SET reverse = 0, temp = number

WHILE number !=0 DO

t.me/accenture_updates

number = number/10
rem = number%10
reverse = reverse*10 + rem
END WHILE
IF temp == reverse THEN
PRINT "Number is Fancy"
ELSE
PRINT "Number is Not Fancy"
END IF
END

BEGIN
DECLARE variables number, reverse, rem, temp
READ number
SET reverse = 0, temp = number
WHILE number !=0 DO
rem = number%10
reverse = reverse*10 + rem
number = number/10
END WHILE
IF temp == reverse THEN
PRINT "Number is Fancy"
ELSE
PRINT "Number is Not Fancy"
END IF
END

BEGIN
DECLARE variables number, reverse, rem, temp
READ number
WHILE number !=0 DO
SET reverse = 0, temp = number
rem = number%10

t.me/accenture_updates

```
reverse = reverse*10 + rem
number = number/10
 END WHILE
IF temp == reverse THEN
PRINT "Number is Fancy"
ELSE
PRINT "Number is Not Fancy"
END IF
END
```

Looping Statements-Check Your Understanding

1. Match the appropriate opening and closing blocks in looping statements.

IF	Answer 1	END IF
BEGIN	Answer 2	END
WHILE	Answer 3	END WHILE
FOR	Answer 4	END FOR

2. Which looping logic is exit controlled?

Select one:

- While loop
- For loop
- **do-while loop**

t.me/accenture_updates

3. BEGIN

DECLARE variables i, factorial

SET factorial <-- 1

FOR i<--1 to 5 do

factorial <--factorial * i

i <-- i+1

END FOR

PRINT factorial

END

Which of the following statement should be inserted to complete the above pseudo code for finding factorial of 5 numbers.

4. Consider the output: “0, 2, 4, 6, 8 ,10 ,12, 16”

Which of the below given pseudo code snippet gives the above output?

Select one:

BEGIN
DECLARE number, count, even
SET count <-- 16, number <-- 0, even <-- 0
WHILE number<count
PRINT even
SET even <-- even + 2
Number <-- number+ 1
END WHILE
PRINT even
END

t.me/accenture_updates

BEGIN
DECLARE number, count, even
SET count <-- 8, number <-- 0, even <-- 0
WHILE number<count
PRINT even
SET even <-- even + 2
number <-- number + 1
END WHILE
PRINT even
END


BEGIN
DECLARE number, count, even
SET count <-- 8, number <-- 0, even <-- 0
WHILE number<count
PRINT even
SET even <-- even + 1
Number <-- number+ 1
END WHILE
PRINT even
END

BEGIN
DECLARE number, count, even
SET count <-- 8, number <-- 0, even <-- 0
WHILE number<count
PRINT even
SET even <-- even + 2
Number <-- number+ 2
END WHILE

t.me/accenture_updates

END

5. Predict the output of the given flowchart.



Select one:

- 2 2
- 2 1
- 1 1
- **1 2**

6. Iteration/looping is a repetition of_____

Select one or more:

- operation
- **Block of statements**
- variables
- **single statement**

t.me/accenture_updates

7. Do-while looping statement is almost same as_____

Select one:

- Nested if
- **While loop**
- for loop
- if-else

8. What is true about FOR LOOP?

Select one:

- For loop executes the statements at least once even if the condition is false
- **In for loop, the exact number of iterations is known**
- For loop executes the statement without checking the condition
- For loop cannot be nested

9. Jack wants to book flight tickets in Feather-Airways' online portal for his family of five. Passenger details like name, age, gender etc. should be entered for each member. The same process of getting details continues for all the five members. The above scenario is a good example for which looping statements?

- Do-while loop
- **For loop**
- While loop

10. What will be the output for WHILE loop?

BEGIN

DECLARE number

SET number <-- 30

t.me/accenture_updates

```
WHILE number>0
        number <-- number-4
END WHILE
PRINT number
END
```

Select one:

- 4
- 0
- 2
- **-2**

11. What is the output for FOR-loop snippet?

```
FOR i <--1 to 15
        PRINT i
        i <-- i+3
END FOR
```

Select one:

- **1 4 7 10 13**
- 4 7 10 13 16
- 4 7 10 13
- 1 4 7 10 13 15 16

12. Which of the following symbols is inappropriate in building the flowchart pertaining to sequential flow of program?

Select one:

- oval
- rectangle
- **diamond**

t.me/accenture_updates

- parallelogram

13. The statement / statements within the loop must get executed at least once except for do-while statement. State True/False.

Select one:

- True
- **False**

14. Which of the following statements are true with respect to looping statements?

Select one or more:

- **the condition under which the iterative process should get terminated must be given**
- **initial condition must be applied before the loop begins to execute**
- A loop should run infinite number of times
- conditional statements are not allowed within a loop

15. Which of the following statements are true?

Select one or more:

- The operand in an expression must always be a variable.
- **An operand is a mandatory element in an expression**.
- The operand in an expression must always be a constant.
- **The operand in an expression can be a variable or a constant.**

16. Consider you have a Rubik cube with different colors in each face. To solve this cube, you will continue to rotate the sides until

t.me/accenture_updates

you reach same colors in all faces. This is a real time example for which looping statements?

Select one:

- For
- **While**
- Nested-if
- Do-while

17. DOWN:

1) Step by step list of instructions

4) When you know the exact number of iterations, this loop is used

Across:


2)When a process/set of actions is to be repeated, these statements are

used.

3) In looping, Each execution of a statement/block of statements is


technically termed as_____

5) This loop statement is also called as exit-controlled loop



t.me/accenture_updates

18. Identify the logic which suits the flowchart?



Select one:

- nested loop
- Do-while loop
- **While loop**
- for loop

19. It's Halloween. You go from house to house, tricking or treating. You get 2 candies from each house that you go to. You must return home once you collect 100 candies. Can you arrange the sequence for this loop activity.

1 BEGIN

2 SET candy count <- 0

3 END WHILE

4 DECLARE candy_count

5 WHILE candy_count<=100

6 candy count <- candy_count+2

t.me/accenture_updates

7 END

- 1 4 5 2 3 6 7
- 1 2 4 3 6 5 7
- 1 4 2 3 6 5 7
- **1 4 2 5 6 3 7**

20. Looping statements are also called _____

- Selection logic
- Sequence logic
- Program logic
- **Iteration logic**

Arrays-Crack the puzzles

1. A farmer has 17 sheep and all but nine die. How many are left?

Select one:

- 8
- 17
- **9**

2. In a year, there are 12 months. Seven months have 31 days. How many months have 28 days?

Select one:

- 6
- **12**
- 5

t.me/accenture_updates

3. What is the next letter in the following sequence? J,F, M, A, M, J, J, A, __.

Select one:

- O
- **S**
- N

Pseudocode using Arrays – Quiz

1. Select the appropriate code snippet for the given problem statement provided as pseudocode.

Problem Statement :

Dinner Plan

Five friends plan to go out for dinner. They plan to order equal number of dishes. Each row specifies individual cost. Find the total amount each person needs to pay.

Assume the values for this matrix for 3 dishes are

12 23 18

45 32 60

42 39 23

54 42 60

25 84 30

The output will be

Amount to be paid by person 1 is 53

Amount to be paid by person 2 is 137

Amount to be paid by person 3 is 104

Amount to be paid by person 4 is 156

Amount to be paid by person 3 is 139

t.me/accenture_updates

Explanation : Output is the sum of each row

Code:

```
BEGIN
DECLARE variable arr[5][20], n, sum=0
_____________________
   FOR j IN 0 to n-1 DO
READ arr[i][j]
END FOR
END FOR
FOR i IN 0 TO 4 DO
SET sum = 0
FOR j IN 0 TO n-1 DO
sum = sum + arr[i][j]
END FOR
PRINT "Amount to be paid by person "+(i+1)+" is "+sum
END FOR
END
```

- FOR i IN 0 to 3 DO
- **FOR i IN 0 to 4 DO**
- FOR i IN 0 to n DO
- FOR i IN 0 to 5 DO

2. Choose the correct pseudocode for the below problem statement.

Problem Statement :

Find Maximum value

t.me/accenture_updates

Choose a pseudo code to find the maximum values in each row of a matrix. Assume it is a 3x3 matrix.

Explanation : Matrix will be with index

(0,0) (0,1) (0,2)

(1,0) (1,1) (1,2)

(2,0) (2,1) (2,2)

Assume the values for this matrix are

12 23 18

45 32 60

42 39 23

The output will be

Max value in row 1 is 23

Max value in row 2 is 60

Max value in row 3 is 42

BEGIN

```
DECLARE variable arr[3][3]
FOR i IN 0 to 2 DO
  FOR j IN 0 to 2 DO
END FOR
END FOR

FOR i IN 0 TO 2 DO
READ arr[i][j]
SET max = arr[i][0]
FOR j IN 0 TO 2 DO
```

t.me/accenture_updates

```
IF arr[i][j]>max THEN
max = arr[i][j]
END IF
END FOR
PRINT "Max value in row "+(i+1)+" is "+max
END FOR
END
```

```
BEGIN
DECLARE variable arr[3][3]
FOR i IN 0 to 2 DO
  FOR j IN 0 to 2 DO
READ arr[i][j]
END FOR
END FOR
FOR i IN 0 TO 2 DO
SET max = arr[i][0]
FOR j IN 0 TO 2 DO
IF arr[i][j]>max THEN
max = arr[i][j]
END IF
END FOR
END FOR
PRINT "Max value in row "+(i+1)+" is "+max
END
```

BEGIN
DECLARE variable arr[3][3]
FOR i IN 0 to 2 DO
** FOR j IN 0 to 2 DO**

t.me/accenture_updates

READ arr[i][j]
END FOR
END FOR
FOR i IN 0 TO 2 DO
SET max = arr[i][0]
FOR j IN 0 TO 2 DO
IF arr[i][j]>max THEN
max = arr[i][j]
END IF
END FOR
PRINT "Max value in row "+(i+1)+" is "+max
END FOR
END

BEGIN
DECLARE variable arr[3][3]
FOR i IN 0 to 2 DO
FOR j IN 0 to 2 DO
READ arr[i][j]
END FOR
END FOR
SET max = arr[i][0]
FOR i IN 0 TO 2 DO
FOR j IN 0 TO 2 DO
IF arr[i][j]>max THEN
max = arr[i][j]
END IF
END FOR
PRINT "Max value in row "+(i+1)+" is "+max

t.me/accenture_updates

END FOR

END

Arrays-Check Your Understanding

1. A mathematical quiz context happened in a school and the scores are stored in an array named quizmark. The coordinating person wants to copy the quiz score into another array named copyquizmark. Which of these options will do that?

Select one:

- We cannot copy the values from one array to another.
- **FOR index <- 0 to n**
  copyquizmark[index] <- quizmark[index]
  index <- index+1
  END FOR
- copyquizmark[n] <- quizmark[n]
- copyquizmark <- quizmark

2. Assume,

number[100] <- 99.

How many elements can be stored inside the array variable number?

Select one:

- 99
- 100
- **The statement gives no clue about the number of elements that can be stored**
- Infinite number of elements

t.me/accenture_updates

3. Map the scenario to its appropriate array type

Matrix multiplication — 2D ARRAY

To create a list of all prime numbers below 100 — 1D ARRAY

4. Which of the following are False with respect to the manipulation of arrays?

Select one or more:

- [ ] An array can store homogeneous data.
- [x] **An array can store heterogeneous data**
- [ ] Elements of array are stored in contiguous memory
- [x] **It is possible to increase the size of the array**

5. Negative elements can be placed inside an array. State true / false

Select one:

- (•) **True**
- ( ) False

6. The names of all associates undergoing training are stored in an array named associate_name[50]. The 5th associates' name is retrieved as

Select one or more:

- [ ] associate_name[5]
- [ ] associate_name[6]
- [x] **associate_name[4]**
- [ ] associate_name[3+1]

t.me/accenture_updates

7. Information about _____ need not be specified when declaring an array

Select one:

- the data type of the array
- the name of the array
- the index of the array
- **the elements to be stored in the array**

8. It is not possible to do a search operation in an array that is not sorted. State True/False.

Select one:

- True
- **False**

9. **Question text**

The operation of ordering the elements in the list is known as Sorting .

10. Random access is not possible in an array. State True/False

Select one:

- True
- **False**

11.**Question text**

Index is used to locate an element in an array.

t.me/accenture_updates

12. Assume you have an array named numbers of size 10.

Which of the assignment is valid?

Select one or more:

- [x] **numbers[9] <- 5**
- [ ] numbers[11] <- 6
- [ ] numbers[10] <- 11
- [x] **numbers[0] <- 10**

13. Which of the following statements is correct with respect to arrays?

Select one:

- Elements in an array are arranged in descending order by default
- **Elements in an array are arranged contiguously.**
- Elements in an array are arranged in ascending order by default

14. **Question text**

Expression within [ ] should always resolve to a positive number

15. Consider you buy a laptop. You want to store the details of that laptop such as price,

model_name,model_number, warranty_period into a single array named details[10]. Is ths possible?

Select one:

- Yes

t.me/accenture_updates

- **No**

16. **Question text**

List of songs stored in your mobile phone is a good example for

single-dimensional arrays

17. Consider you want to compare the prices of redmi , sony, samsung phones in three online sites like amazon,flipkart,ebay.

Which array type is best suitable to do this comparision?

Select one:

- one-dimensional array
- **two-dimensional arrays**
- three-dimensional arrays

18. It is possible to traverse through an array from the first position to the last and not vice versa. State true or false.

- True
- **False**

19. An Array consists of rows and columns is also called as_____

- **Two-dimensional array**
- one-dimensional array
- Three dimensional array

20. Choose the correct Pseudo code to store names in an array and display a name.

t.me/accenture_updates

BEGIN
INPUT name
DECLARE name [20]
END
PRINT name

BEGIN
INPUT name
DECLARE name [20]
PRINT name
END

BEGIN
INPUT name
PRINT name
DECLARE name [20]
END

BEGIN
DECLARE name [20]
INPUT name
PRINT name
END

Software Engineering Fundamentals-PreQuiz

1. ABC company comes to the Allen Software Company with various requirement. The client wants the functionality to view all

t.me/accenture_updates

the employee profile, view salary information of the employee and view the leave details.Once each functionality is completed the module will be delivered to the client. Which would be the right model for this scenario. Select one:

- Throwaway prototyping model
- Spiral model
- **Incremental model**
- Scrum

2. A client wants to develop a Web application for the new Super market store. The client want to have lot of UI components and customers will have lot of interactions with the UI. What model is best suited

Select one:

- **Prototype**
- Waterfall model
- Spiral

3. _____ involves tranformation of user needs into an effective software solution.

Select one:

- Software Analysis
- Software design process
- **Software development process**
- Software Testing

4. Spiral life cycle model is not suitable for products that are vulnerable to large number of risks. State if True or False.

Select one:

t.me/accenture_updates

- **FALSE**
- TRUE

5. When there is a difference between the output what is expected and the actual one is termed as……

Select one:

- Specification
- Verification
- **Defect**
- Validation

6. XYZ Finance Co. has, at present, started its operations in India. Based on the first six months performance, it has plans for expansion across five countries. They want to automate their operations at this stage. What is the process model that the developer should choose to adopt?

Select one:

- Spiral model
- **Evolutionary prototyping model**
- Waterfall model
- Incremental model

Software Engineering Fundamentals-PostQuiz

1. Match the correct E,T,V,X (Entry,Task,Verify,Exit) criteria for the below scenario

Reviewed design document — Answer 1: Exit

Review of the artifacts — Answer 2: Verfication

t.me/accenture_updates

Developing HLD and LLD Artifacts

Input containing the reviewed SRS

Answer 3 Task

Answer 4 Entry

2. Scenario: LIC has manually carried out their process of premium collection procedure for the past 45 years. Now, they have employed the services of another company to automate the above.

Question: Which of the following models would you suggest to the outsource company?

Select one:

- Evolutionary prototyping
- Spiral model
- **Waterfall model**
- Throwaway prototyping

3. Consider that you have to develop a flight control system. The system is simulated as such that the original system is working. There are many potential hazards with such a system. What model would you suggest to develop the system?

- **Spiral model**
- Evolutionary prototyping
- Throwaway prototyping
- Waterfall model

4. Which model emphasizes Validation and Verification at each level of stage containment?

- Throwaway prototyping
- **V-Model**
- Spiral model
- RAD

t.me/accenture_updates

5. Testing performed by the user to ensure that the system meets the agreed upon quality attributes and the specification is called as….

Select one:

- **Acceptance testing**
- System testing
- Integration testing
- Unit testing

6. Choose the option that accurately represents the sequential order of phases in the Waterfall model.

Select one:

- **Requirement Gathering, Analysis, Design, Implementation, Testing, Deployment, Maintenance**
- Requirement Gathering, Analysis, Design, Implementation, Testing, Maintenance, Deployment
- Requirement Gathering, Analysis, Design, Testing, Implementation, Deployment, Maintenance
- Analysis, Requirement Gathering, Design, Implementation, Testing, Deployment, Maintenance

Software Engineering Fundamentals- Check Your Understanding :

1. Which conforms that the software meets its technical specifications?

Select one:

t.me/accenture_updates

- Design
- Defect finding
- **Verification**
- Validation

2. The software is put into operation in the client's environment. The client comes back to enhance the UI to attract more customers. This phase is called as _____

Select one:

- Development
- **Maintenance**

3.Match the appropriate usage of the SDLC process models, based on the nature of requirements

When the requirements are unclear	Answer 1: Use the Throw away prototype
When the requirements are unstable	Answer 2: Use the Evolutionary prototype

4. Which of the below is one of the phase of the prototype model?

- **Quick design**
- Extensive testing
- Detailed HLD phase
- Detailed Coding

t.me/accenture_updates

5.Match the phases of the Rapid Application Development model against their objectives

Data modeling	Answer 1: Information gathered from business modeling is used to define data objects
Process modeling	Answer 2: Data objects are converted to achieve the business objective
Application generation	Answer 3: Automated tools are used to convert process models into the actual system
Testing and turnover	Answer 4: New components along with all the interfaces are tested
Business modeling	Answer 5: The information flow is identified between various modules

6. High-risk or major functions are addressed in the first cycles there by delivering an operational product. Which of the SDLC process models achieves this?

Select one:

- **Incremental model**
- Waterfall model
- RAD model
- Spiral Model

t.me/accenture_updates

7. Beta technologies has undertaken a collision avoidance system software to be implemented for airports. Additional safety measures have to be automated by warning pilots when another aircraft gets closer, otherwise impacts are huge. Which of the following SDLC process models best suits the requirement?

Select one:

- Waterfall model
- V model
- **Spiral model**
- Evolutionary prototyping model

8. The student mark processing system software has been developed and deployed at the St. Peters university. The system shows the grade as 0 for all the students rather than the actual grade. Which phase below was not done properly during the SDLC?

Select one:

- Software Analysis
- **Software Testing**
- Software Design
- Software Maintenance

Phase of Software Engineering-PreQuiz

1. Aesthetics of the website is part of the functional requirement. State true or false

Select one:

- **FALSE**
- TRUE

t.me/accenture_updates

2. _____ describes how the development activities will be performed and how development phases follow each other.

Select one:

- **Software Development Process**
- Process
- Design
- Software Engineering

3. _____ is the application of a systematic, disciplined, quantifiable approach to the design, development, operation and maintenance of software.

Select one:

- **Software Engineering**
- Requirement Engineering
- Software Testing

4. Requirement came to Allen Software company to develop a software for military purpose. .00001 second delay in the missile launching software would create greater loss to the human life. What kind of model is best suited for this scenario?

Select one:

- Agile
- **Spiral model**
- Waterfall model
- Prototype

5. During which phase the following activities are performed: Identifying the major modules of the system, how these modules integrate, the architecture of the system and describing pseudo code for each of the identified module

t.me/accenture_updates

Select one:

- Analysis
- Maintenance
- **Design**
- Feasibility

Phase of Software Engineering-PostQuiz

1. Identify the possible entities from the given option

Select one or more:

- **Sale**
- **Customer**
- SalesID
- customerAge

2. Which of the following are available in SRS Document?

Select one or more:

- **Constraints**
- **Functional Requirements**
- **Non Functional Requirements**
- Design

3. What kind of non functional requirement best suit the below scenario: Whenever the new offers are published in the online shopping site, an sms has to be sent to all the registered customers within 10 minutes of publishing

Select one:

- Usability Requirement
- Security Requirment

t.me/accenture_updates

- Portability Requirement
- **Performance Requirement**

4.Choose the correct type of testing for the given Scenario

Testing to test the GUI components in the screen	Answer 1: Usability Testing
Testing to check if the report is generated within 5 sec on click of the button as agreed in the SRS	Answer 2: Performance Testing
Testing to check if 1000000 users accessing website at the same point of time	Answer 3: Load Testing
Testing to check if the card is swiped for more than three times with wrong pin, the card has to be blocked	Answer 4: Security Testing

5. Whenever a new product is arrived, the stock needs to be updated. This requirement is an example for non functional requirement. State true or False

- **FALSE**
- TRUE

6. Consider the below scenario. A team has many players and the player belongs to one team. Identify the cardinality between player and team

- 1:M
- 1:1
- **M:1**
- M:M

t.me/accenture_updates

Phase of Software Engineering- Check Your Understanding :

1. Which of the following options are the steps involved in Requirements Analysis?

Select one or more:

- [x] **Analysis of the gathered requirements**
- [ ] Requirements Specification
- [ ] Requirements Elicitation
- [x] **Requirements Gathering**

2. From the below options, identify the role of the system analyst.

- ( ) Writes pseudo code for the given module
- ( ) Creates high level test cases
- ( ) Creates HLD document
- (•) **Creates SRS**

3. Identify the correct statements from the below options.

- ( ) High level design, Low level design followed by Analysis is performed.
- (•) **Analysis is performed followed by High level design and then Low level design**
- ( ) Analysis is performed followed by low level design and then high level design
- ( ) Analysis or High level design or Low level design can be performed in any order

t.me/accenture_updates

4. Match the correct objectives of each phase involved in Requirements Engineering

Requirements Analysis

Answer 1

Analyzing the customer and the user/stakeholder to arrive at a definition of software requirements

Requirements Specification

Answer 2

Documents all the requirements properly

Requirements Elicitation

Answer 3

Gathering requirements from the users, customers and other stake holders

5. Identify the type of design that helps in transforming the data model created during requirements analysis phase into the data structures that will be used to implement the software

Select one:

- **Data Design**
- Interface design
- GUI Design

t.me/accenture_updates

Architectural design

6. Match the objectives of the types of design involved

Low Level Design	Answer 1: Focuses on writing a detailed algorithm
Architecture design	Answer 2: Defines the modules of the system and the functions that each module perform
Interface design	Answer 3: Describes how the software communicates with itself, and with the users interacting with the software

Phase of Software Engineering- Crack the Puzzles

1. What does come down but never goes up? _____

What can one catch that is not thrown? _____

What goes up and down, but always remains in the same place? _____

what word that changes a girl into a woman? _____

Choose the correct answer:

t.me/accenture_updates

- Cold, Rain, Stairs, Age
- Age, Rain, Stairs, Cold
- Stairs, Cold, Stairs, Age
- **Rain, Cold, Stairs, Age**

2. You are in a race and overtake the person who is in second place. What place are you now in?

Select one:

- First
- **Second**
- Third

3. A lady buys goods worth Rs.200 from a shop. (shopkeeper is selling the goods with zero profit). The lady gives him Rs.1000 note. The shopkeeper gets the change from the next shop and keeps Rs.200 for himself and returns Rs.800 to the lady. Later the shopkeeper of the next shop comes with the Rs.1000 note saying “duplicate” and takes his money back.

How much LOSS did the shopkeeper face?

Select one:

- **1000**
- 800
- 2000
- 200

t.me/accenture_updates

Software Testing-PreQuiz

1. An SRS has the following requirement.The stock exchange shall show the stock report for the next 24 hours.What is the issue with this requirement

Select one:

- Inconsistent
- **Ambiguous**
- Requirement is Correct
- In correct

2. Client Comes to Allen Company for a Banking Solution.Which phase of SDLC is best suited to gather what is expected from client

Select one:

- Feasibility Analysis
- **Requirement analysis**
- Customer Analysis
- System Analysis

3. The standard document that describes all the requirements of the system is called as …

Select one:

- User Requirement Specification
- **Software Requirement Specification**
- Test Case Document
- Contract Document

4. In remote control Car application, in the step by step execution of the requirement described, it is mentioned when the fuel level

t.me/accenture_updates

goes below the minimum level, the application should indicate the user in red color. In the output section of the same process it is mentioned that the indicator will glow pink. What is the kind of requirement specified in SRS?

Select one:

- Incomplete
- **Contradicting**
- Complete
- Consistent

5. A good SRS should be _____, _____ and _____.

Select one or more:

- **Traceable**
- **Complete**
- Periodical
- **Consistent**

6. Client Comes to Allen Company for a Banking Solution. Who from the below options would be best suited to gather all the requirements correctly from the client

Select one:

- Analyzer
- Database Analyst
- **System analyst**
- System Architect

t.me/accenture_updates

Software Testing-PostQuiz

1. In the online shopping portal, for customer registration the password field can accept only characters in the range of 5 to 25. Derive test cases using Boundary value analysis

Select one:

- 6,24,10,25
- 5,25,26,3
- **5,25,4,26**
- 5,25,6,24

2. The testing technique that deals with the internal logic and structure of the code is called _____.

Select one:

- Pure Box Testing
- Logical Testing
- **WhiteBox Testing**

3. Determine the cyclomatic complexity for the following code:

```
Accept year
if(year mod 4=0 and year mod 100!=0) or(year mod 400 =0)
print year is leap
else
print year is not leap
end if.
```

Select one:

- **4**

t.me/accenture_updates

- 6
- 5
- 3

4. Walk through is performed by the trained moderator, whereas the Inspection is usually conducted by the author itself to record defects and deviations

Select one:

- True
- **False**

5. After implementation of Library management system, the tester identified that certain logic are redundantly rewritten by the developers, and the coding standards are violated in few modules. What type of testing is carried out to identify these errors?

- dynamic testing
- debugging
- **Static Testing**
- error guessing

6. Tester is trying to test whether the values in the drop down are listed properly.

What type of testing the tester performs in this scenario?

- Acceptance Testing
- Regression Testing
- **Black box testing**
- White box Testing

t.me/accenture_updates

7. Boundary value analysis can only be used during white-box testing. State if True or False.

Select one:

- **FALSE**
- TRUE

Software Testing- Check Your Understanding

1. Identify this technique of dynamic testing where, For a range of input, three values are chosen, One value above the range, One value below the range, and One value within the range

Select one:

- Cause Effect Graphing
- Error Guessing
- Boundary Value Analysis
- Cause Effect Analysis
- **Equivalence partitioning**

2. What is the difference between the actual output of a software and the correct output?

Select one:

- Bug
- **Error**
- Fault
- Defect

3. Match the objectives of the phases of Software Testing Life Cycle

Test Answer 1

t.me/accenture_updates

Execution — Executing test scripts and Finding bugs

Test Design — Answer 2: Test scenarios, test cases, test data, and test scripts are prepared

Test Plan — Answer 3: Resource allocation, creation of test environment, test schedule and test functionality

4. Match the roles involved in Static Testing

Inspector — Answer 1: Inspecting the document

Moderator — Answer 2: Leads the review process

Author — Answer 3: Writer of the 'document under review'

Scribe — Answer 4: Records each defect found

Reader — Answer 5: Presents the document

5. What is the type of testing in which the tester will know about the input and the expected output details based on the specification document only but no knowledge on implementation?

t.me/accenture_updates

Select one:

- Regression Testing
- **Black Box Testing**
- Integration Testing
- Usability Testing
- White Box Testing

6. Identify the correct phases of software testing life cycle.

- **Requirements Analysis,Test Preparation,Test Case development,Test Environment Set up,Test Execution,Test Cycle closure**
- Requirements Analysis,Test Preparation,Test Case development,Test Execution,Test Environment Set up,Test Cycle closure
- Requirements Analysis,Test Preparation,Test Case development,Test Environment Set up,Test Cycle closure,Test Execution
- Requirements Analysis,Test Case development,Test Preparation,Test Environment Set up,Test Execution,Test Cycle closure

7. Match the objectives against the techniques of generating test cases in black box testing

State Transition Diagram	Answer 1: Involves actions as one of its components
Cause Effect Graphing	Answer 2: The causes and effects represent the nodes

t.me/accenture_updates

Cause Effect Analysis

Answer 3

It is suitable for applications in which combinations of input conditions are few

8. Which all of the following options would basis path testing perform?

Select one or more:

- [x] **Statement Coverage**
- [x] **Loop Coverage**
- [x] **Condition or Branch Coverage**
- [ ] Test Case Coverage

Software Configuration Management-Pre-Quiz

1. Y2K problem is an example for ---------- maintenance

Select one:

- (•) **Preventive**
- ( ) Adaptive
- ( ) Perfective
- ( ) Corrective

2. Software maintenance for the change of the platform is an example for --------- maintenance

Select one:

- (•) **Adaptive**
- ( ) Perfective
- ( ) Preventive
- ( ) Corrective

t.me/accenture_updates

3. Client wanted to add a new feature to his existing application "Discount Offers" for all the existing customers. Whenever a new product comes to the supermarket, their customer's should be intimated with the week day offer. What kind of maintenance is this?

Select one:

- Adaptive Maintanence
- **Perfective Maintanence**
- Corrective Maintanence
- Preventive Maintanence

4. In Software maintenance, changes are implemented by modifying existing components and adding new components to the system. State if True or False.

Select one:

- **True**
- False

5. Any changes done to the software during the operational phase of the software before project wind up is called as maintenance. State if True or False.

Select one:

- TRUE
- **FALSE**

6. In an online shopping application, during customer registration the customer was made to enter his city in a text box. As the site became popular for online shopping, the client came back to include autocomplete feature in the city field to improve user

t.me/accenture_updates

friendliness. What maintenance needs to be carried out in this scenario?

Select one:

- Corrective
- Adaptive
- **Perfective**
- Preventive

7. Client has developed an application that allows each of their customers to store 2TB of data. As the number of Customers are increasing client feels the storage space has to be increased for smooth operations to its customers. What type of maintanence is this?

Select one:

- **Preventive Maintanence**
- Adaptive Maintanence
- Corrective Maintanence
- Perfective Maintanence

Software Configuration Management-PostQuiz

1. From the options identify the features that are part of the software configuration management

Select one or more:

- **Concurrency control**
- Support management
- **Version management**
- **Synchronisation control**

2. Match the correct option

t.me/accenture_updates

The standard document where the requester fills the change in the change management process	Answer 1: Change Request Form
Who authenticates that the change proposed is valid	Answer 2: Change Control Board
Process that ensures that changes made are recorded and controlled	Answer 3: Change Management
Process that ensures different versions of the project is managed	Answer 4: Configuration Management

3. _____ is a committee that makes decisions regarding whether or not proposed changes to a software project can be incorporated.

Select one:

- Modify Control Board
- **Change Control Board**
- Decision Committee
- Updation Control Board

4. Which of the following describes the change history of an object?

Select one:

- Review Graph
- **Evolution graph**
- Check-out
- Baseline

5.**Question text**

t.me/accenture_updates

SRS version artifact baseline

The entry door of the Server room inside the company can be considered as equivalent to baseline concept in configuration management.

6. State true or false. Automated tools are available in the market, for managing change and versioning the software

Select one:

- **TRUE**
- FALSE

7. **Question text**

Preventive Perfective Corrective Adaptive

John bought a new Laptop with a high end configuration. To protect his laptop and the applications installed he installed a antivirus software.This is an example for Preventive Maintenance

8. Version Management allows parallel concurrent development. State True or False.

Select one:

- **True**
- False

t.me/accenture_updates

Software Configuration Management- Check Your Understanding :

1. Which of the following options are valid for the relationship between the configuration objects?

Select one or more:

- [x] **A double-headed straight arrow indicates an interrelationship**
- [ ] A curved arrow indicates an interrelationship
- [ ] A double-headed straight arrow indicates compositional relation
- [x] **A curved arrow indicates a compositional relation**

2. Match the following facts about Version Management

When a member of the team wants his code to work in isolation

Answer 1: Create branches

Lock a file

Answer 2: Serialized changes to file.

If a file is changed and we want to roll back to the previous version

Answer 3: Automatic backup

3.**Question text:** Configuration audit Configuration Management Version Control ChangeManagement

t.me/accenture_updates

Configuration audit is responsible for reviewing the items against various specifications for assessing its quality and correctness.

4. Version Control allows users to lock files so they can only be edited by one person at a time and track changes to files

Select one:

- **True**
- False

5. **Choose the missing steps involved in the Change Control Process in the correct order:**

1. Identify and submit change request
2. _____
3. Plan the change
4. Implement and test the change
5. Verify implementation of change
6. Close change request

Select one:

- Review stakeholder feedback
- Analyze the cost of the proposed change
- Collect impacts of change request
- **Evaluate impacts of change request**

t.me/accenture_updates