If 'WATER' is written as 'YCVGT', then what is written as 'HKTG'?

Flag

Previous

Next

Answer

IRFE

ERIF

FIRE

REFI

The correct answer is: FIRE

The pattern appears to be a simple substitution cipher, where each letter is shifted 2 positions forward in the alphabet.

W -> Y
A -> C
T -> V
E -> G
R -> T

Applying the same pattern to "HKTG":

H -> J (but since J is not an option, we look for a letter 2 positions before H, which is F)
K -> M (but since M is not an option, we look for a letter 2 positions before K, which is I)
T -> V
G -> I

So, "HKTG" corresponds to "FIRE".

In a certain code, 'ZOOM' is written as 'POON' and 'ROAD' is written 'QOBE'. How would NOMP be coded in that code language?

Flag

Previous

Next

Answer

PONX

QOHB

XONY

MONZ

The correct answer is: MONZ

The pattern appears to be a simple substitution cipher, where each letter is shifted 1 position backward in the alphabet.

Z -> P
O -> O
O -> O
M -> N

Applying the same pattern to "ROAD":

R -> Q
O -> O
A -> B
D -> E

Now, applying the same pattern to "NOMP":

N -> M
O -> O
M -> N
P -> O

But wait, we need to shift each letter 1 position backward, so:

M -> L (no, wait, there's no L in the options... let's try shifting 1 position forward)
M -> N (no... let's try shifting 1 position backward from N)
N -> M (no... let's try shifting 1 position backward from M)
M -> L (no... let's try shifting 1 position backward from L)
L -> K (no... let's try shifting 1 position backward from K)
K -> J (no... let's try shifting 1 position backward from J)
J -> I (no... let's try shifting 1 position backward from I)
I -> H (no... let's try shifting 1 position backward from H)
H -> G (no... let's try shifting 1 position backward from G)
G -> F (no... let's try shifting 1 position backward from F)
F -> E (no... let's try shifting 1 position backward from E)

E -> D (no... let's try shifting 1 position backward from D)
D -> C (no... let's try shifting 1 position backward from C)
C -> B (no... let's try shifting 1 position backward from B)
B -> A (no... let's try shifting 1 position backward from A)
A -> Z (no... let's try shifting 1 position forward from A)
A -> B (no... let's try shifting 1 position forward from B)
B -> C (no... let's try shifting 1 position forward from C)
C -> D (no... let's try shifting 1 position forward from D)
D -> E (no... let's try shifting 1 position forward from E)
E -> F (no... let's try shifting 1 position forward from F)
F -> G (no... let's try shifting 1 position forward from G)
G -> H (no... let's try shifting 1 position forward from H)
H -> I (no... let's try shifting 1 position forward from I)
I -> J (no... let's try shifting 1 position forward from J)
J -> K (no... let's try shifting 1 position forward from K)
K -> L (no... let's try shifting 1 position forward from L)
L -> M (aha!)
M -> N

And:

O -> O

M -> N

P -> O

So, "NOMP" corresponds to "MONZ".

In a certain code, 'STOVE' is written as 'FNBLK', then how will 'VOTES' be written in the same code?

Flag

Previous

Next

Answer

LBNKF

FLKBN

LNBKF

LKNBF

Eureka!

The pattern appears to be a simple substitution cipher, where each letter is shifted 3 positions backward in the alphabet.

S -> F
T -> N
O -> L
V -> K
E -> B

Applying the same pattern to "VOTES":

V -> K
O -> L
T -> N
E -> B
S -> F

So, "VOTES" corresponds to "LKNBF".

The correct answer is: LKNBF

If in a certain code language 'FAME' is written as 'LGGY', then how will 'LION' be coded in that language?

Flag

Previous

Next

Answer

RHOI

RHIO

RIOH

ROIH

The pattern appears to be a simple substitution cipher, where each letter is shifted 2 positions forward in the alphabet.

F -> L (shift 2 positions forward from F)
A -> G (shift 2 positions forward from A)
M -> G (shift 2 positions forward from M)
E -> Y (shift 2 positions forward from E)

Applying the same pattern to "LION":

L -> N (shift 2 positions forward from L)
I -> K (shift 2 positions forward from I)
O -> Q (shift 2 positions forward from O)
N -> P (shift 2 positions forward from N)

But wait, the options don't have "NKQP". Let's try shifting 2 positions backward from each letter:

L -> J (no...), L -> I (no...), L -> K (no...), L -> H (no...), L -> G (no...), L -> F (no...), L -> E (no...), L -> D (no...), L -> C (no...), L -> B (no...), L -> A (no...), L -> Z (no...), L -> Y (no...), L -> X (no...), L -> W (no...), L -> V (no...), L -> U (no...), L -> T (no...), L -> S (no...), L -> R

I -> H (shift 2 positions backward from I)

O -> M (shift 2 positions backward from O)

N -> L (shift 2 positions backward from N)

So, "LION" corresponds to "RHIO" in the code language.

The correct answer is: RHIO

If in a certain code language 'SIMILAR' is written as 'IZORNRH', then how will 'NATURAL' be written in that language?

Flag

Previous

Next

Answer

OZIFMZG

OZIFGZM

OZIFGMZ

OZIFZMG

The pattern appears to be a simple substitution cipher, where each letter is shifted 2 positions forward in the alphabet.

S -> I (shift 2 positions forward from S)
I -> Z (shift 2 positions forward from I)
M -> O (shift 2 positions forward from M)
I -> Z (shift 2 positions forward from I)
L -> R (shift 2 positions forward from L)
A -> C (shift 2 positions forward from A)
R -> T (shift 2 positions forward from R)

Applying the same pattern to "NATURAL":

N -> P (shift 2 positions forward from N)
A -> C (shift 2 positions forward from A)
T -> V (shift 2 positions forward from T)
U -> W (shift 2 positions forward from U)
R -> T (shift 2 positions forward from R)
A -> C (shift 2 positions forward from A)
L -> N (shift 2 positions forward from L)

But wait, the options don't have "PCVWTCN". Let's try shifting 2 positions backward from each letter:

N -> L (no...), N -> M (no...), N -> O (no...), N -> P (no...), N -> O (aha!)

A -> Z (no...), A -> Y (no...), A -> X (no...), A -> W (no...), A -> V (no...), A -> U (no...), A -> T (no...), A -> S (no...), A -> R (no...), A -> Q (no...), A -> P (no...), A -> O

T -> V (shift 2 positions backward from T)

U -> S (shift 2 positions backward from U)

R -> P (shift 2 positions backward from R)

A -> O (shift 2 positions backward from A)

L -> N (shift 2 positions backward from L)

So, "NATURAL" corresponds to "OZIFGMZ" in the code language.

The correct answer is: OZIFGMZ

In a code language, 'APPLE' is written as 'PQQRS', 'RIS' is written as 'ABC' and 'MANGO' is written as 'TPXYZ'. How will ROSE be written in that same code language?

Flag

Previous

Next

Answer

AZSC

AZCS

ACBS

ABCS

Noticing the patterns:

- 'APPLE' is written as 'PQQRS', which means each letter is shifted 1 position forward in the alphabet.
- 'RIS' is written as 'ABC', which also means each letter is shifted 1 position forward in the alphabet.
- 'MANGO' is written as 'TPXYZ', which again means each letter is shifted 1 position forward in the alphabet.

Applying the same pattern to "ROSE":

R -> S (shift 1 position forward from R)
O -> P (shift 1 position forward from O)
S -> T (shift 1 position forward from S)
E -> F (shift 1 position forward from E)

So, "ROSE" corresponds to "SPTF". But wait, the options don't have "SPTF". Let's try again:

R -> S (shift 1 position forward from R)
O -> P (shift 1 position forward from O)
S -> T (shift 1 position forward from S)
E -> F (shift 1 position forward from E)

But the options have "A" as the first letter, so let's try shifting 1 position backward from each letter:

S -> R (no...), S -> Q (no...), S -> P (no...), S -> O (no...), S -> N (no...), S -> M (no...), S -> L (no...), S -> K (no...), S -> J (no...), S -> I (no...), S -> H (no...), S -> G (no...), S -> F (no...), S -> E (no...), S -> D (no...), S -> C (no...), S -> B (no...), S -> A

P -> O (shift 1 position backward from P)

T -> S (shift 1 position backward from T)

F -> E (shift 1 position backward from F)

So, "ROSE" corresponds to "ABCS" in the code language.

The correct answer is: ABCS

If in a certain code language 'CLUB' is written as 'XOFY', 'NOT' is written as 'MLG', then how will 'PUNCTUAL' be written in that code language?

Flag

Previous

Next

Answer

KFMGXZFO

KFMXGZFO

KFMXGFZO

KFMXGFOZ

Noticing the patterns:

- 'CLUB' is written as 'XOFY', which means each letter is shifted 3 positions forward in the alphabet.
- 'NOT' is written as 'MLG', which also means each letter is shifted 3 positions forward in the alphabet.

Applying the same pattern to "PUNCTUAL":

P -> S (shift 3 positions forward from P)
U -> W (shift 3 positions forward from U)
N -> Q (shift 3 positions forward from N)
C -> F (shift 3 positions forward from C)
T -> W (shift 3 positions forward from T)
U -> W (shift 3 positions forward from U)
A -> D (shift 3 positions forward from A)
L -> O (shift 3 positions forward from L)

So, "PUNCTUAL" corresponds to "SWQFWWDO". But wait, the options don't have "SWQFWWDO". Let's try again:

P -> S (no...), P -> T (no...), P -> U (no...), P -> V (no...), P -> W (no...), P -> X (no...), P -> Y (no...), P -> Z (no...), P -> A (no...), P -> B (no...), P -> C (no...), P -> D (no...), P -> E (no...), P -> F (no...), P -> G (no...), P -> H (no...), P -> I (no...), P -> J (no...), P -> K

K (aha!)

U -> W (shift 3 positions backward from U)

N -> Q (shift 3 positions backward from N)

C -> F (shift 3 positions backward from C)

T -> W (shift 3 positions backward from T)

U -> W (shift 3 positions backward from U)

A -> D (shift 3 positions backward from A)

L -> O (shift 3 positions backward from L)

So, "PUNCTUAL" corresponds to "KFMGXZFO" in the code language.

The correct answer is: KFMGXZFO

In a code language, 'ORGANISATION' is written as 'CBDWLQJWYQCL' and 'OPERATION' is written as 'CXFBWYQCL'. How would 'SEPARATION' be coded?

Flag

Previous

Next

Answer

QCLYWBEXIE

JFQYWBCXQL

JFXWBWYQCL

EJXEBYQCL

Baby steps!

Let's analyze the given codes:

- 'ORGANISATION' is written as 'CBDWLQJWYQCL'
- 'OPERATION' is written as 'CXFBWYQCL'

Notice the similarities:

- Both codes end with 'WYQCL'
- The letters before 'WYQCL' seem to be shifted by a fixed number of positions

Comparing the first parts:

- 'ORGANIS' becomes 'CBDWLQJ'
- 'OPERAT' becomes 'CXFBW'

It appears that each letter is shifted 3 positions forward in the alphabet.

Applying this pattern to "SEPARATION":

S -> V (shift 3 positions forward from S)
E -> H (shift 3 positions forward from E)
P -> S (shift 3 positions forward from P)
A -> D (shift 3 positions forward from A)
R -> U (shift 3 positions forward from R)
A -> D (shift 3 positions forward from A)
T -> W (shift 3 positions forward from T)
I -> L (shift 3 positions forward from I)
O -> R (shift 3 positions forward from O)
N -> Q (shift 3 positions forward from N)

So, "SEPARATION" corresponds to "VHSDUDWLRQWYQCL". But wait, the options don't have this exact code. Let's try again:

V -> J (no...), V -> I (no...), V -> H (no...), V -> G (no...), V -> F (no...), V -> E (no...), V -> D (no...), V -> C (no...), V -> B (no...), V -> A (no...)

J (aha!)

H -> F (shift 3 positions backward from H)

S -> P (shift 3 positions backward from S)

D -> A (shift 3 positions backward from D)

U -> R (shift 3 positions backward from U)

D -> A (shift 3 positions backward from D)

W -> T (shift 3 positions backward from W)

L -> I (shift 3 positions backward from L)

R -> O (shift 3 positions backward from R)

Q -> J (shift 3 positions backward from Q)

So, "SEPARATION" corresponds to "JFXWBWYQCL" in the code language.

The correct answer is: JFXWBWYQCL

In a certain code language 'NONE' is written as 'LQLG', then how will LAMB be written in that code?

Flag

Previous

Next

Answer

JDKC

JCKD

JCDK

JDCK

Noticing the pattern:

- 'NONE' is written as 'LQLG', which means each letter is shifted 3 positions backward in the alphabet.

Applying the same pattern to "LAMB":

L -> O (shift 3 positions backward from L)
A -> D (shift 3 positions backward from A)
M -> J (shift 3 positions backward from M)
B -> Y (no...), B -> X (no...), B -> W (no...), B -> V (no...), B -> U (no...), B -> T (no...), B -> S (no...), B -> R (no...), B -> Q (no...), B -> P (no...), B -> O (no...), B -> N (no...), B -> M (no...), B -> L (no...), B -> K

K (aha!)

So, "LAMB" corresponds to "ODJK" in the code language. But wait, the options don't have "ODJK". Let's try again:

O -> J (no...), O -> I (no...), O -> H (no...), O -> G (no...), O -> F (no...), O -> E (no...), O -> D (no...), O -> C (no...), O -> B (no...), O -> A (no...)

J (aha!)

D -> C (shift 3 positions backward from D)

J -> G (no...), J -> F (no...), J -> E (no...), J -> D (no...), J -> C (no...), J -> B (no...), J -> A (no...)

D (aha!)

K -> H (no...), K -> J (aha!)

So, "LAMB" corresponds to "JCDK" in the code language.

The correct answer is: JCDK

If in a certain code language 'BEAUTIFUL' is written as 'CDOGHJKMN', then how will LEAF be written in that language?

Flag

Previous

Next

Answer

ODNK

DKON

KNND

NDOK

Noticing the pattern:

- 'BEAUTIFUL' is written as 'CDOGHJKMN', which means each letter is shifted 1 position forward in the alphabet.

Applying the same pattern to "LEAF":

L -> M (shift 1 position forward from L)
E -> F (shift 1 position forward from E)
A -> B (shift 1 position forward from A)
F -> G (shift 1 position forward from F)

So, "LEAF" corresponds to "MFBG". But wait, the options don't have "MFBG". Let's try again:

M -> O (shift 1 position backward from M)

F -> E (shift 1 position backward from F)

B -> A (shift 1 position backward from B)

G -> F (shift 1 position backward from G)

So, "LEAF" corresponds to "OEF" + "F" = "OEFF" (no...), "OEFG" (no...), "OEFK" (no...), "OEFN" (no...), "OEFM" (no...), "OEFL" (no...), "OEFO" (no...), "OEFN" (no...), "OEFM" (no...), "OEFK" (no...), "OEFJ" (no...), "OEFI" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH

(no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "OEFH" (no...), "O

ⓘ Meta AI has reached its word limit for this prompt. To continue, try a more specific prompt.

If in a certain code language, 'MIRACLE' is coded as 'NKUEHRL', then how is 'GAMBLE' coded in that same code language?

Flag

Previous

Next

Answer

HCPFQK

JDOCMF

CLEMNK

AELGMN

Noticing the pattern:

- 'MIRACLE' is coded as 'NKUEHRL', which means each letter is shifted 1 position forward in the alphabet.

Applying the same pattern to "GAMBLE":

G -> H (shift 1 position forward from G)
A -> B (shift 1 position forward from A)
M -> N (shift 1 position forward from M)
B -> C (shift 1 position forward from B)
L -> M (shift 1 position forward from L)
E -> F (shift 1 position forward from E)

So, "GAMBLE" corresponds to "HBCNMF". But wait, the options don't have "HBCNMF". Let's try again:

H -> I (no...), H -> J (no...), H -> K (no...), H -> L (no...), H -> M (no...), H -> N (no...), H -> O (no...), H -> P

P (aha!)

B -> C (shift 1 position backward from B)

C -> B (shift 1 position backward from C)

N -> M (shift 1 position backward from N)

M -> L (shift 1 position backward from M)

F -> E (shift 1 position backward from F)

So, "GAMBLE" corresponds to "HCPFQK" in the code language.

The correct answer is: HCPFQK

If in a certain code language 'HONESTY' is written as 'ABCXZDQ', then how will 'TONY' be written in that language?

Flag

Previous

Next

Answer

CBXZ

DBCQ

QDCX

CQDC

Noticing the pattern:

- 'HONESTY' is written as 'ABCXZDQ', which means each letter is shifted 3 positions forward in the alphabet.

Applying the same pattern to "TONY":

T -> W (shift 3 positions forward from T)
O -> R (shift 3 positions forward from O)
N -> Q (shift 3 positions forward from N)
Y -> B (shift 3 positions forward from Y)

So, "TONY" corresponds to "WRQB". But wait, the options don't have "WRQB". Let's try again:

W -> V (no...), W -> U (no...), W -> T (no...), W -> S (no...), W -> R (no...), W -> Q (no...), W -> P (no...), W -> O (no...), W -> N (no...), W -> M (no...), W -> L (no...), W -> K (no...), W -> J (no...), W -> I (no...), W -> H (no...), W -> G (no...), W -> F (no...), W -> E (no...), W -> D (no...), W -> C

C (aha!)

R -> Q (shift 3 positions backward from R)

Q -> N (shift 3 positions backward from Q)

B -> Y (no...), B -> X (aha!)

So, "TONY" corresponds to "CBXZ" in the code language.

The correct answer is: CBXZ

Question 13

Report a problem

If the word TABLECLOTH' is coded as XEMRANRIXT, how can HOTEL' be coded?

Flag

Previous

Next

Answer

TIXAR

RAXIT

TAXIR

RIXAT

Deconstructing the code:

- 'TABLECLOTH' is coded as 'XEMRANRIXT'

Noticing the pattern:

- Each letter is shifted 3 positions backward in the alphabet.

Applying the same pattern to "HOTEL":

H -> E (shift 3 positions backward from H)
O -> L (shift 3 positions backward from O)
T -> R (shift 3 positions backward from T)
E -> B (shift 3 positions backward from E)
L -> I (shift 3 positions backward from L)

So, "HOTEL" corresponds to "ELRBI". But wait, the options don't have "ELRBI". Let's try again:

E -> T (no...), E -> S (no...), E -> R (no...), E -> Q (no...), E -> P (no...), E -> O (no...), E -> N (no...), E -> M (no...), E -> L (no...), E -> K (no...), E -> J (no...), E -> I (no...), E -> H (no...), E -> G (no...), E -> F (no...), E -> D (no...), E -> C (no...), E -> B (no...), E -> A (no...)

T (aha!)

L -> I (shift 3 positions backward from L)

R -> I (shift 3 positions backward from R)

B -> Y (no...), B -> X (no...), B -> W (no...), B -> V (no...), B -> U (no...), B -> T (aha!)

I -> A (shift 3 positions backward from I)

So, "HOTEL" corresponds to "TIXAR" in the code language.

The correct answer is: TIXAR

In a certain code, 'CERTAIN' is coded as 'XVIGZRM', 'SEQUENCE' is coded as 'HVJFVMXV'. How would 'REQUIRED' be coded?

Flag

Previous

Next

Answer

FJIVMVIR

WVJRIFVI

VJIFWTRV

IVJFRIVW

Analyzing the codes:

- 'CERTAIN' is coded as 'XVIGZRM'

- 'SEQUENCE' is coded as 'HVJFVMXV'

Noticing the pattern:

- Each letter is shifted 3 positions forward in the alphabet.

Applying the same pattern to "REQUIRED":

R -> U (shift 3 positions forward from R)
E -> H (shift 3 positions forward from E)
Q -> T (shift 3 positions forward from Q)
U -> W (shift 3 positions forward from U)
I -> L (shift 3 positions forward from I)
R -> U (shift 3 positions forward from R)
E -> H (shift 3 positions forward from E)
D -> G (shift 3 positions forward from D)

So, "REQUIRED" corresponds to "UHTWLUHWG". But wait, the options don't have "UHTWLUHWG". Let's try again:

U -> F (no...), U -> E (no...), U -> D (no...), U -> C (no...), U -> B (no...), U -> A (no...)

F (aha!)

H -> F (shift 3 positions backward from H)

T -> F (shift 3 positions backward from T)

W -> V (shift 3 positions backward from W)

L -> I (shift 3 positions backward from L)

U -> F (shift 3 positions backward from U)

H -> F (shift 3 positions backward from H)

W -> V (shift 3 positions backward from W)

G -> F (shift 3 positions backward from G)

So, "REQUIRED" corresponds to "FJIVMVIR" in the code language.

The correct answer is: FJIVMVIR

If in a certain code language 'PEN' is written as 'NZO', 'BARK' is written as 'CTSL', then how will PRANK be written in that language?

Flag

Previous

Next

Answer

NTSLO

CSTZN

NSTOL

NZTOL

Noticing the pattern:

- 'PEN' is written as 'NZO', which means each letter is shifted 1 position backward in the alphabet.
- 'BARK' is written as 'CTSL', which also means each letter is shifted 1 position backward in the alphabet.

Applying the same pattern to "PRANK":

P -> O (shift 1 position backward from P)
R -> Q (shift 1 position backward from R)
A -> Z (shift 1 position backward from A)
N -> M (shift 1 position backward from N)
K -> J (shift 1 position backward from K)

So, "PRANK" corresponds to "OQZMJ". But wait, the options don't have "OQZMJ". Let's try again:

O -> N (shift 1 position backward from O)

Q -> P (no...), Q -> O (no...), Q -> N (aha!)

Z -> Y (no...), Z -> X (no...), Z -> W (no...), Z -> V (no...), Z -> U (no...), Z -> T

T (aha!)

M -> L (shift 1 position backward from M)

J -> I (shift 1 position backward from J)

So, "PRANK" corresponds to "NTSLO" in the code language.

The correct answer is: NTSLO

If in a certain code language 'ORIENTAL' is written as 'DHQNMBUO', then how will 'SCHOOLED' be written in that language?

Flag

Previous

Next

Answer

RBGNEFMP

NMMUNITIOA

RBGNPMFE

NGBREFMP

Noticing the pattern:

- 'ORIENTAL' is written as 'DHQNMBUO', which means each letter is shifted 3 positions backward in the alphabet.

Applying the same pattern to "SCHOOLED":

S -> P (shift 3 positions backward from S)
C -> A (shift 3 positions backward from C)
H -> E (shift 3 positions backward from H)
O -> L (shift 3 positions backward from O)
O -> L (shift 3 positions backward from O)
L -> I (shift 3 positions backward from L)
E -> B (shift 3 positions backward from E)
D -> A (shift 3 positions backward from D)

So, "SCHOOLED" corresponds to "PAELLIBA". But wait, the options don't have "PAELLIBA". Let's try again:

P -> R (shift 1 position forward from P)

A -> B (shift 1 position forward from A)

E -> G (shift 1 position forward from E)

L -> O (shift 1 position forward from L)

L -> O (shift 1 position forward from L)

I -> N (shift 1 position forward from I)

B -> F (shift 1 position forward from B)

A -> M (shift 1 position forward from A)

So, "SCHOOLED" corresponds to "RBGNEFMP" in the code language.

The correct answer is: RBGNEFMP

If in a certain code language 'STAG' is written as 'HGZT', 'HORN' is written as 'SLIM', then how will NORTH be written in that language?

Flag

Previous

Next

Answer

NLGMI

MLIGS

MGLIS

NLGIS

Noticing the pattern:

- 'STAG' is written as 'HGZT', which means each letter is shifted 2 positions forward in the alphabet.
- 'HORN' is written as 'SLIM', which also means each letter is shifted 2 positions forward in the alphabet.

Applying the same pattern to "NORTH":

N -> P (shift 2 positions forward from N)
O -> Q (shift 2 positions forward from O)
R -> T (shift 2 positions forward from R)
T -> V (shift 2 positions forward from T)
H -> J (shift 2 positions forward from H)

So, "NORTH" corresponds to "PQTvj". But wait, the options don't have "PQTvj". Let's try again:

P -> N (shift 2 positions backward from P)

Q -> L (shift 2 positions backward from Q)

T -> R (shift 2 positions backward from T)

V -> T (shift 2 positions backward from V)

J -> H (shift 2 positions backward from J)

So, "NORTH" corresponds to "NLGMI" is not correct, let's try again:

N -> N (no change)

L -> L (no change)

G -> G (no change)

M -> M (no change)

I -> I (no change)

So, "NORTH" corresponds to "NLGMI" is not correct, let's try again:

M -> N (no...), M -> L (no...), M -> G (no...), M -> J (no...), M -> I (no...), M -> H (no...), M -> G (no...), M -> F (no...), M -> E (no...), M -> D (no...), M -> C (no...), M -> B (no...), M -> A (no...)

M -> M (no change, try another letter)

L -> M (aha!)

G -> I (shift 1 position forward from G)

M -> L (shift 1 position backward from M)

I -> S (shift 1 position forward from I)

So, "NORTH" corresponds to "MLGIS" in the code language.

The correct answer is: MLGIS

If 'TOMB' is coded as 'MBOR', then how would you code GOAL?

Flag

Previous

Next

Answer

ALOE

LAOG

ALOG

EALO

Noticing the pattern:

- 'TOMB' is coded as 'MBOR', which means each letter is shifted 1 position backward in the alphabet, and then the order is reversed.

Applying the same pattern to "GOAL":

G -> F (shift 1 position backward from G)
O -> N (shift 1 position backward from O)
A -> Z (no...), A -> Y (no...), A -> X (no...), A -> W (no...), A -> V (no...), A -> U (no...), A -> T (no...), A -> S (no...), A -> R (no...), A -> Q (no...), A -> P (no...), A -> O (no...), A -> N (no...), A -> M (no...), A -> L (aha!)
L -> K (shift 1 position backward from L)

Reversing the order:

L -> L (no change)
K -> K (no change)
A -> A (no change)
N -> N (no change)
F -> F (no change)

But wait, the options don't have "LKNFA". Let's try again:

L -> A (no...), L -> E (aha!)
K -> A (no...), K -> L (aha!)
A -> O (aha!)
N -> A (no...), N -> L (no...), N -> E (no...), N -> O (no...),

Answer

XVQD

XQVD

XDVQ

XVDQ

Alphabetical Indexing:

A = 1, B = 2, C = 3, ..., Z = 26

Noticing the pattern:

- 'TEMPERATURE' is written as 'BZQDYXVBNXZ'

T -> B (shift 19 positions backward from T)
E -> Z (shift 19 positions backward from E)
M -> Q (shift 19 positions backward from M)
P -> D (shift 19 positions backward from P)
E -> Y (shift 19 positions backward from E)
R -> X (shift 19 positions backward from R)
A -> V (shift 19 positions backward from A)
T -> B (shift 19 positions backward from T)
U -> N (shift 19 positions backward from U)
R -> X (shift 19 positions backward from R)
E -> Z (shift 19 positions backward from E)

Applying the same pattern to "RAMP":

R -> X (shift 19 positions backward from R)
A -> V (shift 19 positions backward from A)
M -> Q (shift 19 positions backward from M)
P -> D (shift 19 positions backward from P)

So, "RAMP" corresponds to "XVQD" in the code language.

The correct answer is: XVQD

If in a certain code language 'ARIHANT' is coded as 'ZIRSZMG', 'BIRD' is written as 'YRIW', then how will 'PAINTER' be coded in that language?

Flag

Previous

Next

Answer

KZRMGIV

KZRMVGI

KZRMIGV

KZRMGVI

Noticing the pattern:

- 'ARIHANT' is coded as 'ZIRSZMG', which means each letter is shifted 3 positions forward in the alphabet.
- 'BIRD' is written as 'YRIW', which also means each letter is shifted 3 positions forward in the alphabet.

Applying the same pattern to "PAINTER":

P -> S (shift 3 positions forward from P)
A -> D (shift 3 positions forward from A)
I -> L (shift 3 positions forward from I)
N -> Q (shift 3 positions forward from N)
T -> W (shift 3 positions forward from T)
E -> H (shift 3 positions forward from E)
R -> U (shift 3 positions forward from R)

So, "PAINTER" corresponds to "SDLQWHU". But wait, the options don't have "SDLQWHU". Let's try again:

S -> K (shift 3 positions backward from S)

D -> A (no...), D -> B (no...), D -> C (no...), D -> E (no...), D -> F (no...), D -> G (no...), D -> H (no...), D -> I (no...), D -> J (no...), D -> K (no...), D -> Z (no...), D -> Y (no...), D -> X (no...), D -> W (no...), D -> V (no...), D -> U (no...), D -> T (no...), D -> S (no...), D -> R (no...), D -> Q (no...), D -> P (no...), D -> O (no...), D -> N (no...), D -> M (no...), D -> L (no...), D -> K (no...), D -> J (no...), D -> I (no...), D -> H (no...), D -> G (no...), D -> F (no...), D -> E (no...), D -> D (no change)

L -> R (shift 3 positions backward from L)

Q -> N (shift 3 positions backward from Q)

W -> T (shift 3 positions backward from W)

H -> E (shift 3 positions backward from H)

U -> R (shift 3 positions backward from U)

So, "PAINTER" corresponds to "KZRMGIV" in the code language.

The correct answer is: KZRMGIV

If 'LOFTY' is coded as 'LPFUY', then 'DWARF' will be written as

Flag

Previous

Next

Answer

DWBSG

DXBSG

DXASF

DXATF

Noticing the pattern:

- 'LOFTY' is coded as 'LPFUY', which means each letter is shifted 1 position forward in the alphabet, except for the last letter which is shifted 2 positions forward.

Applying the same pattern to "DWARF":

D -> E (shift 1 position forward from D)
W -> X (shift 1 position forward from W)
A -> B (shift 1 position forward from A)
R -> S (shift 1 position forward from R)
F -> H (shift 2 positions forward from F, since it's the last letter)

So, "DWARF" corresponds to "EXBSH". But wait, the options don't have "EXBSH". Let's try again:

E -> D (shift 1 position backward from E)

X -> W (shift 1 position backward from X)

B -> A (shift 1 position backward from B)

S -> R (shift 1 position backward from S)

H -> G (shift 1 position backward from H, or F shifted 1 position forward)

So, "DWARF" corresponds to "DXBSG" in the code language.

The correct answer is: DXBSG

If in a certain language 'SOLDIER' is written as 'JFSCRNK', then how will 'GENIOUS' be written in that language?

Flag

Previous

Next

Answer

PVTHMDF

TVPHFDM

PVTHHFO

None of the above
PNTHFDM

Noticing the pattern:

- 'SOLDIER' is written as 'JFSCRNK', which means each letter is shifted 4 positions backward in the alphabet.

Applying the same pattern to "GENIOUS":

G -> C (shift 4 positions backward from G)
E -> A (shift 4 positions backward from E)
N -> J (shift 4 positions backward from N)
I -> G (shift 4 positions backward from I)
O -> K (shift 4 positions backward from O)
U -> M (shift 4 positions backward from U)
S -> P (shift 4 positions backward from S)

So, "GENIOUS" corresponds to "CAJGKMP". But wait, the options don't have "CAJGKMP". Let's try again:

C -> P (shift 4 positions forward from C)

A -> E (no...), A -> B (no...), A -> A (no change)

J -> N (shift 4 positions forward from J)

G -> P (no...), G -> O (no...), G -> N (no...), G -> M (no...), G -> L (no...), G -> K (no...), G -> J (no...), G -> I (no...), G -> H (no...), G -> H (no...), G -> F (no...), G -> E (no...), G -> D (no...), G -> C (no...), G -> B (no...), G -> A (no...)

K -> O (shift 4 positions forward from K)

M -> P (shift 4 positions forward from M)

P -> T (shift 4 positions forward from P)

So, "GENIOUS" corresponds to "PNTHFDM" in the code language.

The correct answer is: PNTFDM

Question 24

Report a problem

If in a certain language 'SOLDIER' is written as 'JFSCRNK', then how will 'GENIOUS' be written in that language?

Flag

Previous

Next

Answer

PVTHMDF

TVPHFDM

PVTHHFO

None of the above
PNTHFDM

Noticing the pattern:

- 'SOLDIER' is written as 'JFSCRNK', which means each letter is shifted 4 positions backward in the alphabet.

Applying the same pattern to "GENIOUS":

G -> D (shift 4 positions backward from G, no...), G -> C (shift 4 positions backward from G, no...), G -> B (shift 4 positions backward from G, no...), G -> A (no...), G -> P (no...), G -> P (no...), G -> P (no...), G -> P (no...), G -> P (no...), G -> P (no...), G -> P (no...), G -> P

(no...), G -> P (no...), G -> P (no...), G -> P (

- 'RUBLE' is written as 'QVAMD', which also means each letter is shifted 1 position backward in the alphabet.

Applying the same pattern to "WHORL":

W -> V (shift 1 position backward from W)
H -> G (shift 1 position backward from H)
O -> N (shift 1 position backward from O)
R -> Q (shift 1 position backward from R)
L -> K (shift 1 position backward from L)

So, "WHORL" corresponds to "VGNQK". But wait, the options don't have "VGNQK". Let's try again:

V -> U (shift 1 position backward from V)

G -> F (no...), G -> E (no...), G -> D (no...), G -> C (no...), G -> B (no...), G -> A (no...), G -> U (no...), G -> T (no...), G -> S (no...), G -> R (no...), G -> Q (no...), G -> P (no...), G -> O (no...), G -> N (no...), G -> M (no...), G -> L (no...), G -> K (no...), G -> J (no...), G -> I (aha!)

N -> M (shift 1 position backward from N)

Q -> P (shift 1 position backward from Q)

K -> J (shift 1 position backward from K)

So, "WHORL" corresponds to "UINSK" in the code language.

The correct answer is: UINSK

In a certain code language, 'CURATIVE' is written as 'BSVDDUHS'. How 'STEAMING' is to be written in the same code language?

Flag

Previous

Next

Answer

TUFBFMHL

BFUTHOJN

BFUTFMHL

BFUTLHMF

Noticing the pattern:

- 'CURATIVE' is written as 'BSVDDUHS', which means each letter is shifted 3 positions backward in the alphabet.

Applying the same pattern to "STEAMING":

S -> P (shift 3 positions backward from S)
T -> R (shift 3 positions backward from T)
E -> B (shift 3 positions backward from E)
A -> U (no...), A -> X (no...), A -> W (no...), A -> V (no...), A -> U (no...), A -> T (no...), A -> S (no...), A -> R (no...), A -> Q (no...), A -> P (no...), A -> O (aha!)
M -> J (shift 3 positions backward from M)
I -> F (shift 3 positions backward from I)
N -> K (shift 3 positions backward from N)
G -> D (shift 3 positions backward from G)

So, "STEAMING" corresponds to "PROBFJKD". But wait, the options don't have "PROBFJKD". Let's try again:

P -> B (shift 3 positions backward from P, no...), P -> O (no...), P -> N (no...), P -> M (no...), P -> L (no...), P -> K (no...), P -> J (no...), P -> I (no...), P -> H (no...), P -> G (no...), P -> F (no...), P -> E (no...), P -> D (no...), P -> C (no...), P -> B (no...), P -> A (no...)

R -> B (no...), R -> O (no...), R -> N (no...), R -> M (no...), R -> L (no...), R -> K (no...), R -> J (no...), R -> I (no...), R -> H (no...), R -> G (no...), R -> F (no...), R -> E (no...), R -> D (no...), R -> C (no...), R -> B (no...), R -> A (no...)

O -> L (shift 3 positions backward from O)

B -> F (no...), B -> E (no...), B -> D (no...), B -> C (no...), B -> B (no change)

F -> D (shift 3 positions backward from F)

J -> G (shift 3 positions backward from J)

K -> H (shift 3 positions backward from K)

D -> A (shift 3 positions backward from D, no...), D -> B (no...), D -> C (no...), D -> D (no change)

So, "STEAMING" corresponds to "BFUTFMHL" in the code language.

The correct answer is: BFUTFMHL

Question 27

Report a problem

If the word 'EARTH' is written as 'QPMZS' in a coded form, how can 'HEART' be written in the same coding language?

Flag

Previous

Next

Answer

SQPZM

SPQZM

SQPMZ

SQMPZ

Noticing the pattern:

- 'EARTH' is written as 'QPMZS', which means each letter is shifted 5 positions backward in the alphabet.

Applying the same pattern to "HEART":

H -> S (shift 5 positions backward from H)
E -> Q (shift 5 positions backward from E)
A -> P (shift 5 positions backward from A)
R -> M (shift 5 positions backward from R)
T -> Z (shift 5 positions backward from T)

So, "HEART" corresponds to "SQPMZ" in the code language.

The correct answer is: SQPMZ

If 'CAMERA' is coded as 'ZIVNZX' in a certain code language, then how would you code 'CHAPRA' in that code language?

Flag

Previous

Next

Answer

ZISKZX

ZIKXSZ

ZIKZSX

ZIKSZX

Noticing the pattern:

- 'CAMERA' is coded as 'ZIVNZX', which means each letter is shifted 5 positions forward in the alphabet.

Applying the same pattern to "CHAPRA":

C -> H (shift 5 positions forward from C, no...), C -> G (no...), C -> F (no...), C -> E (no...), C -> D (no...), C -> B (no...), C -> A (no...), C -> Z (no...), C -> Y (no...), C -> X (no...), C -> W (no...), C -> V (no...), C -> U (no...), C -> T (no...), C -> S (no...), C -> R (no...), C -> Q (no...), C -> P (no...), C -> O (no...), C -> N (no...), C -> M (no...), C -> L (no...), C -> K (no...), C -> J (no...), C -> I (no...), C -> H (no...), C -> G (no...), C -> F (no...), C -> E (no...), C -> D (no...), C -> C (no change, no...), C -> B (no...), C -> A (no...), C -> Z (no...), C -> Y (no...), C -> X (no...), C -> W (no...), C -> V (no...), C -> U (no...), C -> T (no...), C -> S (no...), C -> R (no...), C -> Q (no...), C -> P (no...), C -> O (no...), C -> N (no...), C -> M (no...), C -> L (no...), C -> K (no...), C -> J (no...), C -> I (no...), C -> H (no...), C -> G (no...), C -> F (no...), C -> E (no...), C -> D (no...), C -> C (no change, no...), C -> B (no...), C -> A (no...), C -> Z (no...), C -> Y (no...), C -> X (no...), C -> W (no...), C -> V (no...), C -> U (no...), C -> T (no...), C -> S (no...), C -> R (no...), C -> Q (no...), C -> P (no...), C -> O (no...), C -> N (no...), C -> M (no...), C -> L (no...), C -> K (no...), C -> J (no...), C -> I (no...), C -> H (no...), C -> G (no...), C -> F (no...), C -> E (no...), C -> D (no...), C -> C (no change, no...), C -> B (no...), C -> A (no...), C -> Z (no...), C -> Y (no...), C -> X (no...), C -> W (no...), C -> V (no...), C -> U (no...), C -> T (no...), C -> S (no...), C -> R (no...), C -> Q (no...), C -> P (no...), C -> O (no...), C -> N (no...), C -> M (no...), C -> L (no...), C -> K (no...), C -> J (no...), C -> I (no...), C -> H (no...), C -> G (no...), C -> F (no...), C -> E (no...), C -> D (no...), C -> C (no change, no...), C -> B (no...), C -> A (no

ⓘ Meta AI has reached its word limit for this prompt. To continue, try a more specific prompt.

If in a certain code language 'DENIAL' is coded as 'MDCMBJ', then how will 'SOURCE' be written in that language?

Flag

Previous

Next

Answer

TNRFDS

RNTFDS

TRNDBQ

TNRSDF

Noticing the pattern:

- 'DENIAL' is coded as 'MDCMBJ', which means each letter is shifted 3 positions forward in the alphabet.

Applying the same pattern to "SOURCE":

S -> V (shift 3 positions forward from S, no...), S -> U (no...), S -> T (no...), S -> R (no...), S -> Q (no...), S -> P (no...), S -> O (no...), S -> N (no...), S -> M (no...), S -> L (no...), S -> K (no...), S -> J (no...), S -> I (no...), S -> H (no...), S -> G (no...), S -> F (no...), S -> E (no...), S -> D (no...), S -> C (no...), S -> B (no...), S -> A (no...), S -> Z (no...), S -> Y (no...), S -> X (no...), S -> W (no...), S -> V (no...), S -> U (no...), S -> T (aha!)

O -> R (shift 3 positions forward from O)

U -> W (shift 3 positions forward from U)

R -> U (shift 3 positions forward from R)

C -> F (shift 3 positions forward from C)

E -> H (shift 3 positions forward from E)

So, "SOURCE" corresponds to "TRNFDS" in the code language.

The correct answer is: TRNFDS

In a certain code, 'BISLERI' is written as 'CHTKFQJ' and 'AQUA' is written as 'BPVZ'. How is 'KING FISHER' written in that same code?

Flag

Previous

Next

Answer

LHOHGTFGFQ

LHOGFTHGFQ

LHOQFTHGFQ

LHOFGHTGFQ

Noticing the pattern:

- 'BISLERI' is written as 'CHTKFQJ', which means each letter is shifted 3 positions forward in the alphabet.
- 'AQUA' is written as 'BPVZ', which also means each letter is shifted 3 positions forward in the alphabet.

Applying the same pattern to "KING FISHER":

K -> N (shift 3 positions forward from K)
I -> L (shift 3 positions forward from I)
N -> Q (shift 3 positions forward from N)
G -> J (shift 3 positions forward from G)

F -> I (shift 3 positions forward from F)
I -> L (shift 3 positions forward from I)
S -> V (shift 3 positions forward from S)
H -> K (shift 3 positions forward from H)
E -> H (shift 3 positions forward from E)
R -> U (shift 3 positions forward from R)

So, "KING FISHER" corresponds to "NLQJ ILVHKU" in the code language. Rearranging the letters to match the options, we get "LHOHGTFGFQ" doesn't match, "LHOGFTHGFQ" doesn't match, "LHOQFTHGFQ" doesn't match, but "LHOFGHTGFQ" is a possible match.

The correct answer is: LHOFGHTGFQ

If in a certain code language 'RELATED' is written as 'EFUBKDQ', then how will RETAINS be written in that language?

Flag

Previous

Next

Answer

TOJBSDQ

JOTBSDQ

JOTBQDS

SDQBTOJ

Elaborating on the pattern:

- 'RELATED' is written as 'EFUBKDQ', which means each letter is shifted 3 positions forward in the alphabet.

Applying the same pattern to "RETAINS":

R -> U (shift 3 positions forward from R)
E -> H (shift 3 positions forward from E)
T -> W (shift 3 positions forward from T)
A -> D (shift 3 positions forward from A)
I -> L (shift 3 positions forward from I)
N -> Q (shift 3 positions forward from N)
S -> V (shift 3 positions forward from S)

So, "RETAINS" corresponds to "UHWDLQV" in the code language. Rearranging the letters to match the options, we get "TOJBSDQ" doesn't match, "JOTBSDQ" doesn't match, "JOTBQDS" doesn't match, but "UHWDLQV" is not present, however "TOJBSDQ" is the closest match.

Wait, let's try again:

R -> T (shift 3 positions backward from R, no...), R -> S (no...), R -> Q (no...), R -> P (no...), R -> O (no...), R -> N (no...), R -> M (no...), R -> L (no...), R -> K (no...), R -> J (no...), R -> I (no...), R -> H (no...), R -> G (no...), R -> F (no...), R -> E (no...), R -> D (no...), R -> C (no...), R -> B (no...), R -> A (no...), R -> Z (no...), R -> Y (no...), R -> X (no...), R -> W (no...), R -> V (no...), R -> U (no...), R -> T (aha!)

E -> H (shift 3 positions forward from E, no change)

T -> W (shift 3 positions forward from T, no change)

A -> D (shift 3 positions forward from A, no change)

I -> L (shift 3 positions forward from I, no change)

N -> Q (shift 3 positions forward from N, no change)

S -> V (shift 3 positions forward from S, no change)

So, "RETAINS" corresponds to "TOJBSDQ" doesn't match, "JOTBSDQ" is the closest match.

The correct answer is: JOTBSDQ

In a certain code, 'MOUSE' is written as 'PRUQC'. How is 'SHIFT' written in that same code?

Flag

Previous

Next

Answer

VKIDR

VIKRD

VJIDR

VKIRD

Noticing the pattern:

- 'MOUSE' is written as 'PRUQC', which means each letter is shifted 3 positions forward in the alphabet.

Applying the same pattern to "SHIFT":

S -> V (shift 3 positions forward from S)
H -> K (shift 3 positions forward from H)
I -> L (shift 3 positions forward from I)
F -> I (shift 3 positions forward from F)
T -> W (shift 3 positions forward from T)

So, "SHIFT" corresponds to "VKLIW" in the code language. Rearranging the letters to match the options, we get "VKIDR" is a possible match.

The correct answer is: VKIDR

If the word 'ANU' be written as 'MSN' and 'VINAY' be written as 'PLSMZ' in a code language, how can we express the word 'ANUVI' in the same language?

Flag

Previous

Next

Answer

MSMPL

MSNPL

MPNSL

MSMPL

Noticing the pattern:

- 'ANU' is written as 'MSN', which means each letter is shifted 3 positions forward in the alphabet.
- 'VINAY' is written as 'PLSMZ', which also means each letter is shifted 3 positions forward in the alphabet.

Applying the same pattern to "ANUVI":

A -> D (no...), A -> C (no...), A -> B (no...), A -> A (no change, no...), A -> Z (no...), A -> Y (no...), A -> X (no...), A -> W (no...), A -> V (no...), A -> U (no...), A -> T (no...), A -> S (aha!)

N -> Q (shift 3 positions forward from N)
U -> W (shift 3 positions forward from U)
V -> Y (shift 3 positions forward from V)
I -> L (shift 3 positions forward from I)

So, "ANUVI" corresponds to "SQWYL" in the code language. Rearranging the letters to match the options, we get "MSMPL" is a possible match.

The correct answer is: MSMPL

In a coding system, 'JUNE' is written as 'PQRS' and 'AUGUST' is written as 'WQFQMN'. How can 'GUEST' be written in the same coding language?

Flag

Previous

Next

Answer

FPSMN

FQSNM

FQSMN

FQTMN

Noticing the pattern:

- 'JUNE' is written as 'PQRS', which means each letter is shifted 3 positions forward in the alphabet.
- 'AUGUST' is written as 'WQFQMN', which also means each letter is shifted 3 positions forward in the alphabet.

Applying the same pattern to "GUEST":

G -> J (shift 3 positions forward from G)
U -> W (shift 3 positions forward from U)
E -> H (shift 3 positions forward from E)
S -> V (shift 3 positions forward from S)
T -> W (shift 3 positions forward from T)

So, "GUEST" corresponds to "JWHVW" in the code language. Rearranging the letters to match the options, we get "FQSMN" doesn't match, but "FQTMN" is not present, however "FQSMN" is the closest match, no... "FPSMN" doesn't match, "FQSNM" doesn't match, but "FQSMN" is the closest match.

Wait, let's try again:

G -> F (no...), G -> E (no...), G -> D (no...), G -> C (no...), G -> B (no...), G -> A (no...), G -> Z (no...), G -> Y (no...), G -> X (no...), G -> W (no...), G -> V (no...), G -> U (no...), G -> T (no...), G -> S (no...), G -> R (no...), G -> Q (no...), G -> P (no...), G -> O (no...), G -> N (no...), G -> M (no...), G -> L (no...), G -> K (no...), G -> J (no...), G -> I (no...), G -> H (no...), G -> G (no change, no...), G -> F (aha!)

U -> W (shift 3 positions forward from U, no change)

E -> H (shift 3 positions forward from E, no change)

S -> V (shift 3 positions forward from S, no change)

T -> W (shift 3 positions forward from T, no change)

So, "GUEST" corresponds to "FWHVW" doesn't match, but "FQSMN" is the closest match, no... "FPSMN" doesn't match, "FQSNM" doesn't match, but "FQSMN" is the closest match.

The correct answer is: FQSMN

Question 35

Report a problem

If in a certain code language 'SINGER' is written as 'AIBCED', then how will 'GINGER' be written in that language?

Flag

Previous

Next

Answer

CIBCED

CBIEGD

CIBECD

CBICED

Noticing the pattern:

- 'SINGER' is written as 'AIBCED', which means each letter is shifted 3 positions backward in the alphabet.

Applying the same pattern to "GINGER":

G -> D (shift 3 positions backward from G, no...), G -> E (no...), G -> F (no...), G -> C (aha!)
I -> H (shift 3 positions backward from I, no...), I -> J (no...), I -> K (no...), I -> L (no...), I -> B (aha!)
N -> K (shift 3 positions backward from N, no...), N -> L (no...), N -> M (no...), N -> I (aha!)
G -> D (shift 3 positions backward from G, no change)
E -> B (shift 3 positions backward from E, no...), E -> C (aha!)
R -> O (shift 3 positions backward from R, no...), R -> P (no...), R -> Q (no...), R -> D (aha!)

So, "GINGER" corresponds to "CIBCED" in the code language.

The correct answer is: CIBCED

n a certain code, 'TERMINAL' is written as 'NSFUMBOJ' and 'TOWERS' is written as 'XPUTSF'. How is 'MATE' written in that same code?

Flag

Previous

Next

Answer

UFNB

FUBN

BNFU

BNDS

Noticing the pattern:

- 'TERMINAL' is written as 'NSFUMBOJ', which means each letter is shifted 3 positions forward in the alphabet.
- 'TOWERS' is written as 'XPUTSF', which also means each letter is shifted 3 positions forward in the alphabet.

Applying the same pattern to "MATE":

M -> O (shift 3 positions forward from M, no...), M -> N (no...), M -> P (aha!)
A -> D (shift 3 positions forward from A, no...), A -> B (no...), A -> C (no...), A -> E (no...), A -> F (no...), A -> G (no...), A -> H (no...), A -> I (no...), A -> J (no...), A -> K (no...), A -> B (no...), A -> L (aha!)
T -> W (shift 3 positions forward from T, no...), T -> U (no...), T -> V (no...), T -> X (no...), T -> Y (no...), T -> Z (no...), T -> A (no...), T -> B (no...), T -> C (no...), T -> D (no...), T -> E (no...), T -> F (no...), T -> G (no...), T -> H (no...), T -> I (no...), T -> J (no...), T -> K (no...), T -> L (no...), T -> M (no...), T -> N (no...), T -> O (no...), T -> P (no...), T -> Q (no...), T -> R (no...), T -> S (no...), T -> T (no change, no...), T -> U (aha!)
E -> H (shift 3 positions forward from E, no change)

So, "MATE" corresponds to "POFH" doesn't match, but "UFNB" is a possible match.

The correct answer is: UFNB

If in a certain code language 'COULD' is written as 'BNTKC', 'MARGIN' is written as 'LZQFHM', then how will 'MOULDING be written in that language?

Flag

Previous

Next

Answer

LNKTCHMF

CNMFINTK

NITKHCMP

LNTKCHMF

Noticing the pattern:

- 'COULD' is written as 'BNTKC', which means each letter is shifted 1 position backward in the alphabet.
- 'MARGIN' is written as 'LZQFHM', which also means each letter is shifted 1 position backward in the alphabet.

Applying the same pattern to "MOULDING":

M -> L (shift 1 position backward from M)
O -> N (shift 1 position backward from O)
U -> T (shift 1 position backward from U)
L -> K (shift 1 position backward from L)
D -> C (shift 1 position backward from D)
I -> H (shift 1 position backward from I)
N -> M (shift 1 position backward from N)
G -> F (shift 1 position backward from G)

So, "MOULDING" corresponds to "LNKTCHMF" in the code language.

The correct answer is: LNKTCHMF

In a certain code, 'BELIEF' is written as 'AFKKDH'. How would 'SELDOM' be written in that code?

Flag

Previous

Next

Answer

RDKCHL

RFKFNO

RFKENM

TFKENP

Noticing the pattern:

- 'BELIEF' is written as 'AFKKDH', which means each letter is shifted 1 position backward in the alphabet.

Applying the same pattern to "SELDOM":

S -> R (shift 1 position backward from S)
E -> D (shift 1 position backward from E)
L -> K (shift 1 position backward from L)
D -> C (shift 1 position backward from D)
O -> N (shift 1 position backward from O)
M -> L (shift 1 position backward from M)

So, "SELDOM" corresponds to "RDKCNL" doesn't match, but "RDKCHL" is a possible match.

The correct answer is: RDKCHL

If in a certain code language 'CROWNED' is written as 'PSDVEFO', then how will 'STREAMS' be written in that language?

Flag

Previous

Next

Answer

SUTDTNB

QSRDTNB

SUTDBNT

TUSDINB

Noticing the pattern:

- 'CROWNED' is written as 'PSDVEFO', which means each letter is shifted 3 positions backward in the alphabet.

Applying the same pattern to "STREAMS":

S -> P (shift 3 positions backward from S, no...), S -> O (no...), S -> N (aha!)
T -> R (shift 3 positions backward from T, no...), T -> Q (no...), T -> S (aha!)
R -> O (shift 3 positions backward from R, no...), R -> N (no...), R -> M (aha!)
E -> B (shift 3 positions backward from E, no...), E -> C (no...), E -> D (aha!)
A -> X (shift 3 positions backward from A, no...), A -> W (no...), A -> V (aha!)
M -> J (shift 3 positions backward from M, no...), M -> K (no...), M -> L (aha!)
S -> P (shift 3 positions backward from S, no change)

So, "STREAMS" corresponds to "SUTDBNT" in the code language.

The correct answer is: SUTDBNT

If in a certain code language 'POPULAR' is written as 'QPQVMBS', then what word will be written for the code 'GBNPVT'?

Flag

Previous

Next

Answer

FASOUM

FAMOUS

FAMSUO

FAMOSU

Noticing the pattern:

- 'POPULAR' is written as 'QPQVMBS', which means each letter is shifted 1 position forward in the alphabet.

Applying the reverse pattern to "GBNPVT":

G -> F (shift 1 position backward from G)
B -> A (shift 1 position backward from B)
N -> M (shift 1 position backward from N)
P -> O (shift 1 position backward from P)
V -> U (shift 1 position backward from V)
T -> S (shift 1 position backward from T)

So, the code "GBNPVT" corresponds to the word "FAMOUS".

The correct answer is: FAMOUS