TCS-NQT-2(11.09.2024)-Technical

192124033.sse@saveetha.com Switch account

Draft saved

Your email will be recorded when you submit this form

* Indicates required question

Technical MCQ

Answer all the questions

What is the output of C Program.? *

```
int main()
{
   int a=9;
   if(a=8)
   {
      printf("Kangaroo\n");
   }
   printf("Eggs\n");

   return 0;
}
```

- ○ No output
- ○ Eggs
- ◉ Kangaroo Eggs
- ○ Compiler error

Predict the output for below code *

```
#include <stdio.h>
main() {
  int k=7;
   k = printf("71");
   printf("%f",k);
   return 1;
}
```

- (●) 710.000000
- ( ) 1
- ( ) Runtime error
- ( ) 71

What is the Priority of C Logical Operators.? NOT (!), AND (&&) and OR (||) *

- ( ) NOT (!) > AND (&&) > OR (||)
- (●) NOT (!) > AND (&&) = OR (||)
- ( ) AND (&&) > OR (||) > NOT (!)
- ( ) AND (&&) = OR (||) > NOT (!)

What is the output of C Program.? *

```
int main()
{
   if(TRUE)
   {
      printf("Bittergaurd\n");
   }
   if(true)
   {
      printf("Honey\n");
   }
   printf("Jilebi");

   return 0;
}
```

- ○ Honey
- ○ Jilebi
- ○ Bittergaurd
- ◉ compiler error

Predict the output *

```
#include <stdio.h>
int main()
{
float p = 13.25, q = 14.5;

if (p = q)
{
printf("Helio\n");
 }
return 0;
}
```

- ○ helro
- ○ Hello
- ◉ Helio
- ○ error

Predict the Output for below code *

```
#include <stdio.h>
int main()
{
 int n=1;
   n = 50<34 ? 67 : 37;
   printf("%d",n);
   return 0;
}
```

- ◉ 37
- ○ 1
- ○ 67
- ○ 68

Predict the output *

```
#include <stdio.h>
int main()
{
   if (25 =='y') {
      printf("ASCII value of y is grater than that of X\n");
   }
   else {
      printf("ASCII value of y is greater than that of Y\n");
   }
   return 0;
}
```

- ( ) ASCII value of y is greater than that of X
- (•) ASCII value of Y is smaller than that of y
- ( ) error
- ( ) Both options are correct

Choose a statement to use C If Else statement. *

- ( ) else if is compulsory to use with if statement.
- ( ) else is compulsory to use with if statement.
- (•) else or else if is optional with if statement.
- ( ) None of the above

Predict the output of the below code *

```
#include <stdio.h>
int main()
{
int r, s, c;
c = scanf("%d%d", &r, &s);
if (r + s - c)
{
printf("This is a game");
 }
else
{
 printf("you have to play it");
 }
return 0;
}
```

- ○ garbage value
- ◉ this is a game
- ○ Logical error
- ○ you have to play it

Predict the output *

```
#include <stdio.h>
int main()
{
   if ( 65=='y') {
      printf("ASCII value of Y is smaller than that of y\n");
   }
   else {
      printf("ASCII value of y is smaller than that of Y\n");
   }
   return 0;
}
```

- (●) ASCII value of y is smaller than that of Y
- ( ) ASCII value of Y is smaller than that of y
- ( ) error
- ( ) ASCII value of y is equal to 65

Predict the output for below code *

```
#include <stdio.h>

int main()

{

int x = 400, y, z;

 if (x >= 500) y = 400;

 z = 300;

printf("%d %d\n", y, z);

return 0;

}
```

- (●) 0 300
- ( ) 400 300
- ( ) 401 301
- ( ) All the above

Predict the output *

```
#include <stdio.h>
int main()
{
int k = 14, l = 12;
if (l >= k) {
l = k;
k = l;
printf("%d, %d\n", k, l);
}
  return 0;
}
```

- ○ 14 12
- ◉ No Output
- ○ 14 14
- ○ 12 14

Predict the output for below code *

```
#include <stdio.h>
int main()
{
int p = 800, q, r;
if (p >= 700) q = 600;
r = 500;
printf("%d %d\n", q, r);
  return 0;
}
```

- ○ 700 500
- ○ 800 500
- ◉ 600 500
- ○ Option 1 and option 2

What is the output of the C Program.? *

```
int main()
{
   if( 4 > 45 )
      printf("Welcome to Paradise..\n");
      printf("Blink_eye");

   return 0;
}
```

- ○ welcome to paradise
- ○ blink eye
- ◉ Blinlk_eye
- ○ none

What is the output of C Program.? *

```
int main()
{
   if( 10 > 9 )
      printf("TCS\n");
   else if(4%2 == 0)
      printf("Infosys\n");
      printf("Cognizant");
   return 0;
}
```

- (●) TCS Cognizant
- ( ) TCS
- ( ) Cognizant
- ( ) Infosys

What is the output of the C Program.? *

```
int main()
{
   if( 4 > 5 )
   {
      printf("Happy 75th Republic Day..\n");
   }
    printf("Internship");
 return 0;
}
```

- (●) Internship
- ( ) Happy holidays
- ( ) Happy 75th Republic Day..
- ( ) compiler error

Predict the output for below code *

```
#include <stdio.h>

int main() {
int a = 30, b = 40;

   if (a == b)
   a=50,b=45;
   printf("%d %d\n", a, b);

   return 0;
}
```

- ○ 30 41
- ○ 50 45
- ◉ 30 40
- ○ error

What is the output of the C Program.? *

```
int main()
{
   if(10.0)
   {
      printf("Texas\n");
   }
   printf("ZING");

   return 0;
}
```

- ○ ZING
- ◉ Texas ZING
- ○ Compiler error.
- ○ None of the above.

What is the output of the C Program.? *

```
int main()
{
   if( 10 < 9 )
      printf("Safari..\n");
   else if(4 > 2)
      printf("Swift...");
   return 0;
}
```

- ○ safari
- ◉ swift
- ○ Compiler error for missing else
- ○ None of the above

What is the output of C Program.? *

```
int main()
{
   int a=9, b=5, c=8;

   if(!(a==9))
   {
      printf("Bear\n");
   }
   else
   {
      printf("Elephant\n");
   }

   printf("Fox");

   return 0;
}
```

- ○ Compiler error
- ◉ Elephant Fox
- ○ Fox
- ○ Elephant

Predict the output *

```
#include <stdio.h>
int main()
{
int i = 65;
char j = 'A';
if (i == j)
{
printf("This place is beautiful\n");
}
else
{
printf("This place is not beautiful\n");
  }
return 0;
}
```

- ○ This place is not beautiful
- ◉ This place is beautiful
- ○ error
- ○ Both A and B

What is the output of C Program.? *

```
int main()
{
   int x=1;
   float y = 1.0;
   if(x == y)
   {
      printf("Polo\n");
   }
   if( 1 == 1.0)
   {
      printf("Golf\n");
   }
   if( 1.0 == 1.0f )
   {
       printf("Boxing\n");
   }
   return 0;
}
```

- ○ No Output
- ○ Boxing
- ○ Golf Boxing
- ◉ Polo Golf Boxing

Predict the output for below code *

```
#include <stdio.h>
main() {
   double c = 22.34<31.23 ? 63 : 31;
   printf("%lf",c);
   return 0;
}
```

- ○ 22.34
- ○ 31
- ○ 63.01
- ◉ 63

What is the output of C Program.? *

```
int main()
{
   int a=9, b;
b = (a==9) ? (printf("CAT\n");
printf("DOG\n")) : (printf("FOX"));
    return 0;
}
```

- ○ CAT DOG
- ◉ Compiler error
- ○ Fox
- ○ CAT DOG FOX

Predict the output *

```
#include <stdio.h>
int main()
{
int a = 50.2512, b = 100.253;
 if (a == b / 2)
{
printf("Hello");
}
else
{
printf("Hi");
}
return 0;
}
```

- ○ compiler error
- ◉ hi
- ○ hello
- ○ None of the above

Choose a correct statement regarding C Comparison Operators. *

- ○ (x == y) Is x really equal to y. (x != y) Is x not equal to y.
- ○ (x < y) Is x less than y (x > y) Is x greater than y
- ○ (x <= y) Is x less than or equal to y. (x >= y) Is x greater than or equal to y
- ◉ All the above

What is the output of the C Program.? *

```
int main()
{
   if(-5)
   {
      printf("Germany\n");
   }
   if(5)
   {
      printf("Texas\n");
   }
   printf("ZING");
   return 0;
}
```

- ○ ZING
- ○ Texas ZING
- ◉ Germany Texas ZING
- ○ Compiler error as a number can not be put as condition inside IF.

Choose a correct C Statement using IF Conditional Statement. *

- ○ if(condition) { //statements; }
- ○ if(condition) { //statements; } else { //statements; }
- ○ if(condition1) { //statements; } else if(condition2) { //statements; } else { //statements; }
- ○ option A and C alone
- ◉ All the above

Predict the output *

```
#include <stdio.h>
int main()
{
   int j = 17, k = 25;
   if (j % 2 == k % 5) {
      printf("Solve\n");
   }
   return 0;
}
```

- ○ Solve
- ○ error
- ◉ No output
- ○ Runtime error

Predict the output *

```
#include <stdio.h>
int main()
{
   int o = 5521, y = 1840;
   if (o / 15 == y / 5) {
      printf("I am abstinent \n");
   }
   else
   {
      Printf("I am Piggybank")
   }
   return 0;
}
```

- (●) I am Piggybank
- ( ) I am abstinent
- ( ) both correct
- ( ) None of the above

What is the output of C Program.? *

```
int main()
{
   int a=9;
   if(a==5);
   {
      printf("Kangaroo\n");
   }
   printf("Eggs\n");
   return 0;
}
```

- ○ Eggs
- ◉ Kangaroo Eggs
- ○ No output
- ○ Compiler error

What is the output of C Program.? *

```
int main()
{
   int a=9;
   if(a==9);
   {
      printf("Ostrich\n");
   }
   elseif(a==8)
   {
      printf("Eggs\n");
   }
   printf("White");
  return 0;
}
```

- ○ white
- ○ ostrich white
- ○ No output
- ◉ compiler error

What is the output of the C Program.? *

```
int main()
{
   if( 4 < 5 )
      printf("Hello Ferrari...\n");
      printf("Blink_eye");
   else
      printf("England")
   return 0;
}
```

- ○ Hello Ferrari...
- ○ England
- ◉ compiler error
- ○ None of the above

Predict the output for below code *

```
#include <stdio.h>
int main()
{
int e = 4;
float f = 4.0;
if (e == f)
{ printf("E and F are equal\n");
}
else
{ printf("E and F are not equal");
}
  return 0;
}
```

- ○ e and f are equal
- ◉ E and F are equal
- ○ E and F are not equal
- ○ compiler error

Predict the output for below code *

```
#include <stdio.h>

main() {

  float g=5.23;

   g = printf("8");

   printf("%f",g);

   return 0;

}
```

- ○ 8
- ◉ 81
- ○ 5.23
- ○ compiler error

Predict the output *

```
#include <stdio.h>
 int main()
{
int p = 4, q, r;
 q = p = 15;
 r = p < 15;
  printf("p = %d q = %d r = %d\n", p, q, r);
return 0;
}
```

- ○ p = 17 q = 15 r = 0
- ◉ p = 15 q = 15 r = 0
- ○ p = 4 q = 15 r = 15
- ○ p = 15 q = 15 r = 15

What is the output of C Program.? *

```
int main()
{
   int a=9;
   if(a==9)
   {
      printf("Ostrich\n");
   }
   else;
   {
      printf("Eggs\n");
   }
   printf("White");
   return 0;
}
```

- ○ garbage value
- ◉ Ostrich Eggs White
- ○ Ostrich white
- ○ None of the above

What is the output of C Program.? *

```
int main()
{
   if("abc")
   {
      printf("India\n");
   }
   if('c')
   {
      printf("Hangkong\n");
   }
   printf("Goa");

   return 0;
}
```

- ○ Hangkong
- ○ Goa
- ○ India Hangkong Goa
- ◉ COmpiler error

Predict the output for below code *

```
#include<stdio.h>
int main()
{
int a=0, b;

   a = (5>2) ? b=6: b=8;

   printf("%d %d",a, b);

   return 0;

}
```

- ○ 0 8
- ○ 0 6
- ◉ compiler error
- ○ 1 8

Predict the output *

```
#include <stdio.h>
int main()
{
int k = 69;
char l = 'A';
if (k == l)
{
printf("I am Peacock\n");
}
else
{
printf("I am Penqueen\n");
 }
return 0;
}
```

- (●) I am Penqueen
- ( ) I am Peacock
- ( ) out of range
- ( ) Both are options are correct

Back Submit Clear form

Never submit passwords through Google Forms.

This form was created inside of Saveetha Institute of Medical and Technical Sciences. Report Abuse

Google Forms